

Broadbalk Cropping 1844-1925

Winter wheat (W) was grown every year, except for occasional fallowing. Plots were not divided into sections until 1926

| Cultivar | Year | Cropping | Plot Divisions |
|-------------|------|----------|---|
| Old Red | 1844 | W | Plots were not divided. |
| Lammas | 1845 | W | Plots were not divided, except for 5 into two halves (a and b) |
| " | 1846 | W | From 1846 to 1851: |
| " | 1847 | W | Most plots were divided into two halves, north (a) and south (b), receiving different fertilizer treatments |
| " | 1848 | W | " " |
| Old Red | 1849 | W | " " |
| Cluster | 1850 | W | " " |
| " | 1851 | W | " " |
| " | 1852 | W | From 1852-1893: |
| Red Rostock | 1853 | W | Most plots were divided into two halves, north (a) and south (b), receiving the same fertilizer treatments |
| " | 1854 | W | " " |
| " | 1855 | W | " " |
| " | 1856 | W | " " |
| " | 1857 | W | " " |
| " | 1858 | W | " " |
| " | 1859 | W | " " |
| " | 1860 | W | " " |
| " | 1861 | W | " " |
| " | 1862 | W | " " |
| " | 1863 | W | " " |
| " | 1864 | W | " " |
| " | 1865 | W | " " |
| " | 1866 | W | " " |
| " | 1867 | W | " " |
| " | 1868 | W | " " |
| " | 1869 | W | " " |
| " | 1870 | W | " " |
| " | 1871 | W | " " |
| " | 1872 | W | " " |
| " | 1873 | W | " " |
| " | 1874 | W | " " |
| " | 1875 | W | " " |

| | | | | |
|-------------|------|------|--|---|
| " | 1876 | W | " | " |
| " | 1877 | W | " | " |
| " | 1878 | W | " | " |
| " | 1879 | W | " | " |
| " | 1880 | W | " | " |
| " | 1881 | W | " | " |
| Red Club | 1882 | W | " | " |
| " | 1883 | W | " | " |
| " | 1884 | W | " | " |
| " | 1885 | W | " | " |
| " | 1886 | W | " | " |
| " | 1887 | W | " | " |
| " | 1888 | W | " | " |
| " | 1889 | W | " | " |
| " | 1890 | W | " | " |
| " | 1891 | W | " | " |
| " | 1892 | W | " | " |
| " | 1893 | W | " | " |
| " | 1894 | W | From 1894 to 1900: | |
| " | 1895 | W | Most plots were divided into east (B, bottom) and west (T, top) halves, receiving the same fertilizer treatments | |
| " | 1896 | W | " | " |
| " | 1897 | W | " | " |
| " | 1898 | W | " | " |
| " | 1899 | W | " | " |
| S* Master | 1900 | W | " | " |
| " | 1901 | W | The top half of the plots was divided into two equal parts called top (T) and middle (M) | |
| " | 1902 | W | Plots were not divided, except for plot 2 (a and b) | |
| " | 1903 | W | Plots were not divided, except for plot 2 (a and b) | |
| " | 1904 | W, F | Plots were divided into halves longitudinally, one half cropped and the other bare fallowed | |
| Giant Red | 1905 | W, F | As for 1904 but halves were reversed | |
| S* Master | 1906 | W | Plots were not divided, except for plot 2 (a and b) and 11 (a and b) | |
| " | 1907 | W | From 1907 to 1911: | |
| " | 1908 | W | Plots were not divided, except for plot 2 (a and b) | |
| " | 1909 | W | " | " |
| Browick Red | 1910 | W | " | " |
| Little Joss | 1911 | W | " | " |
| " | 1912 | W | All plots divided into two halves (B and T), only the bottom half being harvested as the top half was so poor | |
| S* Master | 1913 | W | All plots divided into two halves (B and T), both halves cropped as usual | |
| " | 1914 | W, F | All the western half bare fallowed, eastern half (B) cropped as usual | |

| | | | |
|--------------|------|------|---|
| " | 1915 | W, F | All the eastern half bare fallowed, western half (T) cropped as usual |
| " | 1916 | W | From 1916 to 1925: |
| Red Standard | 1917 | W | All plots divided into two halves (B and T), both halves cropped as usual |
| " | 1918 | W | " " |
| " | 1919 | W | " " |
| " | 1920 | W | " " |
| " | 1921 | W | " " |
| " | 1922 | W | " " |
| " | 1923 | W | " " |
| " | 1924 | W | " " |
| " | 1925 | W | " " |

Note: * = Squarehead's Master

W = winter wheat, F = fallow

Year refers to the year in which the crop was harvested.