

Broadbalk Cropping 1844-1925

Winter wheat (W) was grown every year, except for occasional fallowing. Plots were not divided into sections until 1926

Cultivar	Year	Cropping	Plot Divisions
Old Red	1844	W	Plots were not divided.
Lammas	1845	W	Plots were not divided, except for 5 into two halves (a and b)
"	1846	W	From 1846 to 1851:
"	1847	W	Most plots were divided into two halves, north (a) and south (b), receiving different fertilizer treatments
"	1848	W	" "
Old Red	1849	W	" "
Cluster	1850	W	" "
"	1851	W	" "
"	1852	W	From 1852-1893:
Red Rostock	1853	W	Most plots were divided into two halves, north (a) and south (b), receiving the same fertilizer treatments
"	1854	W	" "
"	1855	W	" "
"	1856	W	" "
"	1857	W	" "
"	1858	W	" "
"	1859	W	" "
"	1860	W	" "
"	1861	W	" "
"	1862	W	" "
"	1863	W	" "
"	1864	W	" "
"	1865	W	" "
"	1866	W	" "
"	1867	W	" "
"	1868	W	" "
"	1869	W	" "
"	1870	W	" "
"	1871	W	" "
"	1872	W	" "
"	1873	W	" "
"	1874	W	" "
"	1875	W	" "

"	1876	W	"	"
"	1877	W	"	"
"	1878	W	"	"
"	1879	W	"	"
"	1880	W	"	"
"	1881	W	"	"
Red Club	1882	W	"	"
"	1883	W	"	"
"	1884	W	"	"
"	1885	W	"	"
"	1886	W	"	"
"	1887	W	"	"
"	1888	W	"	"
"	1889	W	"	"
"	1890	W	"	"
"	1891	W	"	"
"	1892	W	"	"
"	1893	W	"	"
"	1894	W	From 1894 to 1900:	
"	1895	W	Most plots were divided into east (B, bottom) and west (T, top) halves, receiving the same fertilizer treatments	
"	1896	W	"	"
"	1897	W	"	"
"	1898	W	"	"
"	1899	W	"	"
S* Master	1900	W	"	"
"	1901	W	The top half of the plots was divided into two equal parts called top (T) and middle (M)	
"	1902	W	Plots were not divided, except for plot 2 (a and b)	
"	1903	W	Plots were not divided, except for plot 2 (a and b)	
"	1904	W, F	Plots were divided into halves longitudinally, one half cropped and the other bare fallowed	
Giant Red	1905	W, F	As for 1904 but halves were reversed	
S* Master	1906	W	Plots were not divided, except for plot 2 (a and b) and 11 (a and b)	
"	1907	W	From 1907 to 1911:	
"	1908	W	Plots were not divided, except for plot 2 (a and b)	
"	1909	W	"	"
Browick Red	1910	W	"	"
Little Joss	1911	W	"	"
"	1912	W	All plots divided into two halves (B and T), only the bottom half being harvested as the top half was so poor	
S* Master	1913	W	All plots divided into two halves (B and T), both halves cropped as usual	
"	1914	W, F	All the western half bare fallowed, eastern half (B) cropped as usual	

"	1915	W, F	All the eastern half bare fallowed, western half (T) cropped as usual	
"	1916	W	From 1916 to 1925:	
Red Standard	1917	W	All plots divided into two halves (B and T), both halves cropped as usual	
"	1918	W	"	"
"	1919	W	"	"
"	1920	W	"	"
"	1921	W	"	"
"	1922	W	"	"
"	1923	W	"	"
"	1924	W	"	"
"	1925	W	"	"

Note: * = Squarehead's Master
W = winter wheat, F = fallow