


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



Collection of Plans for the Woburn Ley-arable Experiment

[Full Table of Content](#)



Woburn Ley-arable 1972b

Rothamsted Research

Rothamsted Research (1957-79) *Woburn Ley-arable 1972b* ; Collection Of Plans For The Woburn Ley-Arable Experiment, pp 19 - 19

2018

STACKYARD D 1972


35th year

ARABLE AND LEY ROTATION

Potatoes Blocks 5

1000 bop

N



VARIETY 'Resistant' to H.rostochianensis Maris Piper Planted: 29 Mar.

BASAL MANURING per acre (hectare)
1752 lb (1964 kg) compound fertiliser (13:13:20)

PLOT AREA
Plots with chloropicrin residues 14' x 30' = 0.0096 acre (0.0039 ha)
Plots without chloropicrin residues 14' x 64'6" = 0.0207 acre (0.0084 ha)

TREATMENTS per acre (hectare)

- d6 None, FYM residues last applied 1967
- chloropicrin residues
- (-), (c) None 400lb (448 kg) chloropicrin in 1969
- Fresh chloropicrin and temik
- None
- 400lb (448 kg) chloropicrin in autumn 1971 + 50lb (56 kg) of 10% granules of temik in Spring 1972