

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Rothamsted Experimental Station Report for 1973 Part 2

[Full Table of Content](#)



Subject Index

Rothamsted Research

Rothamsted Research (1974) *Subject Index* ; Rothamsted Experimental Station Report For 1973 Part 2, pp 271 - 273 - DOI: <https://doi.org/10.23637/ERADOC-1-8>

SUBJECT INDEX

- Abies grandis*. See Grand fir
See also Conifers
- Aerial pollution, effect on young conifers, 159
- Agdell Experiment at Rothamsted
behaviour of K remaining in soils, 74–97
pot-and field-experiment results, 84, 86
soils of, 74
- Ammonium sulphate, effect on Park Grass, 71
- Analytical methods
in Woburn Conifer Reference Experiments (1961–69), 169
in Woburn Organic Manuring Experiment (1964–72), 148
- Aphids
aerial sampling methods, 203
behaviour differences between species, 221
biotypes, 202
bulletins, 206, 240
crop infestation, forecasting of, 235
dates of first arrivals, 221
distribution of, 206, 213, 226, 230, 233, 235
diurnal flight periodicity, 209
in cereals, 221
in potatoes, 223
in Rothamsted Insect Survey traps, 242–257
in sugar beet, 223
migration, 210, 211, 223, 235
movement into the crop, 224
pest monitoring, 207
relationship between aerial and ground populations, 220
total numbers of species caught 1972, 218
See also Insects
- Barley
apparent recoveries of N by, 108
effect of depth of soil on root length, 36, 41, 50
effect of N on growth, 30, 45, 57
effect of NPK on root growth, 33, 36, 61
effect of organic manures on, 109
effect of shading on growth, 38, 41, 61, 62
root growth, 30–47, 58
yield, causes of variation in, 5
yields, 128
See also Cereals
- Beans
effect of organic manures on, 109, 112
yields, 131
- Boron
water-soluble in Woburn soils, 136
- Calcium, amount removed by crops, 133
- Carbon in soil
changes in Organic Manuring Experiment, 134, 135, 137
losses of from Woburn soil, 137
- Cereals
aphids in, 221
carbohydrate in grain, 6
dry weight of roots, 31, 34–41, 43–58
effect of N on root growth, 30–37, 43, 45, 46, 61
effect of soil type on root growth, 63
effect of temperature and radiation in growth rooms, 14
grain number and size, 20
grain yield and temperature, 16, 19
growth substances and carbohydrate accumulation in, 21
leaf area, 9–14
leaf-area index, 5
net assimilation rate in, 5
normal and semi-dwarf varieties, 47, 53, 55
nutrient and water uptake and root growth, 63
radiation and vegetative growth, 17
root growth, 26–66
root length, 43, 44, 50–52, 55, 60, 62
root sampling methods, 26, 59
seasonal effect on growth, 58, 59
semi-dwarf, 47, 53
shoot growth, 46
sink capacity, 18, 20
soil core sampling for, 27
temperature and distribution of carbohydrate in, 14, 18
temperature and vegetative growth, 17
- Compost for conifers, 152–159
- Conifers
aerial pollution, effect on, 159
compost for, 152–159
deficiency symptoms in, 158
eelworms on, 159
effect of Mg on, 161
effect of rainfall on growth, 156, 158
effect of seed origin on growth, 156
effect of seedcover grit on growth, 156
fertiliser application rates compared with arable crops, 156
fertilisers and composts compared, 154, 157
formalin for, 152, 154, 157, 159, 161
nutrient concentrations of seedlings, 159
nutrient responses compared with arable crops, 160
Reference Experiments at Woburn, 152–171
root fungi on, 158, 170
slow-release and soluble fertilisers compared, 152, 154, 162, 163, 164, 166
soil analyses in Woburn Reference Experiment, 165, 169
transplants damaged by fertiliser, 152
Crop canopies, light penetration into, 177
- Drainage, 200
- Evaporation at Rothamsted, 196
- Farmyard manure
analysis of, 128
compared with PKMg fertilisers, 99
cumulative effects from, 123
dry matter and organic matter in, 100
effect on C and N in soil, 138
effect on crop yield, 109, 111, 112
effect on mineralisable N in soil, 144
effect on Park Grass, 72
effect on potato yields, 120
mineral content of, 100
N released from, 106
- Formalin
for young Sitka spruce, 152, 154, 157, 159
increases in Mn caused by, 161
- Frit fly (*Oscinella frit*), 206, 208, 213
- Frosts at Rothamsted, 181
- Gall midges, 208
- Grand fir (*Abies grandis*)
compared with Sitka spruce, 152
dry-matter weights and nutrient concentrations in, 163, 164
See also Conifers
- Grass and grass-clover
amounts of C and N added to, 137
clover content in leys, 103
cumulative K uptake by, 76

SUBJECT INDEX

- Grass and grass-clover (*cont.*):
 dry-matter production, 103
 effects of leys on potato yields, 120
 in Agdell Experiment, 75
 minerals removed by, 103
 recovery of recently-added fertiliser K in, 89
 seed mixtures used in Woburn Organic Manuring Experiment, 102
- Green manures
 amounts of dry matter and N ploughed in as, 101
 compared with PKMg fertilisers, 99
 cumulative effects from, 122
 effect on C and N in soil, 138
 effect on crop yields, 109, 111, 112
 effect on mineralisable N in soil, 144
 effect on potato yields, 120
 Italian ryegrass as, 101
 N released from, 106, 122
 red clover and Trefoil as, 101
- Growth rooms, extrapolation of cereal results to field conditions, 17
- Growth substances in cereal grains, 21
- Humidity at Rothamsted, 190
- Insect traps
 aphids caught in, 242–257
 differences between suction- and light-trap samples, 218
 for moths, 205
 light, 205, 207, 240, 258–269
 moths caught in, 258–269
 sampling methods, 207
 sites of, 204, 205
 suction, 205, 206, 240, 242–257
 Symap V Program for, 206
- Insecticides
 resistant pest strains produced by, 202
 restraint in use of, 206
- Insects
 control schedules, 202
 cost of sampling, 203
 distribution of, 202, 206, 210, 214, 226, 236
 diurnal flight periodicity, 208, 209
 effect of latitude on, 211, 236
 fluctuations in numbers flying, 208, 210
 index of diversity, 236
 migration, 202
 pest monitoring, 207, 236
 population dynamics theory, 202
 sampling, 203, 205
 toxic chemicals, restraint in use of, 206
See also Aphids; Moths
- Leaf area in cereals, 9, 10, 12, 17
- Leys. *See* Grass and Grass-clover
- Light intensity
 effect on barley, 38, 41, 62
- Lime
 effect on mineralisable N in soil, 145
 effect on yield and botanical composition of Park Grass, 67–73
- Litter for young conifers, 152, 154, 155, 157, 159, 161
- Magnesium in soil
 amount removed by crops, 133
 effect of organic matter on exchangeable, 140
 effect on conifers, 161
 exchangeable in Organic Manuring Experiment, 135, 140
- Manganese
 increases caused by formalin and litter, 161
- Moths
 caught in Rothamsted Insect Survey, 258–269
 diurnal flights of, 209
 effect of latitude on, 211
 life cycles, 203
 light traps for, 205
 map of diversity distribution, 234
 maps of Great Britain, 227–229
- relationship between aerial and ground populations 220
- seasonal flight periodicity, 210
- total numbers of species caught 1972, 219
- See also* Insects
- Nitrogen fertiliser
 apparent recovery of N from, 108
 effect on growth of barley, 30, 33, 34, 36, 45, 57, 61
 effect on potato yield, 120
 effect on uptake of minerals, 112
 for young conifers, 153–168
- Nitrogen in soil
 changes in Organic Manuring Experiment, 134, 137
 cumulative removal by crops, 117, 133
 effect of organic manures on, 144
- Norway spruce (*Picea abies*)
 compared with Sitka spruce, 152
 dry-matter weights and nutrient concentrations in, 163, 164
See also Conifers
- Organic manures
 benefits from, 121, 122
 effect on C, N and organic matter in soil, 137, 138
 effect on crop yields, 109–112, 120
 effect on organic P in soil, 140
 effect on recovery of N from 'Nitro-Chalk', 107
 N released from, 106
See also Farmyard manure
- Organic Manuring Experiment, Woburn (1964–72)
 analytical methods used, 147
 arable cropping and spring manuring, 104
 balancing dressings of PKMg fertilisers, 121
 changes in C and N in soils, 134
 clover content of leys, 103
 dry-matter production in, 103
 effects of N on uptake of minerals in, 112
 manurial treatments (1965–71), 101
 mechanical analysis and apparent density of soils, 134
 seed mixtures used, 102
 soil analyses, 134, 136, 149, 150, 151
 soil-borne diseases in, 121
- Park Grass
 botanical composition of, 67
 effect of farmyard manure and fishmeal on, 72
 effect of liming on botanical composition and yields, 67–73
 fertilisers applied, 67–73
- Partial sterilisation of soils for young conifers, 152, 154, 157, 159, 161
- Peat
 analyses of, 128
 compared with PKMg fertilisers, 99
 cumulative effects of, 121
 dry matter and organic matter in, 100
 effect on C and N in soil, 138
 effect on crop yields, 109, 111, 112
 effect on mineralisable N in soil, 144
 effect on potato yields, 108, 120
 mineral content of, 100
 N released from, 106
- Phosphorus fertiliser
 effect on growth of barley, 33, 35, 36, 62
 for Park Grass, 71
 for young conifers, 153–168
- Phosphorus in soil
 amount removed by crops, 133
 changes in Organic Manuring Experiment, 136
 effect of leys, organic manures and superphosphate on, 140
 effect of organic matter on soluble, 144
- Photosynthesis, 6, 17–20
- PKMg fertilisers
 amounts applied and removed by crops, 127
 balancing dressings of in Organic Manuring Experiment, 121

SUBJECT INDEX

- PKMg fertilisers (*cont.*):
 compared with organic manures, 99
 for arable crops, 99–111
 for young conifers, 153–168
- Potassium fertiliser
 cumulative uptake by soils, 76, 81, 82
 effect on growth of barley, 33, 35, 36, 62
 for young conifers, 153–168
- Potassium in soil
 amount removed by crops, 133
 comparison of pot- and field-experiment results, 86
 cumulative uptake by soils, 76–82, 96
 effect of organic matter on exchangeable, 140
 exchangeable in Organic Manuring Experiment, 135
 in Agdell Experiment, 74–97
 recovery of, 89–91
 release of non-exchangeable, 83
 reproducibility of pot-experiment results, 84
 uptake of non-exchangeable by crop, 82
- Potatoes
 aphids in, 223
 apparent recovery of N by, 108
 effect of N fertilisers on, 120
 effects of organic manures on, 108, 109, 120
 yields, 129
- Potential evaporation (potential transpiration), 197
- Radiation, 173–177
- Rainfall at Rothamsted, 186
- Respiration, loss of CO₂ in wheat by, 8
- Root growth of cereals
 dry weight of roots, 31, 34–41, 43–58
 effect of fertilisers on, 30, 33, 45, 61
 effect of shading on, 38, 41, 62
 effect of soil type and condition on, 63
 in crop rows and spaces, 43, 54
 in normal and semi-dwarf varieties, 47, 53
 lengths in different cereals, 43, 50–52, 55, 60, 62
 root sampling methods, 26, 59
 soil core compaction and, 29
 wheat, oats and barley compared, 42
- Rothamsted Insect Survey, 203, 205, 236, 240–269
- Rye, 109, 112, 131, 132
- Sitka spruce (*Picea sitchensis*)
 comparison with Norway spruce and Grand fir, 152
 dry-matter weights and nutrient concentrations in, 163, 164
 growth and nutrient uptake, 152
 See also Conifers
- Sodium in soil, amount removed by crops, 133
- Soil analysis methods
 used in Conifer Reference Experiments, 169
 used in Organic Manuring Experiments, 147
- Soil compaction, effect on cereal root growth, 63
- Soil sampling
 coring tubes for, 27
 motor breaker for tubes for, 28
- Soil temperature at Rothamsted, 183
- Solar energy, 172
- Solar radiation, 173–177
- Straw
 analyses of, 128
 compared with PKMg fertilisers, 99, 122
 dry matter and organic matter in, 100
 effect on C and N in soil, 138
 effect on crop yields, 109, 120
 effect on mineralisable N in soil, 144
 effect on potato yields, 120
 mineral content of, 100
 N released from, 106
- Sugar beet
 aphids in, 223
 apparent recoveries of N by, 108
 effect of organic manures on, 109, 111
 yellows viruses, spray warning scheme, 236
 yields, 130
- Sunshine, duration of at Rothamsted, 175
- Temperature at Rothamsted, 180
- Thrips (Thysanoptera), 206, 208
- Toxic chemicals, restraint in use of, 206
- Weather at Rothamsted, 172–201
- Wheat
 apparent recoveries of N by, 108
 effect of organic manures on, 109, 111
 root growth, 42–59
 seasonal effects on shoot growth, 59
 yield, causes of variation in, 5
 yields, 129
 See also Cereals
- Wind at Rothamsted, 195
- Woburn
 Organic Manuring Experiment at (1964–72), 98–151
 Reference Experiments on Conifers (1961–69), 152–171
 root growth of cereals at, 26