

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Report for 1974 - Part 1

[Full Table of Content](#)



Index

Rothamsted Research

Rothamsted Research (1975) *Index* ; Report For 1974 - Part 1, pp 317 - 329 - **DOI:**
<https://doi.org/10.23637/ERADOC-1-131>

SUBJECT INDEX

The General Report by the Director (pp. 9–16) has not been indexed.

- 'AC 64475', as aphicide for sugar beet, 54
'AC 92100'
 as insecticide for wheat bulb fly, 147
 for pests in sugar beet, 49, 54
Acephate, aphid resistance to, 146
Acetylcholinesterase, from resistant houseflies, 144
Acid sulphate soils, 191, 199, 273
Aerial photography
 for plant-disease surveys, 217
 for soil survey, 275
Aerial pollution, effect on plant growth, 33
Agricultural Development and Advisory Service, 147,
 185, 230, 235, 277, 288, 289, 290
Agropyron repens (Couchgrass)
 aminotriazole to control, 122, 126
 effect of N fertiliser on, 41
 fallows to control, 123
 herbicide for, 38, 122, 123, 126
 in poor patches in rye grass, 233
 on Broadbalk, 122
 wheat bulb fly on, 108
 wheat infestation by, 41
Agrostis gigantea (common bent grass), 38, 41, 182,
 223
Air-drying of soils, effects on release of nutrients, 197
Air turbulence within wheat, 207
Aldicarb
 analysis of, 158
 as aphicide, 46, 52–55, 66, 159
 as nematocide, 46, 57, 66, 160, 183, 184, 187, 188, 236
 effect on potato yield, 183, 184
 effect on soil, 159
 effect on virus disease in grass, 232
 for pests in sugar beet, 46–49, 50, 52–56, 66
 residual effects on beans, 236
 toxicity to mammals, 46
Alkali metals, 165
Alopecurus myosuroides (black grass)
 effect of fertilisers on, 39, 42
 germination of, 38, 39, 42
 herbicides for control of, 38, 122
 on Broadbalk, 38, 122
Aluminium
 crops which accumulate, 77
 effect on tropical legumes, 88
 exchangeable in acid soils, 87
 P and K uptake by plants and, 77, 87
 toxicity to plants, 77
Amides in nitrogen mobility, 19
Amino acids
 biosynthesis of, 19
 commercial production of, 23
 effect of sulphur and nitrogen fertilisers on, 22
 in grass, 77, 84, 85
 in wheat protein, 22
 non-protein in plants, 20, 77
 P deficiency and accumulation of, 77
 transport of, 21
2-aminobutane, as fungicide for potato, 240
Aminotriazole, as herbicide, 39, 122, 123, 126, 223
Ammonia gas, adsorption of, by soil, 79
Ammonium nitrate, 78, 85
Ammonium sulphate, 78, 84
Anagallis arvensis (scarlet pimpernel), 38, 39
Animal Diseases Research Institute, Compton, 188
Aphanomyces cochlioides, on sugarbeet, 51
Aphicides
 'AC 64475', 54
 aldicarb, 46, 52–55, 66, 159
Aphicides (*contd.*)
 aphid resistance to, 55, 146
 demeton-S-methyl, 52–56, 146, 235
 dimethoate, 55, 146
 disulfoton, 70, 147
 for beans, 70, 124, 127, 235
 for sugar beet, 52–56, 123, 128, 145
 formothion, 55
 menazon, 54, 220, 232
 'Metasytox', 123, 124, 125, 127, 128, 235
 methomyl, 56
 omethoate, 55
 permethrin ('NRDC 143'), 55
 phosphamidon, 55
 pirimicarb, 52–56, 146
 propoxur, 56
 See also Insecticides; Pesticides
Aphids
 artificial diets for, 151
 biological control of, by wasps, 151
 caught in traps, 52, 220
 Entomophthora infection, 106, 107
 esterase activity of, 146
 Euonymus europaeus as host of, 52, 106, 152
 fungus diseases of, 106, 107
 identification by chromatography, 107
 invasion of Britain from Europe by, 103
 membrane feeding of, 213
 migration of, 104, 220
 on apple trees, 105
 on beans, 52, 70, 106, 107, 124, 127, 234
 on cereals, 104, 106, 220
 on grass, 107
 on potato, 104, 125, 241
 on rape, 237
 on sugar beet, 51–56, 123, 128, 135, 143, 145
 overwintering, 52
 parasitic fungi for controlling, 104
 population of species in 1974, 105
 predators of, 56, 104, 106, 107, 151
 resistance to insecticides, 46, 55, 135, 143, 145
 sampling stations, 104
 spindle bushes as hosts, 52, 106, 152
 spray warnings for, 52, 147
 suction sampling of, 107
 virus transmission by, 51–56, 104, 212, 232, 234, 236,
 241
 weekly bulletins on, 104
Aphids, specific names of
 Acyrtosiphon pisum, 107, 152, 236
 Aphis evonymi, 152
 Aphis fabae, 52, 53, 54, 55, 56, 104, 105, 106, 107, 124,
 146, 147, 152, 236
 Aphis gossypii, 215
 Aulacorthum solani, 104, 105
 Brevicoryne brassicae, 105, 152, 237
 Macrosiphum avenae, = *Sitobion avenae*
 Macrosiphum euphorbiae, 104, 105, 212, 241
 Megoura viciae, 105, 152
 Metopolophium dirhodum, 105, 106
 Metopolophium festucae, 104, 105
 Myzus persicae, 52, 53, 54, 55, 56, 104, 105, 128,
 135, 143, 145, 146, 152, 212, 213, 215, 241
 Pemphigus spp., 104, 105
 Phorodon humuli, 105, 152
 Rhopalosiphum insertum, 105, 106
 Rhopalosiphum padi, 105, 106, 215, 220, 232
 Sitobion avenae, 105, 106, 232
 Sitobion fragariae, 105, 106

INDEX

- Arthropods in sugar beet, 46
Aspergillus spp., on stored cereals, 215
 Asulam, microbial degradation of, in soil, 254
 Atmospheric pollution, effect on cereal growth, 33
 Auxins in sugar beet, 37
 Avon,
 soil survey in, 266
 soil variability in, 276
Azotobacter spp., in Rothamsted *Rhizobium* Collection, 245
Azotobacter paspali, 250
 Barley
 defoliation experiments with, 217
 effect of sulphur dioxide on, 33
 Erysiphe graminis (powdery mildew) on, 124, 127, 136, 156, 157, 212, 217, 220, 221, 222
 frequency of beet and barley, 67
 fungicides for, 69, 76, 79, 136, 156, 157
 N fertiliser for, 31, 76, 78, 79, 124, 277, 287
 nematode-resistant, 178
 nematodes in, 57, 178, 182
 Puccinia hordei (brown rust) on, 76, 79, 124, 127, 222
 Rhynchosporium infection on, 212, 222, 230
 root growth of, 31
 senescence, effect of mildew on, 217
 Ustilago nuda (smut) on, 157
 variety trial, 277
 yields, 124, 159, 220, 230, 277
 See also Cereals; *Erysiphe graminis*; Take-all
 Barnfield, 122, 123
 'BAS 3000 F', as fungicide on wheat seed, 223
 'BAS 3170 F' See Benodanil
 'Bayer 6660', as fungicide for sugar beet, 56
 Beans
 aphids on, 52, 70, 106, 107, 124, 127, 234
 effect of aphicides on yield, 236
 fungus disease of, 132
 germination, effect of seed heating on, 184
 N fertiliser for, 131
 nematodes on, 124, 131, 173, 182, 183, 236
 residual effect of nematocides on, 237
 Rhizobium leguminosorum on, 245
 seed heating for nematode control, 184
 senescence, effect of aldicarb on, 236
 simazine for, 70, 123, 124, 127
 soil fumigation for, 131
 'Subject Day on Field Beans', 211
 virus diseases of, 124, 234–236
 virus-free seed, 236
 wilting of, 236
 yields, 67, 70, 124, 127, 131
 Bee Advisory Service, 146
 Bees. See Honeybees
 Beet, red, common scab (*Streptomyces* spp.) on, 238
 Beetles
 as predators of aphids, 56
 caught in traps, 109
 effect of soil cultivation on, 112
 in sugar cane, 47
 Bendiocarb
 for pests in sugar beet, 48, 49
 microencapsulation of, 147
 used in insecticidal baits, 150
 Benodanil ('BAS 3170 F')
 as fungicide for barley, 69, 76, 79, 80
 interaction with N fertiliser, 79
 Benomyl
 as nematicide, 183, 187
 effect on clover rot, 234
 effect on soil, 159
 extraction from potato tubers, 240
 for barley, 69, 157, 159, 215
 for brassicas, 237
 for potatoes, 183, 239
 for sugar beet, 56
 movement of, in soil, 240
 Benzimidazoles
 adsorption of, by potatoes and soil, 240
 as fungicide for cereals, 157
 Benzimidazoles (contd.)
 as nematicide, 187
 synthesis of, 158
 Benzoylprop-ethyl, 113
 Berkshire, soil survey in, 265
 Betaine in sugar beet, 37
 'Betanal E' (phenmedipham), 67, 123
 BHC
 as insecticide for wheat bulb fly, 147, 148
 for pests in sugar beet, 48, 49
 poisoning of honey bees by, 147
 residual effect of, on beans, 237
 seed treatment with, 158
 Bioallethrin, solubility of, 141
 Biodeterioration, 215
 Bioresmethrin, 139, 143, 145
 Blackgrass. See *Alopecurus myosuroides*
 Boron
 amounts removed by crops, 88
 effect on wheat yields, 63
 in organic manures, 88
Botrytis cinerea, on rape, 237
 Boulder clay soils, 191, 194
 Boxworth Experimental Husbandry Farm, 230
 Brazil
 mycorrhiza and phosphate in soils of, 251
 tests with insecticides in, 150
 Bridgets Experimental Husbandry Farm, 185
 British Solomon Islands Protectorate, virus diseases in plants in, 214
 British Sugar Corporation, 59, 60, 136, 146
 Broadbalk
 beans on, 81, 122
 effect of farmyard manure and N fertilisers on, 81
 farmyard-manure plots on, 80
 magnesium fertiliser for, 122
 N uptake by wheat on, 80, 81
 nematodes on, 182, 185
 potatoes on, 122
 take-all on, 224
 weeds on, 38, 122
 wheat on, 76, 80, 81, 122, 185, 224
 wheat yields and N contents of grain on, 81
 Broadbalk Wilderness, nitrogenase activity in soils, 249
 Broom's Barn Farm
 cropping, 69
 livestock, 71
 soil analyses, changes in, 69
 weather (1973–74), 45, 308
 Buckinghamshire, soil survey in, 265
 Butyl catechol, as soil-applied fungicide, 154
 Calcium nitrate
 movement in soil, 78
 sprays for wheat, 76, 78, 80
 Cambridgeshire, soil survey in, 260
 Captafol, as fungicide, 51, 215, 221
 Carbendazim, as fungicide, 157, 215, 234
 effect on soil, 159, 240
 Carbofuran
 as nematicide, 54, 187
 for pests in sugar beet, 48, 49, 54
 Carbon dioxide
 effect on carbohydrate metabolism of wheat, 27
 uptake by plants, 206
 Carbophenothion, as insecticide, 147, 150
 Cardiganshire, trace elements in soils of, 272
 Cell walls, enzymes degrading, 18
 Cereals
 aphids on, 104, 106, 220
 Aspergillus spp. on, 215
 browning root rot of, 229
 copper as seed dressings, 63
 Cultivation for Cereals experiment, 230
 direct drilling for, 112
 effect of aerial pollution on, 33
 effect of copper, magnesium and boron on, 63
 effect of cultivation on disease in, 230
 effect of fumigation and N on, 68
 effect of sulphur and fluoride on, 33

INDEX

Cereals (contd.)

- Erysiphe graminis* (mildew) on, 123, 124, 127, 136, 156, 157, 212, 217, 223
- eyespot on, 223
- fertilisers for, 25–29, 67, 68, 223
- foot and root diseases, 230
- fungicides for, 70, 154–158, 220–223
- Fusarium* spp. on, 26, 154, 155, 156, 215, 230
- Gaeumannomyces graminis* on, 18, 223, 226–229, 250
- Gaeumannomyces-Phialophora* complex on, 18, 212, 226–229
- Intensive Cereals experiment at Woburn, 83
- mercury for seed treatment, 123, 127, 154–156, 158, 223
- moulds in, during storage, 215
- nematodes in, 57, 173, 178, 182, 185
- nutrient uptake by diseased roots, 218
- P deficiency and *Pythium* root infection, 229
- Penicillium* spp. on, 215, 216
- Phialophora radicola* on, 18, 212, 226–229
- protein synthesis in seeds, 21, 22
- Phytophthora* infection of roots, 229
- Septoria nodorum* on, 154, 155, 223
- sharp eyespot on, 223
- soil-borne fungus on seeds, 154
- straw chopper for stubble, 125
- stubble cultivations, 66
- stubble spraying with insecticides, 123
- subsoil fertilising for, 68, 132
- take-all on, 18, 123, 212, 223–229, 230, 250
- virus diseases in, 214, 220
- yields and soil type, 277
- See also Barley; *Erysiphe graminis*; Maize; Oats; Take-all; Wheat
- 'CGA 12223', as insecticide for wheat bulb fly, 147
- Chalky boulder clay, 272
- Charcoal, for controlling wheat bulb fly, 148
- Chemical Liaison Unit, 158
- Chemical Reference plots, 159
- Cheshire, soil survey in, 258
- Chickweed in grass, 125, 128
- Chloraniformethan, as fungicide on barley, 221
- Chlorfenvinphos, as insecticide, 147, 148, 150, 159
- Chlorfurecol methyl, effect on sugar beet, 59
- Chlormequat chloride (CCC)
 - effect on bolting in sugar beet, 35
 - effect on moulds in cereals, 215
 - effect on starch in wheat grains, 32
 - sprays for cereals, 70
- Chloroform, soil fumigation with, 197
- Chlorophyll in plants, 23, 28
- Chloropicrin, 184, 185, 187, 188
- Chlorpyrifos
 - for pests in sugar beet, 48
 - used in insecticidal baits, 150
- Chlorthiamid, residual effect of, 40
- Chlortoluron,
 - chromatography of, 160
 - effect of repeated application of, in soil, 159
 - effect on soil microflora, 253
 - measurement of residues in soil, 160
- Chrysanthemate, dihalo analogues of, 137
- Cirsium arvense* (creeping thistle), 39, 123
- Cismethrin, solubility of, 141
- Clay minerals
 - in English soil clays, 192
 - interstratified, diffraction patterns of, 192
 - of Nigerian soils, 195
- See also Soil clays; Soil mineralogy
- Clay soils, 194, 195, 196
- Clover
 - breeding for increased N fixation in, 246
 - effect of aldicarb on yield, 232
 - effect of benomyl on, 234
 - root-hair infection, 248, 249
 - Sclerotinia trifoliorum* on, 234
 - yields, 234
- Clwyd
 - soil survey in, 268
 - trace elements in soils of, 272
- Cockroach (*Periplaneta americana*), insecticides for, 142, 151
- Codling moth, caught in traps, 148
- Collembola in sugar beet, 47, 48
- Colocasia esculenta* (taro), virus disease in, 214
- Computer programs
 - bibliographic information retrieval, 99
 - cocoa-pod diseases, 100
 - coded soil data, 99, 274
 - evaporation and heat flux calculations, 207
 - field experiments on interference, 133
 - for maps of potential cropland, 277
 - for micrometeorology, 207
 - for molecular structures, 169
 - Multijob, 95, 97
 - nematode-competition simulation, 178
 - Numerical Algorithms Group, 98
 - pore space in thin sections of soil, 274
 - PRINT, 97
 - rates of flow of radioactive substances in plants, 99
 - Rothamsted Editor Program (REDIT), 97
 - Rothamsted General Survey Program, 99
 - spore-dispersal simulation, 207
 - taxonomic information retrieval, 99
 - wheat gene data, 99
- See also Statistical Programming
- Computers
 - Bath University Computing Centre, 99
 - CDC 6400, 99
 - distribution of work by agricultural institutes, 96
 - Edinburgh Regional Computing Centre, 93, 99, 275
 - equipment, 94
 - Honeywell systems, 98, 100
 - IBM 370/158, 99, 275
 - ICL 4, 93, 94, 95, 98, 100, 101, 274
 - Manchester Regional Computing Centre, 99
 - monitoring assessment of computer activity, 98
 - project costing, 100
 - Quantimet Image Analyser, 216, 274
 - telecommunications, 100
- See also Computer programs; Statistical analysis; Statistical programming
- Convolvulus arvensis* (Bindweed), herbicide for, 38
- Copper, as seed dressing for cereals, 63
- Cornwall
 - soil survey in, 267
 - trace elements in soil, 272
- Cotton, analysis of trials on, 259
- Couchgrass. See *Agropyron repens*
- Coumatetralyl, for control of wood mice, 50
- Cover loam, 272, 277
- Cowpea, (*Vigna unguiculata*), 246, 247, 248
- Crop physiology, 25
- Crotoxyphos, used in insecticidal baits, 150, 151
- Crown ethers
 - conformational energies of, 16
 - crystal structure of, 168
- Crystal X-ray analysis, 169
- Cultivation, effect on diseases and yield of cereals, 230
- Cultivation for Cereals experiment, 230
- Cumbria, soil survey in, 258
- 'Curb' (aluminium ammonium phosphate), for control of wood mice, 50
- Cutworms, virus infection of, 111
- Cyanopenphos, insecticide for wheat bulb fly, 147
- Cylindrocarpus* spp.
 - competition with mycorrhiza, 252
 - nematode infection by, 186
 - on bean roots, 132
- Cypendazole, as fungicide for cereals, 157
- Cytokinins, in sugar beet, 37
- 2,4-D, 254
- Daminozide, control of common scab in potatoes by, 153
- Daxomet
 - as nematicide, 187, 188
 - soil sterilisation with, 131, 187

INDEX

- 'D-D'**
for Docking disorder in sugar beet, 57, 186
soil fumigation with, 67, 186
DDT, toxicity of, to housefly and mustard beetle, 139, 143
Demeton-S-methyl ('Metasystox'), as aphicide, 52-56, 123, 124, 125, 127, 128, 146, 235
Derbyshire, soil survey in, 261
Devon, soil survey in, 267
'Dexon' See fenaminosulf
Diazinon, effect on lettuce-root aphids, 158
Dichlofenthion, used in insecticidal baits, 150, 151
Dichloropropene mixtures, as nematicides, 186, 187
Dieldrin
as insecticide for wheat bulb fly, 147, 148, 158
for controlling wood mice, 50
toxicity to housefly and mustard beetle, 139
with mercury as wheat-seed dressing, 123
Diethyl phosphates, as nematicides, 187
Diethyl phosphorothioates, as nematicides, 187
Dimethoate
as aphicide for sugar beet, 55
as pesticide on grassland, 111
resistance of housefly to, 143, 144, 145, 146
Dimetilan, used in insecticidal baits, 150
Dioxathion, 150
Disulfoton
as aphicide for beans, 70
microencapsulation of, 147
Ditalimfos, as fungicide for wheat seeds, 223
Drainage water, silicon in, 88
Dry valley soils, 272
'DS 15647', as insecticide for sugar beet, 49, 54
Dyfed, soil survey in, 269
'Dyfonate' (fonofos), for pests in sugar beet, 48, 49
- Earthworms, 112, 113, 158
East Malling Research Station, 97, 98, 100
Electronmicroscopy
epoxy resin used in, 175
of nitrifying bacteria, 253
of viruses, 111, 116, 232
scanning, of nematodes, 175, 176, 182
transmission, 175
See also Scanning electron microscopy
Endogone spp., 251, 252
Endosulfan
as acaricide, 212, 232
as fungicide, 158
residues in grass, 233
Entomophthora spp.
aphid infection by, 106, 107
Entomophthora-like fungus on nematodes, 185
on wheat bulb fly, 108
Enzymes
acetylcholinesterase, 144
acetylthiocholine, 144
ammonia utilised by, 19
asparagine synthetase, 19
aspartate kinase, 20
carboxyesterase, 146
cell-wall degrading, 18
cellulase, 18
diaminopimelate decarboxylase, 20
dihydrodipicolinate synthase, 19
extraction from rice blast fungus, 20
from houseflies, 144
glutamine synthetase, 18
glutamine- α -oxoglutarate aminotransferase, 19
homoserine kinase, 20
in nitrogen metabolism of plants, 18, 28
in wheat, 28
of amino-acid biosynthesis, 19
photosynthesis and, 28
polygalacturonase, 18
protein content of wheat and, 28
ribulose biphosphate carboxylase and oxygenase, 28
saccharopine dehydrogenase, 20
Equisetum arvense (horsetail), 38, 40, 41, 122
Erwinia spp. on potato, 238, 240
- Erysiphe cruciferarum*, on rape, 237
Erysiphe graminis (mildew)
isolates insensitive to ethirimol, 221
on cereals, 123, 124, 127, 136, 156, 157, 212, 217, 220, 221
spore dispersal, 221
Essex, soil survey in, 265
Ethephon ('Ethrel') effect on sugar beet, 35, 59
Ethionine
effect on potato scab, 153
Ethirimol ('Milstem'), for barley, 69, 70, 124, 127, 136, 156, 158, 220, 221
Ethyl mercuric chloride, as fungicide for cereal seed, 155
Ethyl mercuric phosphate steep for sugar beet, 51
Euonymus europaeus (spindle bush), as host for aphids, 52, 106, 152, 174
Eyespot (*Cercospora herpotrichoides*), effect of fungicides on, 223
- Farmyard manure, 76, 80, 81, 86, 88
Fenaminosulf ('Dexon')
as fungicide for sugar beet, 51
residual effects of, on beans, 236
Fenitrothion, for weevil control in beans, 235
Fentin hydroxide, as fungicide for sugar beet, 56
Fertiliser Manufacturers Association, 290
Fertilisers
applied to subsoil, 68, 132
effect on crop quality, 76
slow-release, 76
Survey of Fertiliser Practice, 289
See also Names of individual fertilisers
Field experiments
design for measuring interference, 133, 221
methods for, 130
serially balanced designs, 133
Flour Milling and Baking Research Association, 133
Fluoride in atmosphere, effect on barley, 33
Fonofos ('Dyfonate'), for pests in sugar beet, 48, 49
Forest clearance in tropics, effect on nutrient reserves in soil, 197
Formalin, as nematicide, 236
for fungal pathogens of nematodes, 186
Formothion
as aphicide for sugar beet, 55
as fungicide, 158
Fospirate, used in insecticidal baits, 150
Fosters Field, effect of crop sequences on take-all on, 225, 226
Frost heave in soils, 271
Fungi
cell-wall degrading enzymes and, 18
Gaeumannomyces-Phialophora complex on cereals, 18, 212, 226
spore dispersal, 207, 221, 222
spore traps, 221, 222
Fungicides
adsorption of, by potatoes and soil, 240
as haulm sprays for potatoes, 153
bioassay methods for mode of action, 136, 156
downward translocation in plants, 136
effect on leaf senescence, 56
factors influencing effectiveness, 157
for barley, 69, 76, 79, 136, 156, 157
for moulds in stored cereals, 215
for potatoes, 153, 154
for sugar beet, 51, 56
organomercury, 154
persistence in soil, 240
radiolabelled, 157
seed treatment with, 154, 157, 158
soil-applied for potato scab, 154
systemic, 136, 156, 157
uptake and translocation of, 157
Fungus diseases
air-dispersed, experiments on, 221
in aphids, 106, 107
in bean roots, 132
in brassicas, 237

INDEX

- Fungus diseases (contd.)**
in cereals, 26, 70, 123, 124, 127, 136, 154–157, 215–230
in grass, 233
in hay, 216
in potatoes, 123, 125, 127, 136, 153, 184
in stored cereals, 215
in sugar beet, 51, 56, 58
spore traps, 221, 222
See also *Erysiphe*; Eyespot; Take-all
- Fusarium spp.**
effect of N fertiliser on, in cereals, 26, 215
in bean roots, 132
in grass, 233
on cereals, 26, 154, 155, 156, 215
on potatoes, 242
- Gaeumannomyces graminis var. tritici**
interactions with host nutrition, 223
pathogenic isolates of, 228
Phialophora radicola and, 18, 212, 226–229
survival of virus-infected isolates in soil, 229
two pathogenic strains of, 250
viruses in, 228
See also Take-all
- Gentamicin**, for inhibiting virus multiplication, 212
- Gibberellins**, 33, 35, 36, 38, 153
- Gloucestershire**, soil survey in, 267
- Glycollate pathway** in wheat, 31
- Grass**
age of sward and virus disease, 232
amino-acid content of, 77, 84, 85
aphids on, 106, 232
chemical control of pathogens, 232
composition of, 83–85
dipterous stem borers in, 111
effect of cutting and rolling on virus transmission, 231
effect of leys on arable crops, 85
effect of leys on take-all in cereals, 224
effect of pesticides on, 110, 232, 233
effect of soil acidity on composition of, 83
effect of sulphur-coated urea on, 78
effect on cereals in rotations, 82, 85
Helminthosporium spp. on, 231, 233
invertebrates in, 110
irrigation for, 70
K deficiency in, 77, 83
liming for, 77, 84
N content of, 83, 84
N fertilisers for, 78, 85, 110, 125, 128
P deficiency in, 77, 83
P fertilisers for, 85
protein content of, 77, 84, 85
virus diseases of, 212, 214, 231, 232
weeds in, 40, 125, 128
yields, 84
- Grassland Research Institute**, Hurley, 97, 98, 100, 100, 111, 232
- Growth substances and growth regulators**
auxins, 37
betaine, 37
chloroflurecol methyl, 59
chloromequat chloride, 32, 35, 70, 215
cytokinins, 37
effect on sugar beet, 35–37
endogenous gibberellins, 33, 35
ethephon ('Ethrel'), 35, 59
for controlling common scab in potato, 137
gibberellin-like compounds, 36
gibberellins, 32, 33, 35, 36, 153
- Hay**, prevention of moulding in, 159, 216
- Heavy metals** in soils, sewage sludge and, 191, 198
- Helminthosporium spp.**
on grass, 231, 233
on potatoes, 241
- Herbicides**
aminotriazole, 39, 122, 123, 126
asulam, 254
- Herbicides (contd.)**
benzoylprop-ethyl, 113
chlortoluron, 159, 160, 253
chlorthiamid, 40
disulfoton, 70, 147
DNOC, 128
effect on algal crust on soil, 253
effect on soil fauna, 113
linuron/paraquat, 39, 125
MCPA/dicamba/mecoprop, 38, 66, 70
mecoprop, 125
microbial degradation of, 253, 254
1-naphthol, 253
paraquat, 66, 123, 126, 182
phenmedipham ('Betanal'), 67, 123
phenoxyacetic acid, 245
pyrazone ('Pyramin'), 67, 71
residual effects of, 40
simazine, 70, 123, 124, 127
2,4,5-T, 128
sulphanilamide, 254
terbutryne, 38, 122
- Herefordshire**, soil survey in, 263
- Highfield**, effect of crop sequences on take-all, 225
- Home Grown Cereals Authority**, 22
- Honeybees (*Apis mellifera*)**
drone rearing, 114
footprint substance, 114
granulation of honey, 114
hybrid onion seed produced by, 115
poisoning of, by pesticides, 146, 158
pollination by, 114
swarming, 113
virus diseases of, 115
winter food, ivy honey as, 114
- Hoosfield**
barley on, 122, 185, 228
Exhaustion Land, 85
fungal pathogens of nematodes on, 185
weeds on, 39, 123
- Housefly (*Musca domestica*)**
acetylcholinesterase from, 144
nervous system of, 143, 151
resistance to insecticides, 143–145
toxicity of synthetic pyrethroids to, 139
- Hydrodynamic dispersion** of water and salts, 203
- Image analysis**, for plant pathological problems, 216
- Indoleacetic acid**, in sugar beet, 37
- Insect traps**
aphids caught in, 52
Coccinella spp. caught in, 52
codling moths caught in, 148
emergence traps, 109
light traps, 112, 148, 288
pheromone traps, 109, 148
pitfall traps, 47, 109, 112
pygmy beetles caught in, 47
sticky traps, 47, 52, 109
suction traps, 47, 104, 109
water traps, 108, 109
- Insecticides**
aphid resistance to, 145
as slurries, 51, 150
bees damaged by, 146, 158
bioresmethrin, 139, 141, 142, 143, 145
chrysanthemate, dihalo analogues of, 137
cismethrin, 141
Congress of Pesticide Chemistry, Helsinki, 136
DDT, 139, 143
dieldrin, 50, 123, 139, 147, 148, 158
effects on nervous systems of insects, 141
for leaf-cutting ants, 149, 150
for sugar beet, 48–49, 52–56
fungicidal properties of, 151
in baits, 149, 150
insect resistance to, 136, 143–146
knockdown, 141, 142
mammalian metabolism of, 141
microencapsulation of, 147

INDEX

- Insecticides (contd.)**
 'NRDC 161', 136, 137, 139, 140, 141, 142, 169
 parathion, 139, 145
 permethrin ('NRDC 143'), 55, 136, 137, 140, 141, 147, 150
 persistence trials, 150
 phenoxybenzyl alcohol, 140
 predicting time of application, 110
 pyrethrin I, 142
 pyrethroids, synthetic, 136–145, 147
 radiosynthesis of, 140
 relative toxicities of, 139
 repellency trials, 150
 solubility of, 141
 systemic, resistance to, 136, 146
 toxicity to mammals, 137
 used in rotation to delay resistance, 145
 X-ray examination of, 140
 See also Aphicides; Pesticides; and names of individual insecticides
- Insects**
 nervous systems of, 141
 neuroanatomical techniques, 151
 phenology of, in wheat field, 109
 pheromone-trap catches, 109, 148
 poison baits for, 149, 150
 rearing of, 152
 resistance to insecticides, 136, 143–146
 Rothamsted Insect Survey, 103, 104, 288
 soil-inhabiting, 147
 species diversity, indices of, 288
 staining techniques for, 151
 See also Insect traps; Moths; and names of individual insects
- International Institute of Tropical Agriculture, 191, 195, 246**
- Irrigation**
 carbon dioxide uptake and, 206
 effect on nematodes, 181, 188
 effect on stomatal resistance in plants, 205, 207
 equipment for measurement, 202
 for fodder crops, 70
 for kale, 205
 for potatoes, 181, 205, 238, 239
 for sugar beet, 34, 59, 63
 for wheat, 205
 leaching of salts from soil after, 204
 mist irrigation, 34, 35
 time of application, 64
- Isofenphos, 49, 54, 148**
Isonicotinyl hydrazide, 30
Isopropyl paraoxon, housefly resistance to, 144
- Kale, irrigation for, 205**
Kaolinite in soil clays, 192, 194, 195
Kent, soil survey in, 266
Kenya, virus disease in plants, 215
'Kitazin P', as fungicide for wheat seed, 223
- Lancashire, soil survey in, 259**
Leaching of salts from soil, 203
Leaf-cutting ants, 149–150
Leatherjackets in soil, 111
Leghaemoglobin, 248
- Legumes**
 breeding for increased N fixation in, 246
 effect of added N on growth, 246
 effect of temperature on, 247
 effect of waterlogging on, 247
 inoculation with *Rhizobium* spp., 245–247
 new introductions in humid tropics, 246
 nodulation in, 245–250, 251
 symbiosis in, 247
 tropical, effect of heat stress on, 247
 tropical, strain tests of, 246
 See also Clover, Cowpeas, Lucerne
- Letcombe Laboratory, 65, 112, 218, 230**
Ley Arable experiment, Rothamsted, 123
Ley Arable experiment, Woburn, 184
Leys. See Grass
- Light penetration within a crop, 207**
- Lime**
 effect on composition of grass, 77, 84
 effect on sewage-sludge treated soil, 191, 198
- Lincolnshire, soil survey in, 261**
Linuron/paraquat sprays for potatoes, 39, 125, 127
- Livestock**
 Advisory Bulletin on Feeding Stuffs, 289
 cross-bred cattle, 289
 cross-breeding of pigs, 289
 on Broom's Barn Farm, 71
 on Rothamsted Farm, 125
 on Woburn Farm, 128
 winter-calving dairy experiments, 289
- Locust (*Schistocerca gregaria*), neuroanatomy of nervous systems, 143**
- Long Hoos Field**
 effect of pesticides on soil microflora of, 253
 nitrogenase activity in, 249
- Lucerne (*Urophylctis alfaiae*), crown wart disease of, 234**
- 'M & B 19985', used as insecticidal bait, 150**
- Magnesium**
 chlorophyll in plants and, 23
 effect on wheat, 63
 for sugar beet, 60
 forms of fertiliser, 60, 63, 122, 126
- Maize**
 nematode reproduction in roots, 182
 photorespiration in, 29
- Malaoxon, housefly resistance to, 144**
Malathion, for weevil control in beans, 235
Malaysia, acid sulphate soils in, 199
Maneb, as fungicide for sugar beet, 51
Manganese, as foliar spray for sugar beet, 62
Mangrove swamp soils, acidity of, 199
Market Garden experiment, Woburn, 191, 198
MCPA/dicamba/mecoprop, 38, 66, 70
Mecarbam, used in insecticidal baits, 150
Mecoprop, 125
***Medicago lupulina* (black medick), 38**
Menazon, as aphicide, 54, 220, 232
Mercury, as seed treatment for cereals, 123, 127, 154, 158, 223
Mercury/dieldrin dressings for wheat seed, 123, 127
Mesophyll resistance in plants, 206, 207
Metal residues in crops and soil, 191, 198
'Metasystox' (demeton-S-methyl), as pesticide, 52–56, 123, 124, 127, 128, 146, 235
Methiocarb, for pests in sugar beet, 48, 49
Methomyl, as pesticide, 56, 235
Methyl bromide, 183, 184, 187, 188
Methyl isothiocyanate, as nematicide, 187
Methyl paraoxon, housefly resistance to, 144
Mica in soil clays, 192, 194, 195
Mice, damage to sugar beet by, 50, 51
Micrometeorology, 207
- Microscopy**
 dark-field microscopy, 253
 electron microscopy, 111, 116, 232, 253
 scanning electron microscopy, 175, 176, 182
- Millipedes (*Blaniulus guttulatus*)**
 aggregation of, 47
 effect of cultivation on, 112
 insecticides for, 49
- 'Milstem' (ethirimol), 69, 70, 124, 127, 136, 156, 158, 220, 221**
- Mineralogy. See Soil mineralogy**
Minor elements in soils, 196, 271
Mirex, used in insecticidal baits, 150, 151
- Mites**
 predators of aphids, 56
 predators of Collembola, 48
 virus transmission by, 212, 231
- Mobile shelter for irrigation and tillage experiments, 202**
- Moths**
 codling moth, 148
 flight and mating, 109

INDEX

Moths (contd.)

- pea moths caught in traps, 104, 109
- rearing on artificial diets, 110
- spray-warning system, 104
- Musca domestica*. See Housefly
- Mustard beetle, toxicity of synthetic pyrethroids to, 139
- Mycorrhiza, 251

- 1-Naphthol, microbial metabolism of, 253
- National Institute for Research in Dairying, 97
- National Institute of Agricultural Botany, 184, 277
- National Institute of Agricultural Engineering, 59, 97, 98, 100, 230

- National Vegetable Research Station, 59, 97, 100
- 'NC 5936', as fungicide on wheat, 223

Nematicides

- dichloropropenes, 186, 187
- effect of clay content of soil on, 188
- effect of drought on, 173
- effect of soil organic matter on, 187
- effect on barley yields, 182
- granular, 160, 186, 187
- incorporation into soil, 184, 187
- organophosphorus, 187
- oximecarbamate, 187
- phytotoxicity of, 187
- residual effect of, 236
- systemic, 188
- translocation within roots, 187
- See also Soil fumigation, and names of chemicals used as nematicides

Nematodes

- cement secretion by, 176
- copulatory spicules, 175
- cuticle structure of, 176
- cyst-nematodes, 55, 174, 175, 176, 177, 178, 180, 181, 184, 185, 186
- defaecation of, 179
- depth of, in soils, 187
- Docking disorder of sugar beet and, 57, 66, 174, 186
- effect of bare fallow and cultivation on, 182
- effect of drought on, 173
- effect of irrigation on, 181, 188
- effect of paraquat on, 182
- effect of rainfall on, 185
- effect of soil compaction on, 66
- effect of soil fumigation on, 67, 132, 182, 184, 185, 187, 188
- effect of soil type on numbers of, 57
- effect on root systems, 180
- egg laying, 179
- endoparasites of cyst-nematodes, 176
- Entomophthora*-like fungus on, 185
- feeding of, 179
- filming of, 178, 179
- functional morphology of, 178
- gel electrophoresis of proteins in, 180
- genera and species separation, 175, 180
- genus reappraisal, 182
- giant race of *Ditylenchus dipsaci*, 183
- hatching factors, 181
- identification of, 174, 182
- in beans, 124, 131, 173, 182, 183, 236
- in cereals, 57, 173, 178, 182, 185
- in potatoes, 57, 127, 173, 174, 177, 180-183, 184, 186, 188
- in sugar beet, 54, 55, 57, 66, 174, 186
- in weeds in barley, 182
- interaction with *Verticillium dahliae*, 182, 184
- microscope slide collection of, 174
- migratory, 182
- oat race of *Ditylenchus dipsaci*, 183
- onions sensitive to, 183, 188
- P and K deficiency induced by, 181
- pathotypes of *Heterodera* spp., 174, 177, 180, 184
- population studies of, 57
- rectal valves of, 176, 179
- root-ectoparasitic, 57, 66, 173, 184, 186
- root-lesion, 182

Nematodes (contd.)

- round cyst, 174, 180
- scanning electronmicroscopy of, 175, 176, 182
- seed heating for control of, 184
- seed-borne by beans, 183, 184
- soil fumigation for, 67, 131, 183, 184, 185, 186, 187, 188
- soil-moisture content and, 57
- spermatogenesis, 175
- stem nematode, 55, 173, 183, 188
- stylet action of, 179
- stubbyroot, 186
- subcrystalline layer of, 176
- taxonomy, 174
- type specimens of, 174
- ultrastructure of, 175
- vermiform, 180, 183
- virus transmission by, 174
- whipworm and, 188

Nematodes, specific names of

- Aphelenchoides* spp., 174, 175, 180
- Aphelenchoides blastophthorus*, 174, 176, 179
- Aphelenchoides rutgersi*, 174
- Aphelenchoides sacchari*, 174
- Ditylenchus* spp., 174, 180
- Ditylenchus dipsaci*, 55, 131, 179, 183, 184, 188, 236
- Globodera* spp., 175, 176
- Heterodera* spp., 68, 174, 175, 176, 186
- Heterodera avenae*, 174, 178, 187
- Heterodera cruciferae*, 179
- Heterodera goettingiana*, 187
- Heterodera pallida*, 174, 177, 180, 187
- Heterodera rostochiensis*, 127, 174, 177, 179, 180, 182, 184, 187
- Heterodera schachtii*, 186, 187
- Hexatylus viviparus*, 179
- Longidorus* spp., 57, 66, 174, 180, 184, 185, 186
- Longidorus attenuatus*, 174
- Longidorus elongatus*, 57, 174
- Longidorus euonymus*, 174
- Longidorus leptocephalus*, 57, 185
- Meloidogyne* spp., 175
- Neotylenchus* spp., 174
- Paratylenchus* spp., 68
- Pratylenchus* spp., 68, 131, 174, 175, 182, 185
- Pratylenchus crenatus*, 175, 182
- Pratylenchus fallax*, 175
- Pratylenchus neglectus*, 175, 182
- Pratylenchus pinguicaudatus*, 175, 182
- Pratylenchus thornei*, 175, 182
- Rhabditis* spp., 68, 174, 176
- Rhabditis oxycerca*, 176
- Thornemema wickensii*, 176, 179
- Trichodorus* spp., 57, 58, 66, 68, 131, 174, 186
- Trichodorus anemones*, 57, 58
- Trichodorus pachydermus*, 58
- Trichodorus primitivus*, 57
- Trichodorus velatus*, 174
- Trichodorus viruliferus*, 58
- Trichuris trichiura*, 188
- Tylenchorhynchus* spp., 68, 131, 185
- Tylenchus* spp., 68
- Xiphinema* spp., 175

Neutron moisture meters, 205, 218

'NF 48'

- as fungicide for mildew on barley, 157
- movement of, in soil, 240

Nigeria

- forests of, 197, 295
- soils of, 195, 197

See also Tropical soils

Nitrifying bacteria in soils, 253

Nitrogen fertiliser

- cost and efficient use of, 75, 288
- crop responses to, 287
- effect on amino acids in cereal protein, 22
- effect on composition of grass, 85
- effect on root growth in barley, 31, 76, 78
- for barley, 31
- for grass, 78, 85, 110, 125, 128

INDEX

- Nitrogen fertiliser (contd.)**
 for sugar beet, 58, 59, 61, 63
 for wheat, 22, 25–29, 76, 80–83, 85, 86, 124, 127
 loss by leaching, 76, 78
 movement in soil, 78, 160
 pollution of waters by nitrate, 76
 rainfall and N requirement, 288
 residual effect of, 76, 78, 82
 slow-acting, 76, 77, 78
 split dressings of, 78
 time of application to cereals, 76, 79–82
 trimethylamine, 79
 See also Ammonia gas; Ammonium nitrate;
 Ammonium sulphate; Sulphur-coated urea;
 Urea
- Nitrogen fixation**, 247, 249, 250, 251
- Nitrogen in plants**
 amides in N mobility, 19
 in organic combinations, 18
 in wheat grain, 80–82
- Nitrogen in soil**
 effect of cultivation on, in tropical soils, 197
 ion-selecting electrodes for measuring, 80
- Nitrogenase activity**, 247, 249
- Nodulation**, 245–249, 251
- Norfolk**, soil survey in, 260
- Northamptonshire**, soil survey in, 262
- Northumberland**, soil survey in, 260
- Nottinghamshire**, soil survey in, 263
- 'NRDC 102'**, 141
- 'NRDC 103'**, 141
- 'NRDC 143'**. See permethrin
- 'NRDC 161'**
 crystal structure of, 169
 effect on cockroach, 142
 effect on housefly, 143
 insecticidal activity of, 136, 139, 140
 mode of action of, 141
 stability of, 137
 X-ray examination of, 140
- 'N-Serve' (nitrapyrin)**, 160
- Oats**
 as 'break' crop in rotations, 124
 nematodes on, 178
 virus diseases of, 214
 yields, 124
- Omethoate**
 as aphicide for sugar beet, 55
 resistance of housefly to, 144
- Oospora pustulans* (skinspot)**, on potato, 240, 242
- Organic manures**
 boron in, 88
 effect on potatoes, 77, 85, 86
 effect on wheat, 76, 77, 80, 81, 85, 86
 residual effect of, 77
 Woburn Organic Manuring experiment, 88
- Oxamyl**, as pesticide, 48, 49, 54, 55, 57, 187, 188
- Oxfordshire**
 soil survey in, 266
 soil variation in, 276
- Oximecarbamates**, as nematicides, 187
- Oxygen** concentration in plants, plant growth and, 207
- Papua-New-Guinea**, virus diseases in plants, 215
- Paraaxon**, housefly resistance to, 144
- Paraquat**
 effect on nematodes, 182
 for cereals, 66, 123, 126, 182
 use on Rothamsted farm, 123
- Parathion**
 housefly resistant to, 145
 toxicity of, to housefly and mustard beetle, 139
- Park Grass**
 ammonium sulphate for, 77, 83
 botanical composition of, 40
 effect of lime on, 40, 77, 84
 K deficiency on, 77, 83
 P deficiency on, 83
- Park Grass, (contd.)**
 weeds on, 40
 See also Grass
- Particle-size analysis of soils**, 273
- Paspalum notatum***, 250
- Peas**
 freedom from broad bean streak virus, 236
Rhizobium leguminosarum on, 245
- Peat**
 boron applied in, 88
 classification of, 272, 273
 effect on potatoes, 77, 85, 87
 effect on wheat yields, 77, 86
- Pembrokeshire**
 maps of potential cropland in, 277
 soil survey in, 270
 trace elements in soils of, 271
- Penicillium* spp.**, on cereals, 215
- Periplaneta americana***. See Cockroach
- Permethrin ('NRDC 143')**
 as insecticide, 55, 136, 137, 140, 141, 147, 150
 for control of wheat bulb fly, 147
 mammalian metabolism of, 141
 microencapsulation of, 147, 150
 photodecomposition of, 141
 radio-labelled isomers of, 140
 residue determination of, 140
 solubility of, 141
- Peronospora parasitica***, on rape, 237
- Pesticides**
 Congress of Pesticide Chemistry, Helsinki, 136
 effect of repeated applications on soil, 159
 effect on soil fauna, 113
 effect on soil microflora, 253
 liquid chromatography for, 160
 microencapsulation of, 147, 150
 poisoning of honey bees by, 146, 158
 repellency trials of, 150
 residues in soil, 158, 159, 160, 187, 236
 seed-treating machinery, 158
 uptake by worms, 158
 WHO tolerance limits, 183
 See also Aphicides; Fungicides; Insecticides;
 Nematicides
- Phaedon cochleariae***. See Mustard beetle
- Phaseolus vulgaris* (navy bean)**, inoculation with
Rhizobium spp., 246
- Phenacyl kojate**, 168
- Phenmedipham ('Betanal E')**, 67, 123
- Phenyl mercuric acetate**, as fungicide for cereal seed, 155
- Phialophora radicola***
Gaeumannomyces graminis and, 18, 212, 226–229
 viruses in, 228
- Phoma betae*** on sugar beet, 51
- Phoma exigua foveata* (gangrene)**, in potato, 239, 241, 242
- Phorate**, 125, 20, 235, 241
- Phosphamidon**, as aphicide for sugar beet, 55
- Phosphate fertilisers**
 calcium tetra-hydrogen diorthophosphate, 85
 correlation with aluminium, 77
 effect on composition of grass, 85
 effect on root growth in barley, 31
 incorporation into subsoil, 132
 rock phosphate and nodulation in plants, 251
 uptake by mycorrhizal plants, 251
- Phosphohomoserine**, chemical and enzymic synthesis, 20
- Phosphorus in soil**
 deficiency and *Pythium* infection of cereals, 229
 immobility in soil, 181
 nematodes, and, 181
 uptake by cereals with take-all, 219
- Photorespiration**, in cereals, 27, 29, 30
- Photosynthesis**
 carbon dioxide concentration and, 28–30, 206, 287
 effect of high humidity on, 34
 effect of light intensity on, 27–29

INDEX

Photosynthesis (*contd.*)

- effect of N fertiliser on, 25, 28
- effect of sulphur dioxide on, 33
- enzyme activities and, 28
- in cereals, 26–33
- oxygen concentration in plants and, 207
- photosynthetic efficiency of plants, 206
- potato-tuber formation and, 38
- Phoxim, as nematocide, 187
- Phytophthora erythroseptica*, on potatoes, 123
- Phytophthora infestans* (blight), on potatoes, 125, 169, 242
- Pirimicarb, as aphicide for sugar beet, 52, 53, 54, 55, 56, 146
- Pirimiphos methyl, as insecticidal bait, 150
- PK and Take-all experiment, 223
- Plant Breeding Institute, Cambridge, 59, 99, 184
- Plant diseases
 - aerial photography for studying, 217
 - effect of cultivation on, 230
 - effect of weather on, 211
 - measuring the effects of, 216
 - Quantimet Image Analysing Computer for studying, 216
- See also Individual crops
- Plant Protection Ltd, 230
- Podzolisation, 191
- Polygonum aviculare* (knotgrass), 38
- Polygonum convolvulus* (black bindweed), 39
- Potassium fertilisers
 - correlation with aluminium, 77
 - effect on composition of grass, 77, 83
 - for sugar beet, 60, 61, 62
 - incorporation into subsoil, 132
- Potato Marketing Board, 38, 240
- Potatoes
 - amino-acid sprays for, 153
 - aphids on, 104, 125, 241
 - bacterial disease of, 238
 - black scurf (*Rhizoctonia solani*) on, 184, 242
 - blackleg (*Erwinia* sp.) on, 238, 240, 241
 - blight (*Phytophthora infestans*) on, 125, 169, 242
 - bromide residues in tubers, 183
 - bruising of tubers, 38
 - common scab (*Streptomyces scabies*) on, 127, 136, 153, 154, 238, 242
 - dehydration of tubers, 89
 - dry rot (*Fusarium solani*) on, 242
 - effect of aldicarb on yield, 183, 184, 185
 - effect of chloropicrin on, 184, 185, 187
 - effect of day length on tuber formation, 38
 - effect of gibberellins on tuber formation, 38
 - effect of leys on, 85
 - effect of methyl bromide on yield, 183
 - effect of N fertiliser on, 85
 - effect of organic manures on, 77, 85, 86, 87
 - effect of rainfall on, 185
 - effect of waterlogged soil on, 127
 - fractionation of, 89
 - fungicides, adsorption by tubers, 240
 - gangrene (*Phoma exigua foveata*) on, 239, 240, 241, 242
 - growth regulators for, 38, 153
 - haulm pulverizer, 125
 - haulm sprays for, 153
 - in rotations with wheat, 82, 83, 85
 - irrigation for, 181, 205, 238, 239
 - linuron/paraquat sprays for, 39, 125, 127
 - nematodes on, 57, 127, 173, 174, 177, 180–183, 184, 186, 188
 - phorate granules for diseases in, 125, 220, 235, 241
 - phytuberin in blighted potatoes, 169
 - pink rot (*Phytophthora erythroseptica*) on, 123
 - powdery scab (*Spongospora subterranea*) on, 242
 - protein in haulms, 89
 - pulp, mould prevention in, 216
 - seed tubers, diseases in, 242
 - silver scurf (*Helminthosporium solani*) on, 241
 - skin spot (*Oospora pustulans*) on, 240, 242
 - storage, 158, 239, 240, 241

Potatoes (*contd.*)

- subsoil fertilising for, 132
- top-roll of, 212, 241
- tuber distortion by pesticides, 154
- tuber formation and photosynthesis in, 38
- Verticillium dahliae* on, 181, 182, 184
- virus diseases of, 17, 104, 212, 213, 241
- wound healing in, 239, 240
- yields, 67, 125, 127, 174, 205
- 'PP 395', as fungicide on wheat seed, 223
- 'PP 505', as insecticide for sugar beet, 48, 49
- Propionic acid, for mouldy hay and potato pulp, 216
- Propoxur, as aphicide for sugar beet, 56
- Protein
 - amino acids in, effect of sulphur and nitrogen on, 22
 - effect of environment on seed protein in cereals, 22
 - enzyme activity and content of wheat leaves, 28
 - extraction from wheat grains, 21
 - in grass, 77, 84, 85
 - in potato haulms, 89
 - in wheat, 21–23, 28, 76, 80, 134
- Protoplasts, virus multiplication in, 212
- Psychrometers, thermocouple, 206
- Puccinia hordei* (brown rust), on barley, 76, 79, 124, 127, 222
- Pygmy beetle in sugar beet, 47
- Pyrazone ('Pyramin'), 66, 67, 71
- Pyrethrin I, effect on cockroach, 142
- Pyrethroids, synthetic, 136–143, 147
- Pythium* spp.
 - in bean roots, 132
 - in cereal roots, 229
 - Woronina pythii* infecting, 230
- o*-Quinones, modification of viruses by, 17
- Quintozene as soil-applied fungicide, 154, 158
- 'R 28921', as fungicide for cereals, 157, 223
- Radiant energy, leaf water potentials and, 34
- Rainfall
 - effect on movement of N in soil, 78
 - effect on nematodes, 185
 - N requirement of crops and, 288
- Rainwater
 - silicon in, 89
 - sulphur in, 77, 87
- Raman spectrometer, 167
- Rape (*Brassica napus*)
 - cover crop for sugar beet, 50
 - diseases of, 237
 - insecticide sprays on, damage to bees, 147
- Residual Phosphate experiment, 224
- Resmethrin, 143
- Respiratory disease from grain elevators, 216
- Rhizobium* spp.
 - in beans and peas, 132, 245
 - in tropical soils, 246
 - in *Vigna* spp., 245, 247
- Rothamsted Culture Collection of, 245
- Rhizoctonia* sp., in bean roots, 132
- Rhizoctonia solani*, on potato, 184
- Rhynchosporium* spp.
 - development of, in soil, 230
 - effect of cultivation on, 230
 - on barley, 212, 222
- Rotation experiment at Saxmundham, 234
- Rotations
 - on Rothamsted farm, 123
 - on Woburn farm, 126
- Rothamsted Ley–Arable experiment, 225
- Rothamsted Reference experiment, wheat in 5-course rotation in, 81
- 'RU 11 679', 141
- 'RU 15 525', 141
- Saline soils, evaporation from, 203
- Salop, soil survey in, 263
- Saxmundham
 - N fertilisers for barley at, 79
 - Rotation experiment at, 234

INDEX

- Scanning electron microscopy of nematodes, 175, 176, 182
 'SD 8832', 49, 54
Septoria nodorum, on cereals, 154, 155, 156
 Sewage-sludge treated soil, heavy metals in, 191, 198
 'Shell WL 24073', used in insecticidal baits, 150
 Silicon in drainage waters, 88
 Simazine, effect on beans, 70, 123, 124, 127
 Smectite in clay soils, 192, 193, 194, 195
 Sodium
 as fertiliser for sugar beet, 60, 61, 62
 complexes of, 167
 Soil acidity
 aluminium and, 77
 effect on grass composition, 83
 Soil biomass
 effect of cultivation on, in tropical soils, 198
 method of measuring, 191, 196
 Soil classification
 codes for, 274
 for sugar-beet soils, 277
 statistical analysis for, 288
 Soil clays
 boulder clay, 191, 194
 iron oxides in, 192, 195
 K release from, 193
 soil structure and, 195
 See also Soil mineralogy
 Soil compaction, effect on sugar-beet yield, 65, 66
 Soil fauna
 arthropods, 46–49
 cutworms, 111
 damage to winter wheat by, 113
 earthworms, 112, 113, 158
 effect of pesticides on, 113
 effect of soil aggregation on, 113
 effect of soil cultivation on, 112
 leatherjackets, 111
 slugs, 113
 Soil fumigation
 effect of clay content of soil on, 188
 effect on cereal yields, 68
 effect on decomposition of soil organisms, 197
 effect on N reserves in soil, 197
 effect on nematodes, 67, 132, 182, 184, 185, 187, 188
 effect on plant parasitic fungi, 184
 effect on *Rhizobium* spp., 132
 effect on rotations of barley, beet and potatoes, 188
 effect on soil metabolism, 191, 196
 for beans, 131
 for measuring soil biomass, 196
 for whipworm, 188
 residual effects of, 67
 soil organic matter and, 187, 197
 with chloroform, 197
 See also names of chemicals used for fumigation
 Soil geochemistry, 196
 Soil mapping, 274–276
 Soil microstructure, 274
 Soil mineralogy
 computer models for, 192, 196
 determination of, 273
 in Southern England, 192, 275
 interstratified expanding clay minerals, 192
 major and minor elements in silt and clay fractions, 196
 minerals in clay fractions, 194, 273
 of Nigerian soils, 195
 X-ray diffraction of, 192, 194, 273
 X-ray fluorescence spectrometry of, 196
 Soil moisture
 deficits in wheat, 219
 effect on nematodes, 57
 effect on potato diseases, 239
 neutron moisture meters for, 205, 218
 uptake by cereals with take-all, 218
 water levels in fens and chalk, 270
 Soil organic matter
 decomposition of, 191, 197
 effect of cropping on, 197
 Soil organic matter (contd.)
 effect of fumigation on, 187, 197
 effect on potato yields, 77, 85
 effect on wheat, 77
 in light soil at Woburn, 77
 mineralisation of, 191
 minimum cultivation and, 197
 ultrasonic dispersal of soil and, 197
 Soil respiration, 204, 206
 Soil shrinkage, 271
 Soil sterilisation. See Soil fumigation
 Soil structure
 bonds between particles, 202
 effects on sugar beet, 65
 pore-size distribution, 195
 Soil Structure Enclosure, Woburn, 160
 stability of, 202
 ultrasonic probe generator for measuring, 202
 Soil surveys
 Avon, 266
 Berkshire, 265
 Buckinghamshire, 265
 Cambridgeshire, 260
 Cheshire, 258
 Clwyd, 268
 Cornwall, 267
 Cumbria, 258
 Derbyshire, 261
 Devon, 267
 Dyfed, 269
 Essex, 265
 Gloucestershire, 267
 Herefordshire, 263
 Kent, 266
 Lancashire, 259
 Lincolnshire, 261
 Norfolk, 260
 North Yorkshire, 259
 Northamptonshire, 262
 Northumberland, 260
 Nottinghamshire, 263
 Oxfordshire, 266
 Pembrokeshire, 270
 Salop, 263
 Somerset, 268
 South Yorkshire, 260
 Staffordshire, 263, 264
 Suffolk, 260
 Warwickshire, 264
 West Yorkshire, 260
 Wiltshire, 268
 Worcestershire, 263
 Soil temperature, measurement of, 271
 Soil water. See Soil moisture
Solanum spp., 177
 'Solubor' (diboron trioxide), as spray for sugar beet, 128
 Somerset, soil survey in, 268
 South Yorkshire, soil survey in, 260
 Spindle bush (*Euonymus europaeus*)
 as host for aphids, 52, 106, 152, 174
Spongospora subterranea (powdery scab), on potato, 242
 Staffordshire, soil survey in, 263
 Stagnogley soils, 266, 270, 274
 Statistical analysis
 cluster analysis, 289
 fertiliser responses, 287
 for Commonwealth and Overseas, 295
 for livestock experiments, 289
 for National Potato Harvester Damage Survey, 290
 for National Survey of Keeping Quality of Milk, 290
 for soil classification, 288
 multivariate analyses, 288
 principal coordinate analysis, 288
 Rothamsted General Survey Program, 289
 Rothamsted Insect Survey, 288
 scaling techniques, 288
 Survey of Fertiliser Practice, 289

INDEX

- Statistical Programming: GENSTAT
 cluster analysis program (CLASP), 294
 contour plots, 293
 distribution, 293
 generalised linear interactive modelling (GLIM), 294
 implementor's manual, 293
 macro library, 293
 maximum likelihood program (MLP), 294
 maximal predictive criterion, 293
 non-linear models, 293
 transfer to other machines, 293
 User's Guides, 293
- Statistical theory
 analysis of variance, 292
 curve fitting, 291
 diagnostic keys, 292
 diversity of species, indices of, 288
 fiducial combination of information, 291
 fiducial probability, 290
 Fisher's logarithmic series, 288
 hierarchical classifications, 291
 inconsistency principle, 290
 multivariate analysis, 291
 Procrustes rotation, 291
 robust regression, 291
 stable parameters, 291
 statistical inference, 290
 transformations for exponential families, 292
- Stellaria media* (Chickweed), in grass, 125
- Stomatal resistance in plants, 205, 206
- Streptomyces scabies* (common scab), on potato, 127, 136, 153, 154, 238, 242
- Strongwellsea castrans*, infecting wheat bulb fly, 108
- Stubble
 cultivation of, 66
 spraying with insecticides, 123
 straw chopper for, 125
- Sucrose synthesis, glycolate pathway in, 31
- Suffolk, soil survey in, 260
- Sugar beet
 arthropod pests of, 46
Aphanomyces cochlioides on, 51
 aphicides for, 52–56, 123, 128, 145
 aphids on, 51–56, 123, 128, 135, 143, 145
 artificial defoliation of, 50
 auxins in, 37
 bolting, effect of growth regulators on, 35
 Collembola in, 47, 48
 copper deficiency in, 63
 damage by mammals and birds, 45, 50, 51
 Docking disorder, 57, 66, 186
 effect of farmyard manure on, 67
 effect of seed advancement on, 62
 effect of shoot or root removal on, 58
 effect of soil temperature on seedlings, 59
 ethyl mercuric phosphate steep for, 51
 frequency of beet and barley, 67
 fungus diseases of, 51, 56, 58
 green manuring for, 65
 groundkeepers, 52
 growth regulators and, 35–38
 harvesting time, 64
 in Ley-Arable experiment, 123
 insecticides for, 48–49, 52–56
 irrigation for, 34, 59, 63
 K fertiliser for, 60, 61
 leaf diseases, 56
 magnesium fertiliser for, 60
 manganese sprays for, 62
 millipedes in, 47
 N fertilisers for, 58, 59, 61, 63
 nematodes in, 54, 55, 57, 66, 174, 186
 P fertilisers for, 59
 pelleted seed, 47, 48, 50, 59, 70
 pest aggregation in, 47
Phoma betae in, 51
 plant spacing, 64
 pygmy beetles in, 47
 seed placement in soil, 59
- Sugar beet (*contd.*)
 seed production, 59
 seed-spacing experiments, 47
 seed yield, factors affecting, 58
 seedling diseases, 51
 sodium fertilisers for, 60, 61, 62
 soil classification for, 277
 soil compaction during harvesting, 65
 soil structure, effect of, 65
 sowing time, 64
 subsoil fertilising for, 68, 132
 virus diseases of, 34, 46, 50, 51–56, 58, 66, 128, 136, 143, 213
 water stresses in, 34
 weed control in, 66, 71, 123
 yields, 49, 50, 64, 65, 66, 67, 69, 71
- Sulphanilamide, microbial degradation of, in soil, 254
- Sulphate soils, 191, 199
- Sulphur
 'dry deposition' of, 77, 87
 effect of air drying on release of, from soil, 197
 effect on amino acids in cereal protein, 22
 from rain and the atmosphere, 77, 87
 in drainage water, 87
 photosynthesis inhibited by, 33
 pollution from brickworks, 33
 Sulphur-coated urea, 76, 77, 78
- Take-all on cereals
 cell-wall degrading enzymes and, 18
 decline of, 223, 224, 227, 229
 effect of crop sequences on, 224–226
 effect of cultivation on, 230
 effect of fallows on, 224
 effect of nitrogen on, 250
 effect of nutrition of host and fungus on, 250
 effect of PK fertilisers on, 224
 effect of rainfall on, 212
 effect on water uptake by plants, 218
 fungi reported as causing, 212
 on consecutive susceptible crops, 226
Phialophora radicola and, 18, 212, 226–229
 rotations against, 223, 224
 soil sampling for studying, 230
 survival in soil, 229
 Survival-of-Take-all experiment, 227
 'take-all rating', 225
 translocation of ions through infected roots, 218
 viruses and, 212, 228, 229
- Taro (*Colocasia esculenta*), virus diseases in, 214
- TCHTB, as fungicide for sugar beet, 51
- Tea, effect of aluminium on, in acid soils, 77
- 'Technicon AutoAnalyzer', 141
- 'Telone', for Docking disorder in sugar beet, 57, 186
- Terbutryne ('Prebane'), as herbicide, 38, 122
- Termites, measurements for classification of, 288
- 'Terrazole', as fungicide for wheat seeds, 223
- Tetrachlorvinphos, housefly resistance to, 144
- Thiabendazole, 187, 240
- Thiophanate methyl
 as fungicide for cereals, 157
 movement of, in soil, 240
- Thiram, for control of wood mice, 50
- Tillage experiment, use of mobile shelter for, 202
- Tobacco, virus diseases of, 212, 213
- Trace elements in soils, 196, 271
See also names of individual trace elements
- Triazophos, as insecticide for wheat bulb fly, 147
- Tridemorph, as fungicide, 69, 70, 124, 127, 212, 215, 220, 221, 223, 237
- Trifolium pratense* (red clover), breeding for increased N fixation in, 246
- Trimethylamine, 79
- Tropical soils
 chloroform fumigation of, 197
 effect of clearing forests and cropping on, 197
 flush of decomposition in, 197
 mineralogical composition of, 195
 nutrient reserves of, 197
 of Nigeria, 195, 197

INDEX

- Tropical soils (contd.)**
on Basement-Complex rocks, 195
organically combined nutrients in, 191
Rhizobium spp. in, 246
- Ultrasonic dispersion of soil**, 202
- Urea**
movement in soil, 78
scorching of wheat by, 27
sulphur-coated, 76, 77, 78
- Ustilago nuda* (Smut), on barley, 157
- Verticillium chlamydosporium*, infecting nematodes, 186
- Verticillium dahliae*, 181, 182, 184
- Vigna* spp., 247
- Viruses**
antiserum for, 214
aphid-transmitted, 51–56, 104, 212, 213, 232, 234, 236, 237, 241
control by seed treatment, 235
effect of irrigation on, in sugar beet, 34
electronmicroscopy of, 111, 116, 220, 232
in beans, 124, 234–236
in cereals, 212, 214
in cutworms, 111
in grass, 212, 214, 231, 232
in honey bees, 115
in potatoes, 17, 104, 158, 212, 213, 241
in sugar beet, 34, 46, 50, 51–56, 58, 66, 128, 136, 143, 213
in tropical crops, 214
inhibitors of infection, 213
mechanical transmission of, 231
mite-transmitted, 212, 231
modification by *o*-quinones, 17
multiplication, inhibition of, 212
necrotic local lesions caused by, 214
nematode-transmitted, 174
oats as diagnostic host for, 214
plant hoppers as vectors, 215
protein of, 17, 214
seed-borne, 234, 235
transmission component for, 213
weevil-transmitted, 212, 234, 235
- Viruses, names of**
Arkansas bee, 116
barley yellow dwarf, 212
bean leaf roll, 235
bean yellow mosaic, 235
bee chronic paralysis, 116
bee slow paralysis, 115
bee virus X, 116
beet mosaic, 52
beet yellows, 34, 46, 50–56, 58, 66, 128, 136, 143, 213
broad bean stain, 124, 234–236
broad bean true mosaic, 234
brome mosaic, 214
cocksfoot mild mosaic, 214
cocksfoot mottle, 214
cucumber mosaic, 214
dasheen mosaic, 214, 215
Echtes Ackerbohnenmosaik, 234–236
euonymus mosaic, 174
festuca mottle, 214
oat sterile dwarf, 214
pea enation mosaic, 235
pea mosaic, 235
phleum mottle, 214
potato leaf-drop streak, 241
potato leaf roll, 241
potato X, 17
potato Y, 213, 241
ryegrass mosaic, 212, 231, 232, 233
sowbane mosaic, 214
tobacco mosaic, 212, 213
tobacco necrosis, 214
turnip mosaic, 237
turnip rosette, 214
- Warwickshire, soil survey in, 264
- Wasps, biological control of aphids and thrips by, 151
- Water potential in plants**
pressure-bomb measurements of, 205
radiant energy and, 34
thermocouple psychrometers for measuring, 206
- Water Quality, Conference on**, 288
- Water Resources Planning Unit**, 276
- Weather**
at Broom's Barn (1973–74), 308
at Rothamsted (1973–74), 306
at Saxmundham (1974), 309
at Woburn (1973–74), 307
effect on crops, 121, 126, 211
effect on nematodes, 173
- Weed Research Organisation**, 112, 230
- Weeds**
biology of, 38–42
effect of fertilisers on, 39, 42
effect of rotations on weed seeds in soil, 39
ground-keeping potatoes, 39
herbicides for control of, 38, 122
in grass, 40, 125, 128
mechanical weeding, 123
nematodes in, 182
on Barnfield, 123
on Broadbalk, 38, 122
on Hoosfield, 39, 122
See also *Agropyron*; *Agrostis*; *Alopecurus*; *Equisetum*; Wild oats
- Weevils**, 211, 234–236
- Welsh Plant Breeding Station**, 184
- West Yorkshire, soil survey in**, 260
- Wheat**
baking and milling quality, 76, 133
boron fertiliser for, 63
bread making and protein content, 22, 76, 80
bushel weight of, 133
carbohydrate metabolism of, 27, 30, 32
composition of cell walls of roots, 18
effect of farmyard manure on, 76, 80, 81, 86
effect of fertilisers on, 76, 80–83
effect of growth substances on, 32, 33, 127
effect of organic manures on, 76, 77, 80, 81, 86
enzymes and photosynthesis in, 28
eyespot on, 124
flour yield of, 133
foliar sprays of N for, 76, 80
gibberellins in grain, 33
in rotations, 76, 77, 82, 83, 85
in Rothamsted Reference experiment, 81
irrigation for, 205
lodging of, 124, 127
N content of, 76, 80–83, 127
N fertilisers for, 22, 25–29, 76, 80, 85, 86, 124, 127
on Broadbalk, 76, 80, 81, 122, 185, 224
photorespiration in, 27, 29
photosynthesis in, 26–31
protein content of, 22, 28, 76, 80
scorching of, by urea, 27
silicon content of glumes, 219
slug damage, 113
soil-moisture deficit in, 219
sugar content of, 26
wheat bulb fly on, 107–109, 123, 147, 148
yields, 67, 68, 70, 81, 82, 83, 124, 127, 230
See also Cereals; Eyespot; Take-all
- Wheat after Intensive Barley experiment**, 250
- Wheat bulb fly**
activated charcoal for controlling, 148
adult activity of, 107
compost for controlling, 148
effect of depth of sowing seed on, 148
effect of pesticides on, 123, 147, 148, 158
Entomophthora spp. on, 108
in grasses, 108
mercury/dieldrin for controlling, 123
permethrin for controlling, 147
population studies, 107

INDEX

- Wheat bulb fly (*contd.*)**
Strongwellsea castrans on, 108
 Whipworm, 188
 Wild Oats (*Avena* spp.), 39, 113, 122
 Wiltshire, soil survey in, 268
 Woburn farm
 boron content of soils, 88
 effect of soil organic matter on crops, 85
 Intensive Cereals experiment at, 83
 irrigation at, 205
 Market Garden experiment at, 198
 Organic Manuring experiment at, 88
 rotations on, 126
 Stackyard Field, experiments on, 32
 toxic metal residues in soils, 198
 weather at, 307

Wojnowicia graminis, 228
 Worcestershire, soil survey in, 263

 X-ray diffraction, 192, 194, 273
 X-ray fluorescence spectrometry, 196

 Yorkshire
 North York Moors, moorland and arable land on
 276
 soil surveys in, 259, 260

 Zaire River Expedition, leguminous seeds collected on,
 21
 Zambia, grouping of species for vegetation map, 295
 Ziram, for control of wood mice, 50