


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Report for 1977 - Part 1

[Full Table of Content](#)



Index

Rothamsted Research

Rothamsted Research (1978) *Index* ; Report For 1977 - Part 1, pp 333 - 342 - **DOI:**
<https://doi.org/10.23637/ERADOC-1-134>

SUBJECT INDEX

The General Report by the Director (pp. 9-17) has not been indexed.

- AC64475, effect on soil fauna, 66, 99, 188
 'AC 85258', effect on soil fauna, 99
 Acetylcholinesterase, organophosphorus resistant, 141
 Actinomycin D, as an inhibitor of fungal spores, 237
 Aerial pollutants, effect on barley growth, 39, 40
 Agricultural meteorology, 203-205
 Aldicarb
 as fungicide on beans, 125, 126
 as nematocide, 66, 126, 179-182, 185-188
 effect on bean leaf roll, 125
 effect on bean yields, 123, 124, 127
 effect on clover rot, 122
 effect on earthworms, 99
 effect on mycorrhiza, 238
 effect on soil fauna, 99
 for *Sitona* on beans, 98, 124, 125
 leaching and degradation of, 155, 156
 on lupins, 128
 on maize, 128
 on peas, 127
 on potatoes, 117
 on sugarbeet, 66, 100
 residues in plants, 126
 Algae, effect of on growth of potato plants, 290, 291
 Alkali metals, coordination chemistry of 163, 165-167
 Alkaline earth metals, 163, 165-167
Alopecurus myosuroides (blackgrass), on Broadbalk, 46, 47
 Alternaria, effect of fungicides on, 211
 Aluminium, labile in aluminosilicate minerals
 acid-base titrations of absorbed ions, 283, 284
 kinetics of release, 283
 Amides
 amide-N metabolism, 23
 asparagine, 22-24, 292
 glutamine, 22-24, 292
 amino acids
 alanine, 35
 aspartate, 38
 aspartate kinase, 22, 23
 glycine, 234
 effect on *Rhizobium*, 233, 234
 lysine, 22, 23, 26, 234
 methionine, 22, 23
 protein synthesis and, 23, 24
 synthesis of, 22-24
 threonine, 22, 23
 transport through plants, 21, 23
 Ammonia
 applied with nitrification inhibitors, 276, 277
 aqueous, for grass and winter wheat, 278
 assimilation by plants, 22
 oxidation of, by bacteria, 156
 Amonium, determination of in plant material, 292
 effect on take-all, 279
 nitrification of, 156
 Anagasta kuehniella, pheromones of, 146, 147
 Anoplolepis longipes, control of in the Seychelles, 106
 Ant baits, 144, 145
 Anthraquinones, analysis of, 155
 Aphicides
 demephion, 65
 alarm pheromones in, 146
 caught in traps, 92
 coccinellid and syrphid predators, 93
 factors influencing settling and feeding, 145, 146
 forecasting of, 91, 92
 host plant selection, 91
 landing behaviour, 91
 migration of, 90-92
 on cereals, 92, 93
 on chickweed, 92
 on clover, 97, 219
 on groundsel, 92
 on oilseed rape, 92
 on potatoes, 91, 103, 228
 on sugar beet, 65, 92
 overwintering, 91, 92
 parasites and predators of, 65, 97, 101
 populations by regions in Britain, 91, 92
 resistance of to pyrethroids, 137-139
 suction traps for, 90, 92, 93
 Aphids, scientific names of
 Acyrthosiphon pisum, 97, 146, 219
 Aphis fabae, 116, 146, 149
 Ailacortum solani, 91, 92
 Brevicoryne brassicae, 91
 Dasyaphis plantaginea, 91
 Macrosiphum euphorbiae, 91, 92, 149, 228
 Megoura viciae, 146
 Metopolophium festucae, 91, 92
 Myzus ascolonicus, 91
 Myzus certus, 91
 Myzus ornatus, 91
 Myzus persicae, 65, 91, 138, 139, 145, 146, 149, 228
 Phorodon humuli, 146
 Rhopalosiphum spp., 91, 92
 Sitobion avenae, 91-93, 146
 Asparagine
 for developing seeds, 22-24
 product of nitrate assimilation in cereals, 23
 stimulation of protein synthesis by, 24
 Asulam, microbial degradation of in soil, 156
 Bacillus polymyxa, radioactive count in ethylene produced by, 235
 Bangkok Plain, acid sulphate soils from the, 283
 Barley
 diseases of, 213, 214
 effect of aerial pollutants on, 39, 40
 effect of soil phosphorus on yield, 273, 274
 effect of water supply on root growth of, 40
 Erysiphe graminis (powdery mildew) on, 153, 154
 fungicides on, 674
 glutelin fraction of, 25, 26
 grain yield, components of, 200
 growth of in open top chambers, 39, 40
 hordein fraction of, 25, 26
 333

INDEX

- Barley** (*contd.*)
in rotation fumigation experiment, 181, 182
nutrient uptake by, 200
plant emergence on small plots, 197
precision seeding of, 32
prolamin fraction of, 25
Rhynchosporium secalis on, 214
tiller number in, 32
water stress in, 35
water use in, 203, 204
yields, 115, 117
See also: Cereals; *Erysiphe graminis*; Take-all
- Beans** (*Vicia faba*)
aphids on, 116
Botrytis fabae (chocolate spot) on, 116, 126, 208, 221
effect of irrigation on yields, 204
effect of nitrogen fertiliser on, 124
fungus diseases of, 125, 126, 221
irrigation for, 124
nematodes on, 126, 179, 180
nitrogen fixation in, 236, 237
pea and bean weevils on, 95, 96
pesticides on, 124, 125, 148
precision sowing of, 127
red-seeded, 127
root-rot fungi of, 179
Sitona on, 124, 125
uptake and release of potassium and sodium ions from, 167
virus diseases of, 125, 221, 222
yields, 116, 123, 124, 127
See also: *Phaseolus vulgaris*
- Bees.** *See* Honeybees
- Beetles**
Apion aestivum, on red clover, 219
as predators of cereal aphids, 101
carabid, biological control of, 101, 102
Ceuthorrhynchus assimilis, 94, 95
control of, 97, 98
Meligethes aeneus, on oilseed rape, 94, 95
on field beans, 95
on oilseed rape, 94, 95, 102
on red clover infected with necrotic mosaic virus, 219
sexual maturation of, 101, 102
Sitona spp., 95–98, 236
- Bendiocarb**
as a nematicide, 188
for seed treatment of sugar beet, 64, 66
- Benomyl**
as fungicide for wheat, 152, 211, 212
as seed treatment for oilseed rape, 222, 223
effect on mycorrhiza, 238
effect on nodulation of grain legumes, 126
in rotation-fumigation experiment, 181, 182
on lupins, 128
on peas, 127
on spring beans, 124–126
to control chocolate spot on beans, 221
- Biodeterioration**, 210
- Bioresmethrin**, 137
- Blackgrass.** *See* *Alopecurus myosuroides*
- Botrytis fabae*** (chocolate spot), on beans, 116, 126, 208, 221
- Botswana**, attack of sorghum plants by insects in, 309
- Brassica crops**, diseases of, 222, 223
- Brickearths**, on the Chilterns, 288, 289
- British Sugar Corporation**, 54
- Broadbalk**
Classical experiments on, 121, 122
cropping sequence on, 47
potatoes on, 115
weeds on, 46, 47
wheat on, 114
- Broom's Barn Farm**
livestock, 68
weather, 322
- Cabbage**, clubroot (*Plasmodiophora brassicae*) on, 223
- Cambridgeshire**, soil survey in, 249, 250
- Captafol**
as fungicide for wheat, 211
to control *Rhynchosporium secalis*, 214
- Carbendazim**
effect on skin spot (*Polyscytalum pustulans*) on potatoes, 227
on wheat, 211
uptake of into potato plants, 226
- Carbofuran**
as a nematicide, 66, 182, 188
for *Sitona* on beans, 98
- Carbon dioxide enrichment**, effect on growth and yield in spring wheat, 38, 39
- Carbon flux**, analysis of in water-stressed plants, 36
- Carbophenothion**, for *Sitona* on bean roots, 98
- Carboxylase**, in wheat leaves, 37
- Carboxylesterase activity**, involvement of in resistance of *Myzus persicae* to insecticides, 139, 140
- Cattle ticks**, resistance of to insecticides, 141, 142
- Cell-wall degrading enzymes**, 21
- Cereals**
amino acid transport in, 23
aphids on, 92, 93, 101
auxanometers to measure leaf extension in, 201
deposition of disease spores in, 204, 205
diseases of, 212–218
distribution of photosynthate in, 33, 34
effect of aerial pollutants on, 39, 40
effect of increased CO₂ concentrations on, 38, 39
effect of subsoiling on, 122, 123
enzymes in, 22
fungicides for, 211, 212
grain number, 35
grain quality and microflora, 211
grain size in, 34, 35
growth and metabolism of embryos of, 22
growth regulators for, 156, 157
identification of varieties of, 25, 26
precision seeding of, 32
prolamin polypeptide patterns of, 25, 26
protein in cereal grain, 282
respiration rates for, 34
retention of harvest dust on combine harvesters, 210
seeds of, 24, 25
sugar concentrations in, 33, 34
water stress in, 35, 36
yields, 67
See also: Barley; *Erysiphe graminis*; Maize; Oats; Take-all; Wheat
- Chlorophacinone**, to control mice in sugar-beet fields, 64
- Chlorfenvinphos**, effect on mycorrhiza, 238
- Chlormephos**, for weevils on bean roots, 97
- Chlormequat**, (CCC) as growth regulator on wheat, 211
- Chloroplasts**
ammomia assimilation in, 22
location of aspartate kinase in, 23
- Chocolate spot** (of beans). *See* *Botrytis fabae*
- Cladosporium* spp.**, on sugar beet, 65, 66
- Clay mineralogy**, 257, 261, 286–288
- Clay minerals**
in Bangladesh, 288
in Blue Nile and Suez Canal, 288
in South Chad, 288
in unfractionated soils, 287
infrared spectra of, 287, 288
See also: Soil mineralogy
- Clay soils**
application of mercury porosimetry to, 285
mineralogy and swelling in, 286
pore size distribution in, 285
shrinkage of, 285
- Clostridium pasteurianum***, radioactive count in ethylene produced by, 235
- Clover**
clover rot (*Sclerotinia trifoliorum*) on, 122
effect of pesticides on, 123

INDEX

- Clover (*contd.*)
 field inoculation of in grassland, 241
 mycorrhiza on, 239–241
 nodulation of, 234, 235
 pests of, 97
 virus diseases of, 218–220
 See also: Legumes
- Clwyd, soil survey in, 255, 256
- Coal shale, determination of pyritic sulphur in, 292
- Cockroach (*Periplaneta americana*)
 distribution of pyrethroids in, 135, 136
 penetration of pyrethroids in, 135, 136
 rearing of, 149
- Coconuts, equipment for mass pollination of, 149
- Colletotrichum coccodes* (black dot), of potato, 226
- Combine harvesters, retention of harvest dust on cabs of, 210
- Computer programs
 DRAW for field experiments, 81
 for geneological data on plants, 80
 for seed store management, 87
 for simulation of pesticide degradation and movement in soil, 156
 G-EXEC system for soil survey, 80, 259
 languages, 78, 81, 169
 Multijob, 82
 Rothamsted General Survey Program, 79, 82, 83, 301
 systems, 79
 See also: Statistical programming
- Computers
 applications, 79
 computer graphics, 81, 82
 database systems, 79, 80
 ICL System 4–70, 75, 76, 79, 306
 ICL System 4–72, 75–79
 ICL System 4–75, 306
 Joint ICL/RES Project, 73–75, 78, 79
 management services section, 86, 87
 mass spectral search, 80, 86
 message multiplexing (MMX), 75, 78
 operations section, 74–79
 system performance, 75–77
 telecommunications section, 83–86
 training, 82
 workload, 77, 78
 See also: Computer programs; Statistical analysis; Statistical programming
- Copper, in soils, 289, 290
- Coppiced trees, as potential source of leaf protein, 291
- Cornwall, soil survey in, 255, 262
- Cover loam and cover sand, 258
- Cowpea, nodulation on, 237
- Crystal structure analysis, 163
- Crystallinity, kaolin, of Nigerian soils, 287
- Cumbria, soil survey in, 248, 249, 259
- Curworms
Fusarium solanii on, 102
 nuclear polyhedrosis virus of, 102
 on potatoes, 96, 97
 populations of, 96, 97, 102
- Cytokinins
 analysis of zeatin by gas chromatography, 40, 41
 endosperm cell division in wheat and, 40, 41
- Dalapon, as seed treatment for oilseed rape, 222, 223
- Daminozide, on potatoes, 151
- Dazomet
 as a nematocide, 183
 on maize, 128
- 'D-D', replacement of by aldicarb, 181, 182
- DDT, resistance of houseflies to, 140, 141
- 'Delsene M', as fungicide for wheat, 211
- Denitrification, measurement of in soils, 281, 282
- Derbyshire, soil survey in, 250
- Devon, soil survey in, 255
- Diazinon, for weevils on bean roots, 97
- Dieldrin, for seed treatment of sugar beet, 64
- Diffractionmeter, 168, 169
- Drazoxolon effect on mycorrhiza, 238
- Drought experiments, on Little Knott, 194, 199–201
- Dyfed, soil survey in, 256
- Earthworms, 99
- Entomophthora* spp.
 control of bean aphid by, 102, 103
Entomophthora-like fungus on nematodes, 178, 180, 181
- Enzymes
 acetylcholinesterase, 141, 142
 asparaginase, 24
 carbonic anhydrase, 37
 carboxylase, 37
 carboxylesterase, 139, 140
 glutamate synthase, 22
 trypsin, 20
- Erwinia carotovora*, on potatoes, 224
- Erysiphe betae*, growth of, 65, 66
- Erysiphe graminis* (barley mildew)
 computer simulation of epidemic of, 213
 deposition of spores, 204, 205, 213
 effect on carbon assimilation, 213, 214
 epidemiology of, 213
 insensitivity to fungicides, 153, 154
 mode of action of fungicides on, 153, 154
- Essex, soil survey in, 254, 257, 258
- Esterase activity, role of in resistance of aphids to insecticides, 139, 140
- Ethidium bromide, as an inhibitor of fungal spores, 237
- Ethirimol
 for barley mildew, 115, 117
 insensitivity to, 153
 mode of action of, 153, 154
- Eyespot (*Pseudocercospora herpotrichoides*)
 effect of straw burning on, 217, 218
 on wheat, 152, 217, 218
- Farmyard manure, evaluation of phosphorus residues from, 274–276
- Fenugreek (*Trigonella foenum-graecum*), inoculation of with *Rhizobium*, 128
 with *Rhizobium*, 128
- Fertilisers
 effect on seedling establishment in sugar beet, 57
 for subsoils, 122, 123
 on potatoes, 44, 45
 Survey of Fertilizer Practice,
 See also: Ammonium fertilisers; Nitrogen fertilisers; Phosphorus fertilisers
- Field beans. *See* Beans.
- Field drains, deposits of ochre in, 287
- Field experiments
 computer program for, 81
 counts of *Rhizobium trifolii* in, 235, 236
 statistical analysis of, 302
- 5-Fluorouracil, as an inhibitor of fungal spores, 238
- Flurecol, to control clubroot in cabbage, 152
- Fonofos ('Dyfonate'), for *Sitona* control in bean roots, 97, 124, 125
- Formalin, as a fungicide on oats, 180, 181
- Fungal spores
 effect of metabolic inhibitors on, 237, 238
 recovery of VA mycorrhizal spores after germination, 239
- Fungicides
 controlled droplet application, 148, 149
 effect on *Entomophthora* spp., 103
 effect on mycelial growth in cultures of potato fungus diseases, 227
 effect on *Rhynchosporium secalis*, 214
 for wheat, 152, 153
 insensitivity to, 153, 154
 on barley, 67, 153
 uptake of into potato plants, 226
 uptake of into potato tubers, 226, 227
 use of against tuber pathogens in potatoes, 226
 See also: names of chemicals used as fungicides

INDEX

- Fungus diseases
canker fungus, of oilseed rape, 209
clubroot (*Plasmodiophora brassicae*) on cabbage, 223
of brassica crops, 222, 223
of cereals, 212-218
of lupins, 220, 221
of maize, 128
of oats, 212
of potatoes, 226, 227
See also: *Erysiphe*; Eyespot; *Fusarium*; Take-all
Fusarium spp.
dry rot of potatoes caused by, 155
effect of fungicides on, 211
on cutworms, 102
on lupins, 220
on maize, 128
on potatoes, 226, 227
on wheat, 152, 153
Gaeumannomyces graminis
growth of in liquid culture, 21
identification of varieties of, 21
microbiological factors affecting, 242, 243
var. *avenae*, 21
var. *graminis*, 21, 215
var. *tritici*, 21, 215
See also: Take-all
Gaeumannomyces-Phialophora complex
cell-wall degrading enzymes of, 21
isolation of *Phialophora radicola*, 215, 216
preservation of cultures of, 215, 216
Gamma spectrometry, 292
Gibberellins. See Growth-control substances
Glucose, effect of addition of on denitrification in soils, 281
Glutamine, for developing seeds, 22
Glycine
in water-stressed plants, 35, 36
metabolism of glycolate carbon to, 36, 37
Glycophosphate, effect on fungal spores on barley, 214
Grain size, factors determining, 34, 35
Grain yields, for barley, 32, 33
Grass
comparison of methods of watering ryegrass in pots, 291, 292
effect of irrigation on yields, 203, 204
nitric acid inhibitors for, 276-278
phosphorus uptake by, 274, 275
virus diseases of, 218
yield of hay from, 116
See also: Herbage crops
Grassland Research Institute, 300
Growth-control substances
auxin, 41
cytokinins, 40, 41
for cereals, 156, 157
for sugar beet, 43, 44
gibberellic acid, 41
gibberellins, 41-43
in developing wheat grains, 41
melanoidide, 44
Hay, damp, chemical preservation of, 157
HCH, for weevils on bean roots, 97
Heat flux, estimation of, 203
Helminthosporium solani (silver scurf) of potato, 226, 227
Helochara communis (leaf hopper), companion symbiote of, 178
Herbage crops
effect of pesticides on yield, 123
pests of, 98-99
See also: Clover; Grass; Lucerne
Herbicides
effect of on fungal spores on barley stubble, 214
linuron, 143
phenmedipham, 57
terbutryne, 114
336
Honeybees (*Apis mellifera*)
Apis cerana from India, 104
Nasonov pheromone, 146
queen rearing, 105
poisoning of by pesticides, 142
starvation of, 142
Streptococcus plauti on, 104
virus diseases of, 104-106
Hooselid, Classical experiments on, 121, 122
Housefly (*Musca domestica*)
effect of synergists on pyrethroid activity in, 137
rearing of, 150
resistance of, to insecticides, 140-142
Hover flies. See: Syrphid flies
Humberside, soil survey in, 248, 262
Insect traps
aphids caught in, 92, 93
interference between, 298
pheromone traps for pea moth, 94, 298
suction traps, 90, 92, 93
syrphids caught in survey traps, 93
water traps, 95
Insecticides
aphid resistance to, 137-140
bioremethrin, 137
bird repellents, 147, 148
carbamate, 99
for pea and bean weevils, 97, 98
formulation of, 145, 147-149
housefly resistance to, 137, 140-142
involvement of carboxylesterase activity in resistance of *Myzus persicae* to, 139-140
leaf-dip bioassay for susceptibility of *Myzus persicae* to, 137-139
microencapsulation, 144
organophosphorus 99
S-bioallethrin, 137
(1R,trans)-tetramethrin, 137
See also: Aphicides; Pesticides; Pyrethroids; names of individual insecticides
Insects
attack of sorghum by, in Botswana, 309, 310
behaviour of pyrethroids in, 133, 135, 136
diptera, 149
nematodes as parasites of, 188
neuroanatomical techniques for, 148
rearing of, 149, 150
Rothenstein Insect Survey, 90
See also: Insect traps and names of individual insects
International Institute of Tropical Agriculture, Nigeria, 310
Iprodione, as fungicide for potatoes 226
Irrigation
effect of on pea cyst-nematodes, 185
for beans, 124
isotopic dilution, evaluation of phosphorus residues in soils by, 274-276
Knotgrass (*Polygonum aviculare*), 46
Ladybirds, 90
Lagenocystis radicola, on oats, 212
Leaching of pesticides, 155, 156
Leaf area index, for barley, 32
Leaf-cutting ants (*Acromyrmex octospinosus*), baits for, 144, 145
Leaf-dip bioassay, for susceptibility of *Myzus persicae* to insecticides, 137-139
Leaf-eating caterpillars (*Cnephasia interrectana*), 97
Leaf hopper, 228
Leaf protein, extraction of 291
Legumes
effect of irrigation on yields, 204
pathogenicity tests on, 220, 221
tropical, nitrogen fixation in, 237

- Legumes (cont.)**
virus diseases of, 220, 221
See also: Clover; Cowpeas; Lucerne; Lupins
Leptosphaeria maculans
epidemiology of, 223
on oilseed rape, 209
Leucaena leucoccephala, VA mycorrhiza of, 241
Ligands, neutral bicyclic, 163-165
Lincolnshire, soil survey in, 250, 251
Livestock
at Broom's Barn, 68
at Rothamsted, 116
statistical analysis for, 302, 303
Lucerne, trace elements in, 288, 289
Lucerne, yields, 123
Lupins (*Lupinus albus*)
fungus diseases of, 220, 221
nematodes on, 180
pathogenicity tests on, 220, 221
pesticides on, 128
presence of asparaginase in, 24
Pythium spp. on, 220, 221
virus diseases of, 220
Lycopodium (club moss), deposition of spores, 205
Macrocytic molecules, neutral, 165
Magnesium, for sugar beet, 63
Maize
dazomet on, 128
forms of nitrogen used on, 128
Fusarium spp. on, 128
nematodes on, 128
pesticides used on, 128
populations on, 129
Mercury porosimetry, application of to clay soils, 285
Mesophyll resistance in plants, 203
Methiocarb
for seed treatment of sugar beet, 64
for weevils on bean roots, 97
Microbial degradation of asulam and sulphamillamide, 156
Microcalorimeter, for entrophy titration, 169
Micromorphometry, of soils, 258
Mildew. *See Erysiphe graminis*
Milk
equipment, bacterial contamination of, 301
National Milk Quality Survey, 301
Mobile rain shelter, 196-198
Molybdenum in soils, 240
Morphactin, (chlorflurecol), 44, 45
Moths
economics of pea moth monitoring, 94
pheromone traps for pea moth, 94, 298
Musca domestica. *See* Housefly.
Mycorrhiza
effect of pesticides on, 238, 239
effect on uptake of heavy metals, 290
effect on uptake of molybdenum, 240
recovery of spores after germination, 239
response of arable crops to, 240, 241
slurry inoculation of, 239, 240
spread of introduced endophytes, 239
National Institute of Agricultural Engineering, 100, 115
National Vegetable Research Station, 261
Nematodes
AC 64475, 66, 188
dichloropropene, 183
leaching of in Woburn soil, 155, 156
methods of incorporation in soil, 183, 184
on beans, 179, 180
on spring oats, 180, 181
on sugar beet, 66, 185-187
phorate, 66, 188
phoxim, 182
phytotoxicity of, 279
nitrapyrin, 277, 279
formulation, 279
for grass, 276-278
effect of on growth of wheat plants, 278, 279
Nitrification inhibitors
Nigeria, agricultural survey of farms in, 310
Nigerian soils crystallinity of kaolin in, 287
Nicotiana tabacum, induced virus resistance in, 20
Tylenchus spp., 126
Pratylenchus pinquidatus, 188
Pratylenchus fallax, 188
Pratylenchus crenatus, 188
Pratylenchus spp., 126, 128, 188
Pratylenchoides ritieri, 172
Paratylenchus bukowinensis, 172
Paratrichodorus spp., 66
Neoplectana, 100, 188
Longidorus laevicapitatus, 172
Longidorus caespiticola, 173, 174
Longidorus spp., 66, 174, 219
Hexatylus viviparus, 173
Heterodera schachtii, 54, 68, 185-188
Heterodera manii, 172
Heterodera humuli, 172
Heterodera hordecalis, 172
Heterodera goettingiana, 178, 185
Heterodera glycyines, 178
Heterodera avenae, 180-182
Hemicylichophora spp., 172
Helicotylenchus spp., 66, 187
Globodera rostochiensis, 175-179
Globodera pallida, 174-177
Ditylenchus dipsaci, 172-174, 179, 186, 188
Aphelenchus spp., 126, 173
Angiostoma limacis, 188
Nematodes, scientific names of
virus-vector nematodes, 172
transmission of viruses by, 219
transfer cells and sexuality, 177
stylet length, 176
statistical analysis of population of, 298
stem nematodes, 171, 179, 180, 186, 187
spiral nematodes, 66, 171, 187, 188
todes, 174
simulating mechanical injury by long-stylet nema-
todes, 174
population model, for cyst-nematodes, 174, 175
pathotypes of *Globodera pallida*, 174, 175
parasites in insects and slugs, 188
on potatoes, 175-178, 182-185
on peas, 185, 186
on onions, 186, 187
on oilseed rape, 54, 188
on lupins, 180
on beet, 53, 54, 185-188
on beans, 126, 179, 180
making of potato cyst-nematodes, 176
ion transport, 177, 178
hatching of, 177, 178
from USA, 178
from South America, 175, 176, 178, 179
from India, 175
from Europe, 175, 176, 178
feeding, mechanism of, 172-174
Entomophthora-like fungus on, 178, 180, 181
effect of temperature on, 177
effect of osmotic stress on, 177
cyst-nematodes, 53, 54, 68, 171, 174-179, 182-187
populations, 176
canonical variate analysis of *Globodera pallida*
bud and leaf nematodes, 172
Nematodes
See also: names of chemicals used as nematocides.
trials of for potato cyst-nematodes, 182-184
thiobax, 66, 188
thiabendazole, 179, 180
Nematocides (cont.)

INDEX

- Nitrogen**
 effect of KNO_3 and $(\text{NH}_4)_2\text{SO}_4$ on denitrification in soil, 281
 forms of used on maize, 128
 in wheat grain, 282
 metabolism of, 21–26
 molecular, reduction of, 168
 nitrate N in drainage waters, 282, 283
 uptake of, from soil, 200
- Nitrogen fertilisers**
 applied with nitrification inhibitors, 276–279
 effect of high rates of on *Rhizobium* in soil, 235, 236
 effect on growth and nutrient uptake of wheat, 279–281
 effect on yields of spring beans, 123
 in precision seeding experiments, 32, 33
 'Nitro-Chalk' 127, 129, 277, 278
 on maize, 128, 129
 residues, 280, 281
 slow release, for potatoes, 280, 281
 See also: Ammonia; Urea; and individual crops
- Nitrogen fixation**
 acetylene reduction assay for, 126, 235, 236
 effect of pesticides on, 236
 effect of rain on, 236
 effect of *Sitona* on, 236
 effect of supplementary CO_2 on, 236
 in beans, 126, 236, 237
 rates of in soil cores, 235
- Nitrogenase activity**, 235, 236, 240
- Nitrosolobus** spp., 156
- Nitrososvibrio** genus, 156
- Nitrospira** spp., 156
- Nodulation**, 126, 234, 235, 237, 241
- Norfolk**, soil survey in, 250, 258
- Nottinghamshire**, soil survey in, 251
- NRDC insecticides**, 133
- 'N-Serve'** (nitrpyrin), 277, 279
 See also: Nitrification inhibitors
- Oats**
 diseases of, 212, 213
 fungi on, 212
 nematodes on, 179–181
 yields, 115
 See also: Cereals
- Obituary note**, Sir Henry Gerald Thornton, 243
- Oilseed rape** (*Brassica napus* spp. *oleifera*)
 aphids on, 92
 canker fungus on, 209
 nematodes on, 54, 188
 pests of, 94, 95, 102
 poisoning of honeybees by pesticides on, 142
Pyrenopeziza brassicae on, 208, 209, 222, 223
- Onchocerciasis**, monitoring of, 105
- Onions**
 'bloat' disease in, 186, 187
 mycorrhiza on, 238, 239
 nematodes on, 186, 187
- Open chain compounds**, as complexing agents, 167, 168
- Oscinella** spp., control of, 98
- Oxamyl**
 as a nematicide, 66, 155, 182–188
 for *Sitona* on beans, 98
 leaching and degradation of, 155, 156
- Oxygen**, effect of four levels of on denitrification in soils, 281
- Paleosols**, clay mineralogy of, 257, 258
- Panicum maximum***, VA mycorrhiza on, 241
- Paraquat**, effect on number of *Rhynchosporium secalis* spores, 214
- Park grass**, weeds on, 45
- Pea**, leafless
 nematodes on, 180
 nitrogen on, 127
 pesticides on, 127
- Pea moth**. See Moths.
- 338**
- Peat**, classification of samples of, 262
- Permethrin**
 for control of bean and pea pests, 98, 123–125
 on ryegrass swards, 99
- Pesticides**
 adsorption and desorption of in soil, 143
 application of, 132, 148, 149
 effect on earthworms, 99
 effect on soil fauna, 99
 effect on VA mycorrhiza, 238, 239
 for control of pea and bean weevils, 97, 98
 leaching and degradation of, 155, 156
 residues in soil and plants, 97, 126
 See also: Aphicides; Fungicides; Insecticides; Nematicides
- Pests**
 effect of foliar glandular hairs of potatoes on, 228
 in Bangladesh, 105
 methods for sampling, 95
 of clover, 97
 of grassland and forage crops, 98, 99
 of oilseed rape, 94, 95, 102
 of potatoes, 228
 of sugar beet, 99, 100
 soil pests in the South Pacific, 106
 suction traps for, 90
- Phaedon cochleariae*** (Mustard beetle), 149
- Phaseolus vulgaris***
 effect of VA mycorrhiza on molybdenum uptake in, 240
 enzymes of ammonia assimilation in nodules of, 22
 nitrogen fixation in, 237, 240
- Phenolics**, elution of before extracting leaf protein, 291
- Phoma exigua* var. *foveata*** (gangrene on potato)
 culture of, 225–227
 identification of, 155
 survival in soil, 225
 systemic movement, 225
- Phorate**
 as a nematicide, 66, 188
 for *Sitona* on beans, 98
- Phosphorus fertilisers**
 evaluation of phosphorus residues from superphosphate, 274–276
 on barley, 273, 274
 See also: individual crops
- Phosphorus in soil**
 barley yields related to, 273, 274
 residues in Saxmundham soils, 274–276
- Photorespiration**, 31, 36–38
- Photosynthate**, distribution of in cereals, 33, 34, 39
- Photosynthesis**
 C_3 mechanism of, 38
 C_4 photosynthetic pathway, 38
 effect of high CO_2 levels on, 38, 39
 gross rates of, 34–36
 in *Spartina townsendii*, 38
 laboratory studies of, 202, 203
 mechanism of in tea plants, 37, 38
 Monteith's model of, 201, 202
 portable chamber for measurement of, 202
 portable gas-mixing system for field studies of, 202
 potential inhibitors of, 36, 37
 rate of in water-stressed cereals, 35, 36
- Phoxim**, as a nematicide, 182
- Pirimicarb**, effect on spring beans, 124, 125
- Plant proteins**, association with virus resistance, 20, 21
- Plasmodiophora brassicae*** (clubroot) of cabbage, life cycle of, 223
- Polyacrylic acid**, effect on tobacco mosaic virus, 209, 210
- Polymyxa graminis***, on oats, 212
- Polypeptide pattern**, for identification of cereal varieties, 25, 26
- Polyscytalum pustulans*** (skin spot) on potatoes, 315
- Porometer**
 calibration of, 201
 types of, 201

INDEX

- Potassium-calcium exchange, calorimetric analysis of, 276
- Potatoes
- bacterial soft rot (*Erwinia carotovora atroseptica*) on, 224
 - black dot (*Colletotrichum coccodes*) on, 226
 - black scurf (*Rhizoctonia solani*) on, 226
 - blackleg on, 207
 - common scab (*Streptomyces scabies*) on, 224
 - effect of algae on growth of, 290, 291
 - effect of chlorflurecol on, 44, 45
 - effect of cultural technique on yields, 184, 185
 - effect of extra fertiliser on yields, 184, 185
 - effect of irrigation and fertiliser application on, 44
 - effect of nematocides on yield, 182, 183
 - effect of subsoiling on, 122, 123
 - effect of three-course rotation on yields, 183
 - effectiveness of foliar glandular hairs against potato pests, 228
 - gangrene (*Phoma exigua* var. *foveata*) on, 155, 225–227
 - groundkeepers, 227, 228
 - haulm senescence, 44
 - in rotation fumigation experiment, 181, 182
 - nematode control in by nematocides, crop rotation and resistant varieties, 182–185
 - nematodes on, 175–178, 182–185
 - on Broadbalk, 115
 - optimum seed rate for, 299–300
 - pests of, 96, 97, 228
 - RLO disease of, 179
 - seed treatment of, 226
 - silver scurf (*Helminthosporium solani*) on, 226, 227
 - skin spot (*Polyscytalum pustulans*) on, 226
 - slow-release nitrogen fertilisers for, 280, 281
 - spread of *Erwinia carotovora* var. *carotovora* from stem lesions to progeny tubers, 224
 - tecnazene on, 154
 - uptake of fungicides into tubers, 226, 227
 - use of fungicides against tuber pathogens, 226, 227
 - yields, 115, 117
- Powys, soil survey in, 256, 260
- Propionic acid, for preservation of damp hay, 157
- Protein
- in cereal seeds, 24, 25
 - synthesis of, 21, 23, 24
 - See also: Plant proteins
- Pseudocercospora herpotrichoides* (eyespot), effect of straw burning on, 217, 218
- Pyrenopeziza brassicae*, on oilseed rape, 208, 222, 223
- Pyrethroids
- action of *in vivo*, 136, 137
 - aphid resistance to, 137–140
 - distribution in cockroaches, 135, 136
 - effect of synergists on, 137
 - equipment for recording action of on live insects, 136, 137
 - insecticidal activity of, 133–137
 - new compounds, 133, 134
 - NRDC compounds, 133
 - penetration in cockroaches, 135, 136
 - post-synaptic action of, 136
 - resistance of houseflies to, 140, 141
 - separation of diastereoisomers, 133, 134
 - use on ryegrass swards, 98, 99
 - See also: Insecticides
- Pyricularia oryzae*, saccharopine metabolising enzymes in, 23
- Pythium* spp.
- on lupins, 220, 221
 - on oats, 212
- o*-Quinones, effect on plant viruses, 19, 20
- Rainfall
- at Broom's Barn, Rothamsted, Saxmundham, and Woburn (1976–77), 320–323
 - at Rothamsted (1977), 113
- Respiration rates, for cereals, 33, 34
- Rhizobium* spp.
- effect of amino acids on, 233, 234
 - effect of high rates of fertiliser N on, 235, 236
 - effect of high temperature on, 237
 - effect of yeast extract on, 233, 234
 - innoculation with E3 mycorrhiza and, 239, 240
 - on clover, 234, 235
 - on tropical legumes, 237
 - Rhizobium leguminosarum*, resistance of clover species to, 234
 - Rhizobium trifolii*, counts of in field experiments, 235, 236
- Rhizoctonia solani* (black scurf)
- on potato, 226
 - pathogenicity of on lupins, 220, 221
- Rhynchosporium secalis*
- effect of herbicides and fungicides on number of spores of, 214
 - on barley, 208, 214
 - spore viability, 214
 - spread, 214
- Riboflavin monophosphate, as an inhibitor of photosynthesis, 37
- Ribulose biphosphate
- in cereals, 36
 - in wheat leaves, 37
- Rickettsia-like micro-organisms, 178, 179
- RLO (rickettsia-like organism) disease, of potatoes, 179
- Rotation fumigation experiment at Woburn, 181, 182
- Rothamsted farm
- classical experiments on, 120
 - crop sequence experiments on, 120
 - experiment with herbage crops on, 123
 - nitrate N in borehole waters at, 283
 - rain at, 113, 114, 320
 - weather at, 320
- Ryegrass: See Grass
- Saxmundham
- barley yields related to soil phosphorus at, 273, 274
 - continuous wheat at, 120
 - losses of nitrate N in drainage at, 282
 - phosphorous residues in soils at, 274–276
 - weather, 323
- Seeds, cereal
- drilling of, 32, 33
 - extraction of N from, 25
 - proteins in, 24, 25
- Serine, proportion of ¹⁴C in, 35
- Silicon
- in rice, 217
 - in wheat roots, 217
- Simulium damnosum*, transmission of river blindness by, 105
- Sitona* spp. See Beetles
- Slugs
- effect of direct drilling on, 100, 101
 - mucus production in, 103
 - nematode parasites of *Arion hortensis*, 188
 - plant attractants as baits for, 100
 - response by *Deroceras reticulatum* to food plant volatiles, 147
 - seed treatments for control of in cereals, 144
- Sodium, for sugar beet, 57, 61, 62
- Soil acidity
- acid-base titrations of adsorbed ions, 283, 284
 - acid sulphate soils, 283
 - release of labile aluminium in aluminosilicate minerals, 283
- Soil biomass
- adenosine 5'-triphosphate (ATP) content of, 284
 - in model for decay of organic matter in soils, 285
- Soil fauna
- Agrotis segetum*, 102
 - arthropods, 100
 - earthworms, 99, 100
 - effect of direct drilling on, 100, 101
 - effect of pesticides on, 99

- Soil fauna (cont.)
effect of strawburning on, 101
stem borers, 100
See also: Cutworms
- Soil fumigation
effect on nematodes, 181, 182
for potatoes, 183
See also: Rotation Fumigation Experiment;
names of chemicals used for fumigation
- Soil geochemistry
frequency distribution of minor elements in soils, 289
of reclaimed sediments from the Wash, 289
Soil mineralogy
application of infrared spectrometry to, 287, 288
clay mineralogy, 286–288
of deposits from Chilean brickearths, 288, 289
of deposits from field drains, 287
of sample from South Chad Irrigation Pilot Project, 288
- X-ray diffractometry of clays, 286, 287
See also: Clay minerals
- Soil moisture. See Soil water
- Soil organic matter
adenosine 5'-triphosphate (ATP) content of soil biomass, 284
effect of cultivation on decomposition of, 284, 285
model for decay of, 285
rate of mineralisation of, 284, 285
relationship between ATP content and biomass, 284
- Soil phosphorus
barley yields related to, 273, 274
residues in Saxmundham soils, 274–276
Soil respiration
carbon dioxide compensation point, 203
carbon dioxide concentrations, 198, 199
dark respiration, 203
effect of cultivation on, 285
effect of cultivation on, 285
- Soil structure
tank respirometers for measurement of, 198
aggregation of clays, 196
complexities of various soil horizons, 195, 196
crumb diffusion, 194–196
dispersion stability, 196
effect of incubation on soil aggregate stability, 242
effect of polysaccharides on aggregation, 196
effect of sodium on, 61
physical behaviour of clay soils, 285
Soil Structure Working Group, 286
Soil surveys
Cambridgeshire, 249, 250
Clwyd, 255
Cornwall, 255, 262
Cumbria, 248, 249, 259
Derbyshire, 250
Devon, 255
Dyfed, 256
Essex, 254, 257, 258
Gloucestershire, 255
Humberside, 248, 262
Lincolnshire, 250
Norfolk, 250, 258
Nottinghamshire, 251
Powys, 256, 260
Staffordshire, 251–253
Suffolk, 250, 258
Surrey, 254, 262
Yorkshire, 249, 261
- Soil water
plant response to water stress, 200
porometer development, 201
rewetting of dry soil profiles, 199
Soil Survey and Drainage Service Joint Project, 260
water content, 199, 200
water potential, 200
South Chad Irrigation Pilot Project, clay mineralogy of sample from, 288
- 340
- Spartina townsendii*, photosynthesis in, 38
Spores, dispersion of, 204, 205
Sri Lanka, denitrification in soils from, 281
Staffordshire, soil survey in, 251, 252
Statistical analysis
agricultural survey of Nigerian farms, 310
canonical variate analysis, 176, 298, 299
for identification of antelope species, 299
for livestock experiments, 302, 303
for National Grassland Trial, 300
generalised linear model, 298
hierarchical analysis of variance, 298
literature on intercropping, 310
multivariate methods of, 299
National Milk Quality Survey, 301
of asymmetric matrices, 299
of carbon flow through leaves, 299
of interference between pheromone traps, 298
of nematode populations, 298
of optimum seed rate for potatoes, 299, 300
of overseas data, 309, 310
of plot residuals, 302
of South American nematode populations, 298
principal component analysis, 299
principal co-ordinate analysis of soil properties, 288
Rothamsted Insect Survey, 90
routine analysis, 301, 302
Survey of Fertiliser Practice, 300, 301
Statistical programming
documentation, 307
Generalised Linear Interactive Modelling, 307, 308
Genkey, 308, 309
GENSTAT, 299, 305–307, 309
Macro library, 307
Maximum Likelihood Program, 308
See also: Computer programs
- Statistical theory
6³ design, 1/6th replicate of, 305
diagnostic keys, 304
graphic representation of parameter solutions, 305
information of parameters, 304, 305
multidimensional unfolding, 303
residuals in generalised linear models, 304
updating techniques in multivariate analysis, 304
Stomatol resistance of plants, 203
Stylosanthes guyanensis, effect of VA mycorrhiza on molybdenum uptake in, 240
Subsoiling, effect on wheat, barley, sugar beet and potatoes, 122, 123
Suction traps. See Insect traps
Suffolk, soil survey in, 250, 258
Sugar, concentrations of in winter wheat, 33, 34
Sugar beet
aphicides for, 64, 65, 138
boiling of, 52, 58
Cladosporium spp. on, 65, 66
crop establishment, 56, 57
crop productivity, 54
Docking disorder, 66
effect of light on petiole growth in, 42
effect of light quality and duration on, 42, 43
effect of soil type and profile on, 59, 60
effect of subsoiling on, 122, 123
effect of temperature on, 41, 42, 58
fluid drilling, 56, 57
Erysiphe betae on, 65, 66
fungus diseases of, 65, 66
growth-control substances in, 42–44
growth regulators for, 43, 44
Helicobasidium purpureum on, 68
herbicides for, 52, 57
in crop rotations, 54, 68
in rotation-fumigation experiment, 181, 182
irrigation for, 53, 60–62
leaf expansion in, 42, 43
magnesium for, 63
manganese for, 53, 62, 63

INDEX

- Viruses (cont.)
 of clover, 218-220
 of grain legumes, 220-222
 of grasses, 218
 of honeybees, 104-106
 of oats, 212-213
 of potatoes, 19, 20, 228
 of sugar beet, 53, 210
 of tobacco, 20, 21, 209, 210
 purification of isolates of, 219, 220
 viruses, names of
Aphis iridescent virus, 104
arracacha virus A, 210
 bean leaf roll, 125, 222
 bean yellow mosaic, 220
 bean yellow vein-banding, 221, 222
 beet cryptic, 209, 210
 black queen-cell of bees, 104
 brome mosaic, 208, 218
 chronic bee-paralysis, 104
 clover yellow vein, 220
 cucumber mosaic, 219, 220
 Egyptian bee virus, 104
 European foulbrood, of bees, 104-106
 oat golden stripe, 212, 213
 oat mosaic, 212, 213
 oat tubular, 212
 pea enation mosaic, 208, 221, 222
 potato X, 19, 20
 potato Y, 228
 red clover necrotic mosaic, 208, 218, 219
 ryegrass mosaic, 208, 218
 sacbrood of bees, 104
 tobacco mosaic, 209, 210
 vicia cryptic, 222
 white clover mosaic, 219
 Wash, geochemistry of reclaimed soils of, 289
 Water stress, in cereals, 35, 36
 Watering, methods of, 291, 292
 Weather
 at Broom's Barn, 322
 at Rothamsted, 320
 at Saxmundham, 323
 at Woburn, 321
 Weeds
 effect of cropping sequence on, 47
 effect of fertilisers on, 47
 grass weeds, national survey of, 301
 on Broadbalk, 45-47
 on Park Grass, 45
 Weevils. See Beetles
 Welsh Plant Breeding Station, 262
 Wheat
 application of photosynthesis inhibitors to leaves
 of, 36, 37
 carbon dioxide enrichment in, 38, 39
 cytokinins and endosperm cell division in, 40, 41
 distribution of photosynthate in, 33, 34
 effect of increased CO₂ concentrations on, 38, 39
 effect of spring-applied nitrogen on, 279-281
 eyespots, 152, 217
 fungicides on, 152, 153
Fusarium culmorum on, 152
 gliadin fraction of, 25
 glutelin fraction of, 25, 26
 grain enlargement in, 41
 growth substances in developing grain, 41
 inhibition of germination in, 41
 milling and baking tests on, 211, 212
 nitrification inhibitors for, 278, 279
 nitrogen in grain, 282
 on Broadbalk, 114
 precision seeding of, 32-33
 silicon content of endosperms, 217
 sugar concentrations in, 33, 34
 take-all on, 152, 242, 243, 279
 yields, 114, 115
 See also: Cereals; Eyespot; Take-all
 of beet, 210
 of beans, 125, 221, 222
 of arracacha, 210
 nematodes as vectors of, 172, 219
 modified forms of potato X, 19, 20
 Viruses
 virus warning system, 91
avenae, 178
Verticillium chlamydosporium, effect on *Heterodera*
Venturia canescens, as an oviposition stimulant, 146
 plus ammonium nitrate, for grass, 277
 aqueous, for grass, 277, 278
 aqueous for winter wheat, 278
 Urea
 Upper Greensand soils, 257
 of Nigella, 287
 mineralogy of, 287
 Tropical soils
 Tridomorph, as a fungicide for cereals, 67, 115, 117, 153
 Triazophos, for weevils on bean roots, 97
 effect on mycorrhiza, 238
 as fungicide for potatoes, 226, 227
 as fungicide for wheat, 212
 Triadimefon
 incubation of oxides of, and plant residues, 290
 289, 290
 complexing of copper in soils by inorganic anions,
 Trace elements in soils
 Tobacco, virus disease of, 209
Tipula spp., 93, 94
 Tillage, experiment on Little Knott, 196-198
 Thiofanox, as a nematocide, 66, 188
 as nematocide on beans, 179, 180
 as fungicide for potatoes, 207, 226, 227
 as fungicide for cereals, 152
 Thabendazole
 Terbutryne, as a herbicide, 114
 'Telone' (dichloropropene), as a nematocide, 183
 Tecazene, as a sprout suppressant on potatoes, 154
 Tea soils, denitrification in, 281
 mechanism of, 37, 38
 Tea plant (*Camellia sinensis* L.) photosynthetic
 See also: *Gaeumannomyces graminis*
 take-all decline in soils, 216
 microbiological factors affecting, 242, 243
Gaeumannomyces spp. and, 215, 216
 fungicides for control of, 152
 effect of breaks on decline of, 216, 217
 effect of ammonium fertilisers on, 279
 and soil N, 217
 Take-all on cereals
 Synchronid (hover) flies 90, 93
 Swede, cucumber mosaic virus isolated from, 219, 220
 Survey, soil survey in, 254, 255, 262
 Sulphhydryl reagents, as inhibitors of photosynthesis,
 37
 Sulphanilamide, microbial degradation of in soil,
 156
 yields, 55-62, 68
 weeds in, 57
 weed-beet, control of, 57, 58
 virus diseases of, 53
 use of aldicarb on, 99
 sugar concentration, 54, 61
 steckling root and shoot pruning, 59
 sowing time, 52
 sodium for, 57, 61, 62
 seedling establishment, 55-57
 seed treatment with insecticides, 64
 seed production, 58, 59
 seed pretreatment, 56, 57
 predator/aphid dynamics, 65
 plant distribution, 55, 56
 pests of, 64, 99, 100
 pelleted seeds, 62-64
 nitrogen fertilising of, 59, 60
 Sugar beet (cont.)
 (cont.)

INDEX

- Wheat bulb fly
competition between larvae, 298
seed treatments for controlling, 143, 144
Wind profiles, measurement of, 203
Woburn
crop sequence experiments at, 120
experiment with herbage crops at, 123
nitrate N in borehole waters at, 283
rotation experiments at, 120
rotation fumigation experiment at, 181, 182
Yeast extract, effect on viability of *Rhizobium*, 233, 234
Yorkshire, soil survey in, 249, 261
X-ray fluorescence spectrometry, 292
X-ray tubes, 169
Xylem, extraction of glutamine from, 23
Woburn (*contd.*)
take-all experiment at, 216, 217
weather, 321