This work is licensed under a Creative Commons Attribution 4.0 International License.

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.

Report for 1977 - Part 1

Full Table of Content


ROTHAMSTED
EXPERIMENTAL STATION
REPORT FOR 1977
PART 1

Conversion Factors

Rothamsted Research

Rothamsted Research (1978) *Conversion Factors ;* Report For 1977 - Part 1, pp 343 - 344 **- DOI: https://doi.org/10.23637/ERADOC-1-134**

This work is licensed under a Creative Commons Attribution 4.0 International License.

CONVERSION FACTORS

Factors for the Conversion of Imperial to Metric Units

1 inch (in.)	= 2·540 centimetres (cm)
1 foot (ft) (=12 in.)	= 30·48 cm
1 yard (yd) (=3 ft)	= 0·9144 metre (m)
1 square yard (yd^2)	= 0·8361 m^2
1 acre (ac) (=4840 yd^2)	= 0·4047 hectare (ha)
1 ounce (oz)	= 28·35 grams (g)
1 pound (lb)	= 0·4536 kilogram (kg)
1 hundredweight (cwt) (=112 lb)	= 50·80 kg
1 ton (=2240 lb)	= 1016 kg = 1·016 metric tons (tonnes) (t)
1 pint	= 0·5682 litre (l)
1 gallon (gal) (=8 pints)	= 4·546 litres
1 fluid ounce = 1/20 pint	= 0·02841 litre = 28·41 ml
1 cubic foot	= 28·32 litres

To convert	*Multiply by*
oz ac^{-1} to g ha^{-1}	70·06
lb ac^{-1} to kg ha^{-1}	1·121
cwt ac^{-1} to kg ha^{-1}	125·5
cwt ac^{-1} to t ha^{-1}	0·1255
ton ac^{-1} to kg ha^{-1}	2511
ton ac^{-1} to t ha^{-1}	2·511
gal ac^{-1} to l ha^{-1}	11·233

The following factors are accurate to about 2 parts in 100:

1 lb ac^{-1} = 1·1 kg ha^{-1}
1 gal ac^{-1} = 11 litres ha^{-1}
1 ton ac^{-1} = 2·5 t ha^{-1}

In general reading of the text there will be no great inaccuracy in regarding:

1 lb = 0·5 kg
1 lb ac^{-1} = 1 kg ha^{-1}

Temperatures

To convert °F into °C subtract 32 and multiply by $\frac{5}{9}$ (0.556)
To convert °C into °F multiply by $\frac{9}{5}$ (1·8) and add 32

https://doi.org/10.23637/ERADOC-1-134

This work is licensed under a Creative Commons Attribution 4.0 International License.

CONVERSION FACTORS

Factors for the Conversion of Metric to Imperial Units

1 centimetre (cm)	=	0·3937 inch (in.) = 0·03281 ft
1 metre (m)	=	1·094 yards (yd)
1 square metre (m^2)	=	1·196 square yards (yd^2)
1 hectare (ha)	=	2·471 acres (ac)
1 gram (g)	=	0·03527 ounce (oz)
1 kilogram (kg)	=	2·205 pounds (lb)
1 kg	=	0·01968 hundredweight (cwt) = 0·0009842 ton
1 metric ton (tonne) (t)	=	0·9842 ton
1 litre	=	1·760 pints = 0·2200 gallon (gal)

1 litre = 1000 millilitres (ml) = 35·20 fluid ounces = 0·03531 cubic foot (ft^3)

To convert	*Multiply by*
g ha^{-1} to oz ac^{-1}	0·01427
kg ha^{-1} to lb ac^{-1}	0·8921
kg ha^{-1} to cwt ac^{-1}	0·007966
t ha^{-1} to cwt ac^{-1}	7·966
kg ha^{-1} to tons ac^{-1}	0·0003983
t ha^{-1} to tons ac^{-1}	0·3983
l ha^{-1} to gal ac^{-1}	0·08902

Plant nutrients

Plant nutrients are best stated in terms of amounts of the elements (P, K, Na, Ca, Mg, S); the old 'oxide' terminology (P_2O_5, K_2O, Na_2O, CaO, MgO, SO_3) is still used in work involving fertilisers and liming since Regulations require statements of P_2O_5, K_2O, etc.

For quick conversions

(accurate to within 2%) the following factors may be used:

$2\frac{1}{3} \times P = P_2O_5$	$\frac{3}{7} \times P_2O_5 = P$
$1\frac{1}{5} \times K = K_2O$	$\frac{5}{6} \times K_2O = K$
$1\frac{2}{5} \times Ca = CaO$	$\frac{7}{10} \times CaO = Ca$
$1\frac{2}{3} \times Mg = MgO$	$\frac{3}{5} \times MgO = Mg$

For accurate conversions:

To convert	*Multiply by*	*To convert*	*Multiply by*
P_2O_5 to P	0·4364	P to P_2O_5	2·2915
K_2O to K	0·8301	K to K_2O	1·2047
CaO to Ca	0·7146	Ca to CaO	1·3994
MgO to Mg	0·6031	Mg to MgO	1·6581

https://doi.org/10.23637/ERADOC-1-134