


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Report for 1978 - Part 1

[Full Table of Content](#)



Index

Rothamsted Research

Rothamsted Research (1979) *Index* ; Report For 1978 - Part 1, pp 339 - 352 - DOI:
<https://doi.org/10.23637/ERADOC-1-135>

SUBJECT INDEX

The General Report by the Director (pp. 9-17) has not been indexed.

- Acaricides, 145
Acaulopora laevis
 effects on P uptake, 238, 239
 in field inoculation trial, 238, 239
 Acetyl salicylic acid, resistance to tobacco mosaic virus induced by, 207, 208
 Acetylene reduction, 235, 242
 ADAS Nitrogen Index system, 305
 Adenosine 5'-triphosphate, measurement of in soil, 289, 290
 Adhesion, of powders to seeds, 143, 144
 Aerial pollutants, effect on barley growth, 43, 44
 Agonum dorsale, as aphid predator, 96
 Agriculture Development and Advisory Service, 138, 239, 246, 249, 256-258, 261, 263, 264, 304-308
 Agropyron repens (couch grass), on Broadbalk, 51
 Agrostis gigantea (bent couch), on Broadbalk, 51
 Agrostis segetum
 caught in traps, 89, 90
 diseases of, 97, 98
 See also: Cutworms
 Aldicarb
 as nematocide, 92, 168, 171, 172, 178
 degradation in soil, 148, 149
 effect on VA mycorrhiza, 236
 for beans, 117-121
 for herbicide crops, 123
 for leafless peas, 91, 92
 to control Sitona, 91
 to reduce bird damage to sugar beet, 63
 Aliphatic acids, degradation of, 209
 Alkali metals, co-ordination chemistry of, 157-162
 Alkaline earth metals, 157-162
 Allantoin, as measure of nitrogen fixation, 241, 242
 Allolobophora caliginosa, inoculation of soil with, 94, 95
 Allolobophora chlorotica, inoculation of soil with, 94, 95
 Alopecurus myosuroides (blackgrass)
 on Broadbalk, 50
 percentage of in soil samples, 52
 Alermaria spp., on ripening grain, 209, 210
 Amino acid analyser, 30
 Amino acids
 arginine, 239
 biosynthesis of, 23, 24
 cysteine, 29
 effect of N and S fertilisers on, 28, 29
 effect on Rhizobium spp., 239, 240
 glutamic acid, 283
 glycine, 40, 41
 homoserine, 138
 in barley grain, 283
 in cereal seeds, 28, 29
 in xylem exudate, 241, 242
 isoleucine, 239
 lysine, 23, 24, 27, 29, 138, 139, 239
 methionine, 23, 29, 138, 139, 239
 methodology, 30
 proline, 283
 threonine, 24, 29
 Amonia
 aqueous, 277, 279
 assimilation and re-assimilation by plants, 22, 23
 mobility of, 279
 production of during photorespiration, 40, 41
 statistical analysis of nitrification of, 304, 305
 Bacteria
 in ripening grain, 209, 210
 potato diseases caused by, 222, 223, 223
 231, 235
 Azotobacter spp., interaction with mycorrhiza, 233
 Axenic conditions, germination of spores in, 209
 Aureobasidium spp., on ripening grain, 209
 Atomic Energy Authority, 80
 Aspergillus glaucus group, in hay, 207, 209
 Asparagine, breakdown of, 23
 Arthur Rickwood Experimental Husbandry Farm, 170
 effect of pesticides on, 93, 94
 effect of direct drilling on, 94
 Arthropods
 Aphox. See Pirmicarb
 Sitobion fragariae, 86, 87
 Sitobion avenae, 295
 Rhopalosiphum padi, 86, 87, 92, 210, 211
 Rhopalosiphum maidis, 87
 Rhopalosiphum insertum, 86, 87
 Phorodon humuli, 87
 Myzus persicae, 67, 68, 86-88, 92, 130-133, 136, 136
 Metopolophium dirhodum, 86, 87, 210
 Megoura viciae, 136
 Macrostiphum avenae, 210, 211
 Aphis fabae, 68, 87, 97
 Acyrthosiphon pisum, 97, 120, 218
 Aphids, scientific names of
 210, 211
 transmission of barley yellow dwarf virus by, 92
 symbiotes of, 92
 suppression with short wavelength light, 88
 resistance to insecticides, 92, 126, 127
 rearing of cereal aphids, 148
 predators, 95, 96
 parthenogenesis in, 92
 parasitism of, 96
 overwintering, 68, 87, 88
 on sugar beet, 59, 67, 68
 on potatoes, 88
 on cereals, 95, 96, 206, 210, 211
 migrations, 86, 87, 206, 210
 genetic structure of, 92
 Entomophthora spp. on, 96, 97
 effect of phorate on, 211
 chemoprotecting of, 295
 caught in traps, 86, 103, 104, 210, 211
 carboxylesterase activity of, 132
 alarm pheromones in, 136
 Aphids
 Aphis spp., 96
 See also: Insecticides; Pesticides
 resistance to, 92, 126, 127, 130-133
 poisoning of honeybees by, 134
 pirimicarb, 98, 113, 132
 phorate, 211
 effect on barley yield, 212
 Aphidides
 Antiserum, to bean yellow mosaic virus isolates, 220
 Animal Virus Research Institute, 79
 Analytical methods, 297
 Anagasta kuehniella, pheromones of, 137
 in, 235
 Ammonium sulphate, development of VA mycorrhiza in, 235
 Ammonium nitrate, development of VA mycorrhiza in, 235

INDEX

- Bactericides, potential, for potato, 223
- Barley
- analysis of leaves for fluoride, 43, 44
 - aphids on, 206, 212
 - barley yellow dwarf virus, 87, 210–212
 - biochemical mutants of, 29
 - brown rust on, 212
 - chlorophyll measurements for, 42
 - continuous, on Hoosfield, 110
 - drought-induced yield loss in, 195, 196
 - effect of aerial pollutants on, 43, 44
 - effect of manuring on amino acid composition of grain, 282, 283
 - effect of subsoiling on, 112, 123, 124
 - effect of times and amounts of nitrogen and fungicides on, 281, 282, 305
- Erysiphe graminis* on, 140–142
- factors determining grain size, 43, 44
 - fertilisers for, 123, 124
 - growth retardants for, 150
 - high-lysine lines, 26, 27
 - hordein fraction of, 24–27
 - irrigation on, 193
 - leaf water potential for, 42
 - micrometeorological records for, 195
 - nematodes on, 173, 178, 185
 - photosynthesis in, 195–197
 - response to nitrogen, 305
 - soil temperature for, 42
 - soil water potential for, 42
 - sowing date, 212
 - storage proteins, 255, 26
 - stubble, *Rhynchosporium secalis* spores on, 212, 213
 - tridemorph on, 211, 212
 - VA mycorrhiza on, 236, 237
 - variety experiment, 111, 112
 - volunteers, as source of *Rhynchosporium secalis* infection, 212, 213
 - water stress in, 41, 42, 195, 196
 - wilting, 42
 - yields, 111, 112, 116, 195
- See also: Cereals; *Erysiphe graminis*; Take-all
- Basal medium, growth of mycorrhiza on, 234
- Beans (*Vicia faba*)
- Acyrtosiphon pisum* on, 120
 - aldicarb on, 117, 119
 - benomyl for, 112
 - Botrytis fabae* (chocolate spot) on, 112, 120, 207, 220
 - Ditylenchus dipsaci* on, 116
 - effect of nitrogen on yields, 241
 - fungal diseases of, 120, 220
 - irrigation for, 112, 193, 194, 220
 - micrometeorological records for, 194, 195
 - nematodes on, 120
 - nitrogenase activity in, 241, 242
 - nodulation and N fixation in, 120, 121, 240, 241,
 - permethrin for, 117, 119
 - pirimicarb for, 117, 119
 - root diseases of, 220
 - Sitona* populations on, 91, 119
 - spread of mycorrhiza on, 256
 - ureide exudation, 242
 - Uromyces fabae* on, 120
 - virus diseases of, 220, 221
 - weeds on, 51
 - yields, 116, 117, 119, 220
- See also: *Phaseolus vulgaris*
- Bees. See Honeybees
- Beetles
- carabid, as predators of aphids, 95, 96
 - fungal pathogen of, 91
 - Sitona* spp., 91, 119
- See also: Carabids
- Beidellite, nature of, 294
- Bendiocarb, as nematicide, 168
- Benodanil
- as fungicide for barley, 281, 282
 - as fungicide for potato, 225, 226
- Benomyl
- as fungicide on beans, 112, 117, 119–121
- Benomyl (contd.)
- as fungicide on herbage crops, 122
 - as fungicide on lupins, 219
 - as fungicide on oilseed rape, 221, 222
 - as fungicide on potatoes, 225, 226
 - effect on *Entomophthora* spp., 97
 - effect on soil fauna, 93
 - effect on VA mycorrhiza, 236, 237
- Benzoic acid, induction of resistance to tobacco mosaic virus by, 208
- Biochemical mutants, selection of, 29, 30
- Bioresmethrin, selectivity of, 135
- Bird repellents, persistence of, 145, 146
- Birds
- bud damage caused by, 146
 - grazing of sugar-beet seedlings by, 62, 63
- Blackgrass. See *Alopecurus myosuroides*
- Blackleg (on potato). See *Erwinia carotovora*
- Bond valences, for alkali and alkaline earth metal cations, 162
- Botrytis* spp., on lupin roots, 219
- Botrytis cinerea*, on lupins, 219
- Botrytis fabae* (chocolate spot), on beans, 112, 120, 207, 220
- British Sugar Corporation, 63, 66, 70, 308
- Broadbalk
- crop rotation on, 116
 - effect of rotations on weeds, 50, 51
 - Gibellina cerealis* on, 217
 - weeds on, 50–52
 - wheat yields on, 38
 - yields, 110, 111, 116, 118
- Broom's Barn Farm
- livestock on, 71
 - weather, 328
- Cabbage
- clubroot (*Plasmodiophora brassicae*) of, 138, 139
 - nematodes on, 185
- Caesium, co-ordination chemistry of, 162
- Calcium, co-ordination chemistry of, 162
- Cambridgeshire, soil survey in, 247, 248
- Canker. See *Leptosphaeria maculans*,
- Captafol
- as fungicide on barley, 213
 - as fungicide on wheat, 210
 - effect on *Entomophthora* spp., 97
- Captan, effect on *Entomophthora* spp., 97
- Carabids, biological and behavioural control of, 96
- Carbamate insecticides, resistance of *Myzus persicae* to, 131, 132
- Carbendazim
- as fungicide on barley, 210
 - as fungicide on potato, 226
 - as nematicide, 168
 - effect on soil fauna, 93
 - in 'Delsene M', 210
- Carbofuran, effect on VA mycorrhiza, 236
- Carbon dioxide enrichment, effect on growth and yield of wheat, 39
- Carbon flux, in water-stressed plants, 304
- Carboxylase, in wheat leaves, 40
- Carrots
- nematodes on, 171
 - yields, 171
- Cartography, automated, 260
- Cations, redistribution of within the zeolite, 286
- CCC. See Chlormequat chloride
- Cellulysin, treatment of leaf tissue with, 41
- Central Veterinary Laboratory, 308
- Centrosema, nodulation of *Rhizobium* strains from, 240
- Cereals
- aphids on, 95, 96, 98
 - cereal seed proteins, 24–29
 - control of slugs in, 135
 - cultivation systems, 289
 - direct drilling, 94, 95
 - eyespot disease of, 206, 207
 - fungus diseases of, 210

INDEX

- Cereals (contd.)**
 fungus infections on roots of, 210
 gibberellins in germinating grain, 44, 45
 integrated pest control in, 98
 irrigation for, 36
 measuring nitrogen response in, 305
 microflora of ripening grain, 209, 210
 nematodes on, 167, 168, 172, 185
 new fungicides for, 211
 protein in grain, 282, 283
 respiration rates for, 39
 take-all on, 206
 variety experiments at Rothamsted and Woburn, 111, 112
See also: Barley; *Erysiphe graminis*; Maize; Oats; Take-all; Wheat
- Cerenkov counting, effects of Fe (III) on ^{32}P estimations, 296, 297**
 'CGA 48988', 211, 219, 220
 Chalky boulder clay, soils in, 294
 Chemical Liaison Unit, 126, 148–151
 Chemical methods, for prediction of nitrogen response by cereals, 305
 Chemicals in plants
 chlormequat chloride, 150
 uptake and movement of, 150
 Chemicals in soils
 adsorption of, 149
 diazinon, 150
 fate of, 148, 149
 permethrin, 149
 Chemoprints, for study of insect populations, 295, 296
Chenopodium amaranticolor, infection of with bean yellow mosaic virus and clover yellow vein virus, 219
Chenopodium quinoa, infection of with bean yellow mosaic virus and clover yellow vein virus, 219
 Chilopoda, effect of nitrogen on, 95
 Chlorfenvinphos, effect on VA mycorrhiza, 236
 Chlorflurecol, effect on *Plasmodiophora brassicae*, 139
 Chlorine dioxide, effect on soft-rotting of potatoes, 223
 Chlormequat chloride (CCC)
 as growth regulator for wheat, 45, 122, 150, 210
 on oats, 112
 Chloroneb, effect on mycorrhiza, 236, 237
 Chloroplasts
 ammonia assimilation in, 21, 22
 enzymes in, 21, 22
 Chlorpyrifos, as pesticide on cereals, 98
 Chlortoluron
 as herbicide on Broadbalk, 110
 effect on VA mycorrhiza, 236
 Chocolate spot. *See Botrytis fabae*
Chrysopa carnea, as predator of aphids, 96
 Cismethrin, housefly resistance to, 133
 Clay mineralogy, X-ray spectra of clays, 292, 293
 Clay minerals in soils
 beidellite, 294
 illite, 293, 294
 synthesis, 277, 293
See also: Soil mineralogy
- Clay soils**
 air-entry into, 291
 effect of water pressure and mechanical loading on, 200
 in chalky boulder clay, 294
 mercury porosimetry for, 291
 pore size distribution in, 290, 291
 shrinkage potential of, 258, 290
 structures of, 291
 X-ray spectra of, 292, 293
- Climatic classification, of England and Wales, 261**
 Clinoptilolite zeolite, cation exchange properties of, 286
 ^{36}Cl -ions, movement of in soils, 143
- Clover**
 breeding red clover for high effectiveness with *Rhizobium* strains, 242, 243
- Clover (contd.)**
 clover rot (*Sclerotinia trifoliorum*), 207, 217, 218
 on Park Grass, 53
 spread of VA mycorrhizal endophytes in, 235, 236, 238, 239
 transmissible cryptic virus in crimson clover, 221
 virus diseases of, 207, 218, 221
See also: Legumes
- Clubroot. *See Plasmodiophora brassicae***
 Cobalt, as activator for microbial fertiliser, 232
 Coccinellids, as predators of aphids, 96
 Cockroach (*Periplaneta americana*)
 neurotoxicity of insecticides to, 130
 Coconuts, mass pollination of, 146
 Coleopterous larvae, effect of nitrogen on, 95
 Collembola, effect of nitrogen on, 95
- Computer programs**
 DECODE, for soil survey, 79
 FAMULUS, for bibliographic data, 79
 for analysis of 1979 drought experiment, 197
 for apple rootstock breeding, 80
 for automated cartography, 260
 for micrometeorological records, 194
 for processing data from microcalorimeter measurements, 165
 for scanning intensity data from CAD4 diffractometer, 165
 for seed store management, 83
 for simulation of pesticide degradation and movement in soil, 149
 for structured soils, 288, 289
 for suction trap records, 87
 FORTRAN standards, 80
 G-EXEC for soil survey, 79
 languages, 80, 314
 model of nematode population dynamics, 167, 168
 model to simulate effects of Oomycetous fungus, 167, 168
 Rothamsted General Survey Program, 80, 307, 314
 TAXIR, 80
See also: Statistical programming
- Computers**
 applications, 79–81
 ARC Advisory Committee on Computing, 76
 CDC, 314
 computer graphics, 80
 Computer Users' Group, 79
 data management systems, 79, 80, 260
 database systems, 76, 80
 Experimental Packet Switching Service, 83
 front end processors, 82
 IBM 370, 311, 314
 ICL System 4-70, 76, 78, 309, 311
 ICL System 4-72, 78
 management services section, 83
 mass spectral search, 79
 microtechnology, 76
 network, 81
 operations section, 76–79
 performance, 77–78
 telecommunications section, 81–83
 training, 81
See also: Computer programs; Statistical analysis; Statistical programming
- Coordination chemistry of alkali and alkaline earth metal cations, 157, 159, 160**
- Copper**
 complexing of, 286, 287
 concentration of in natural soil solutions, 287
 Copper-diketonates, chelated complexes with, 163
 Cornwall, soil survey in, 255
 Corrosion properties of soils, 261, 262
 Coverloam, distribution of, 258
 Cowpea rhizobia, nodulation of Malayan soyabean by, 240
 Crop patterns, 260
 Cypermethrin, 127
 Crystal structure, determination of, 161
 Crystalline complexes
 of alkali metal salts, 160, 162

- Crystaline complexes (*contd.*)
potassium chloride complex, 160
Cultivation, effect on mineralisation of soil
nitrogen, 290
Culture media, for endomycorrhizal fungi, 234
Cumbria, soil survey in, 246, 247, 262, 263
Cutworms
caught in traps, 89
natural incidence of diseases in, 97, 98
sex ratios of, 89, 90
Cylindrocarpus spp., on field bean roots, 220
Dalapon, on oilseed rape, 221
Daminozide, control of potato common scab by, 139
Dandelion. *See Taraxacum* spp.
Day length, extension of for sugar beet, 46
Dazomet
as nematocide, 178
effect on VA mycorrhiza, 236
D.D., as nematocide, 178
D.T., housefly resistance to, 133, 134
Decamethrin, 127, 135, 149
Deise M., as fungicide for wheat, 210
Department of Agriculture, Northern Ireland, 83
Diazinon, degradation of in soil, 150
Dicotyledons, cyst-nematode host ranges among, 181
Direct drilling, effect on organic matter in soil, 289
Drag coefficient, in micrometeorology, 194
Drainage
Soil Survey and Drainage Service Joint Project, 261
theory of, 201
Drazoxolon, on lupins, 219
Drought
1979 drought experiment, 197
effect on barley, 195, 196
model for yield response to, 195, 196
Dyfonate, as pesticide on cereals, 98
Earthworms
effect of direct drilling on, 94, 95
effect of pesticides on, 94, 95
East Malling Research Station, 80
Electrostatic valence, Pauling's concept of, 162
Endogone spp., effect of new fungicides on, 211
Endophytes, mycorrhizal
comparative efficiency of, 238, 239
effect of pesticides on, 236
factors affecting spread of, 235, 236
interactions with phosphate, 238, 239
Enthalpy, of calcium-potassium exchange, 285
Enzyme-linked immunosorbent assay (ELISA), 207
Enzymes
adenosine deaminase, 142
asparaginase, 23
aspartate kinase, 23, 24
carboxymethylcellulase, 21
effect of ethirimol on enzymes involved in purine metabolism, 141, 142
enzyme cytochemistry of soil micro-organisms, 232
from *Pyricularia oryzae*, 24
glutamate dehydrogenase, 22, 23
glutamine synthetase, 22
nitrate reductase, 22
nitrite reductase, 22
nitrogenase, 22
of lysine synthesis, 24
proteinase-K, 26
resistant to insecticides, 131-133
Ephestia kuehniella, in pesticide selectivity trials, 134, 135
Epidemiology, of cyst nematodes compared with leaf and soil-borne pathogens, 175
Erwinia carotovora on potato, 50
bactericides for, 223
in soil, 222
342
Erwinia carotovora on potato (*contd.*)
mother tuber as source of infection, 223
pattern of spread of, 222, 223
spread of from inoculated tubers, 222, 223
var. *atroseptica*, 206, 222, 223
var. *carotovora*, 222, 223
Erysiphe graminis (powdery mildew)
competitive ability of ethirimol resistant strain, 142
fungicides for, 141, 142
growth of in axenic culture, 140, 141
on barley, 141, 142, 211, 212, 281, 282
Esssex, soil survey in, 253, 254
Ethiofencarb, effectivity of against resistant aphids, 132
Ethionine
effect on *Phytophthora infestans*, 138
effect on *Plasmodiophora brassicae*, 139
effect on *Streptomyces scabies*, 138
Ethirimol
effect on *Entomophthora* spp., 97
strains of mildew resistant to, 142
to control *Erysiphe graminis*, 141, 142, 281
Ethyl mercury phosphate (EMP), for steeping sugar-beet seeds, 63
Ethylene dibromide, effect on tobacco, 315
Etridiazole, effect on mycorrhiza, 236, 237
Experimental Husbandry Farms, 306
Euxoa migrans, caught on traps, 89, 90
Eyespot (*Pseudocercospora herpotrichoides*)
epidemiology of, 206, 207
exposing bait seedlings, 216, 217
properties of spores, 216
spore production and dispersal, 215, 216
spore samplers for, 216
spread of in wheat, 216, 217
Falkland Islands
sward production on, 316
trace elements in soils of, 316
Farmyard manure
effect on amino-acid composition of barley grain, 282, 283
effect on soil fauna, 95
yields obtained on Broadbalk with, 116
Far-red light, effect on growth of sugar beet, 46, 47
Fasciola hepatica (liver fluke), potential of soil maps to identify areas with hazard from, 261
Fenarimol, as fungicide for potatoes, 226
Fentin acetate, effect on *Entomophthora* spp., 97
Fenvalerate, 127
Fertiliser Manufacturers' Association, 304
Fertilisers
for sugarcane, 316
for sunflowers, 316
for tobacco, 315
microbial, 232, 233
naturally occurring radionuclides from P and K fertilisers, 297
organic, effect on soil fauna, 95
Survey of Fertiliser Practice, 307
See also: Nitrogen fertilisers; Phosphorus fertilisers
Festuca rubra, spread of VA mycorrhizal endophytes in, 236
Field experiments, on behaviour of pesticides in soil, 143
Filming techniques, for nematodes, 184, 185
Flour Milling and Baking Research Association, 210
Fluormeturon, distribution of in soil aggregates, 143
Flurecils, effect on *Plasmodiophora brassicae*, 139
Fonofos
for removal of carabids, 96
on beans, 117, 119, 120
to control cereal pests, 98
to control pea and bean weevils, 91
Formalin, effect on nematodes, 177, 178
Formaldehyde, effect on damp hay, 209

INDEX

Free energy, of K-Ca exchange in Saxmundham soils, 285

Fungi
effect of formalin on, 177
Langenidiales spp. of, 177
model of attacks by, 177
mycorrhizal, 233-239
on cereal roots, 211
on lupins, 219
on ripening grain, 209, 210
Oomycetous, 176, 177
parasitism of *Heterodera avenae*, 176, 177
Fungicides
captafol, 213
carbendazim, 213
CGA 48988¹, 211, 219
effect on baking quality of wheat, 219
effect on *Entomophthora* spp., 97, 98
effect on fungal infections of cereal roots, 211
effect on *Puccinia poarum*, 138
effect on *Rhynchosporium secalis*, 212, 213
effect on *Stiepiomyces scabiei*, 138
effect on seed germination in wheat, 210
for barley, 212, 213, 281-283
for beans, 220
for control of *Erysiphe graminis*, 140-142
for control of rust, 281, 282
for lupins, 219
for oilseed rape, 221, 222
for potatoes, 151, 206, 225, 226
for seed treatment of sugar beet, 63
LS 74783¹, 211, 219
new, for root-infecting fungi on cereals, 211
NF 48¹, 226
organomercury, 63
safety of, 63
systemic activity, 226
thiophanate methyl, 213
triadimefon, 213
tricyclazole, 226
Fungus diseases
brown rust, of barley, 281, 282
clover rust, 217, 218
club-root (*Plasmodiophora brassicae*), 139, 140
of field beans, 120, 220
of potatoes, 138, 139
of wheat, 140
root rot, of lupins, 218, 219
seedlings blackleg, of sugar beet, 63
Fusarium spp.
on field bean roots, 220
on lupin roots, 219
on potatoes, 226
on ripening grain, 210
Gaeumannomyces graminis
carboxymethylcellulase activity of, 21
control of, 140, 211
Philophora radicola and, 21
pseudomonad flora on plants grown in soil naturally infested with, 233
var. *avenae*, 21
var. *graminis*, 21, 213
var. *tritici*, 21
See also: Take-all
Gaeumannomyces-Philophora complex cell wall
degrading enzymes of, 21
comparison of isolates, 21
isolates from site with little take-all, 213, 214
Gamma spectrometry, of soils, 297
Gas-mixing apparatus, portable, 192, 197
Germination, of VA mycorrhizal spores, 233, 234
Gibberellins
analysis of by GLC, 44, 45
in cereal grain, 44, 45
in sugar-beet leaves, 47
Gibellina cerealis, on Broadbalk 217
Gigaspora margarita
effects of host species on, 237

Gigaspora margarita (contd.)

effects on P uptake, 238
germination of, 234
in field inoculation trial, 238, 239
Glasshouse Crops Research Institute, 96
Glomus calodonius
enzymic lysis of, 235
field inoculation trial with, 238
germination of spores of, 233, 234
Glomus fasciculatus
development of in host and 'non-host' plants, 237
effect of fungicides on, 237
effect on P uptake, 238, 239
field inoculation trial with, 238, 239
Glomus microcarpum, effect of fungicides on, 236, 237
Glomus mossae
effect of fungicides on, 237
effect on P uptake, 238, 239
enzymic lysis of, 235
field inoculation trial with, 238, 239
glutamine synthetase, in wheat leaves, 40, 41
glycine, conversion of to serine, 40, 41
Glyphosate, effect on *Rhynchosporium secalis* on barley, 212, 213
Grain size, factors determining, 42, 43, 45, 46
Grass
at Rothamsted and Woburn, 113
critical K potentials for crop growth, 285, 286
effect of temperature on growth of C₃ and C₄ grasses, 44
nitrication inhibitors for, 277, 278, 280
pests of, 92, 93
virus diseases of, 207
Grassland Research Institute, 92
Growth control substances
chlormequat chloride, 45, 122, 150, 210
triacontanol, 47, 48
Guazatine, as fungicide for potato, 226
Harpalus rufipes, as aphid predator, 96
Hay
Aspergillus glaucus in, 207, 209
damp, chemical preservation of, 207-209
effect of 8-hydroxyquinoline on, 209
spontaneous heating of, 208, 209
Heat flux, in soils, 199
Helminthosporium solani (silver scurf on potato), 226
Hemiptera, effect of nitrogen on, 95
Herbage crops, factors affecting yield, 122, 123
Hericides
behaviour of in soil, 143
cynazine, 111
dalapon, 113
diquat, 113
distribution among soil aggregates, 143
effect on *Rhynchosporium secalis*, 212, 213
for sugar beet, 58, 60
methabenzthiazuron, 111
on Broadbalk, 110
phenmedipham, 58
propylamide, 113
Herford and Worcester, soil survey in, 249, 250
Honeybees (*Apis mellifera*)
Apis cerana from India, 100
mechanism of queen influence in colonies, 101
Nasorov gland, 100, 136-137
pheromones of, 100, 101, 136, 137
poisoning of, by pesticides, 134
pollen collection by, 101
queen rearing, 101
virus diseases of, 99, 100
Hoos Permanent Barley experiment, 116
Hoosfield
reversion, to continuous barley on 110
trials of 'microbial fertiliser' on, 232
wheat and fallow experiment on, 217
Hordeins
effect of S and N fertilisers on, 29
genetic analysis of, 26

344

- Hordeins (contd.)*
immunology of, 28
polypeptides of, 26-28
Housefly (*Musca domestica*)
effect of pyrethroids on, 129
Ipswich strain, 133
relation of flight activity to age, 147
resistance of to insecticides, 131, 133, 134
Humberside, soil survey in, 246, 247
Hyalodendron spp., on ripening grain, 209
Hydraulic conductivity cell, for study of soil water movement, 200
8-hydroxyquinoline
effect on soft-rotting of potatoes, 223
for preservation of damp hay, 209
Hypal development, effect of growth factors on, 234
Illite, nature of, 293, 294
Imazalil, as fungicide on potato, 226
Inoculants, of *Rhizobium*, testing of, 239
Inoculum density, effect on rate of infection by
VA mycorrhiza, 236
Insect traps
aphids caught in, 86
computer program for, 87, 89
cutworms caught in, 89, 90
light traps, 86, 89
pheromone traps, 88, 89
pitfall traps, 96
Insecticides
action of on insect nervous systems, 130
anti-cholinesterase, 134
aphid resistance to, 92, 126, 127, 130-133
application methods, 126, 144-147
bioremethrin, 135
cismethrin, 133, 135
controlled droplet application, 126, 144, 145
cypermethrin, 127
decamethrin, 127, 135, 149
diazinon, 150
dimethylphosphate esters, 131, 132
drift spraying, 145
efficacy of seed treatments, 144
electrostatic application, 126, 146, 147
enzyme responsible for resistance in *Myzus persicae*, 131, 132
ethiofencarb, 132
fenvalerate, 127, 129
for pea and bean weevils, 91
HCH, 134
housefly resistance to, 130, 131, 133, 134
malathion, 133
microencapsulation, 145, 146
NRDC compounds, 129, 135
organophosphates, 131, 132
permethrin, 91, 93, 117, 119, 121, 127, 135, 149, 150
pirimicarb, 93, 132
placement spraying, 144, 145
poisoning of honeybees by, 134
PP 199, 145, 146
pyrethroids, 126-131, 133-135
selectivity of, 134, 135
tetrafluorophos, 133
triazophos, 134
trichlorophos, 133
Insects
action of insecticides in nervous system of, 130
beneficial, 126
chemoprinting of, 295, 296
elemental analysis of individuals, 295, 296
flight activity of, 147
neuroanatomical techniques for, 146
rearing of, 147, 148
selective insecticides for, 134, 135
See also: Insect traps; names of individual insects
Intertomic distances, 162
- International Crops Research Institute
for the Semi-Arid Tropics, Hyderabad, 316
International Livestock Commission for Africa, 308
Nigeria, 240, 316
International Rice Research Institute, 208
Ionophores
effect on transpiration, 164, 165
interatomic distances in, 162
Iprodione, as fungicide for potatoes, 151
Irrigation
causes of variations in yields, 194
comparison of experiments at Rothamsted and Woburn, 192, 193
for cereals, 36
for farm crops, 192, 193
for sugar beet, 59
for winter beans, 220
trickle, 36
Knotgrass, 51
Lagenocystis spp., effect of new fungicides on, 211
Lake District, soil survey in, 247
Land drainage theory, 201
Land use capability map, of England and Wales, 246
Leaching
computer models for structured soils, 288
modelling of in structured soils, 288
mineralisation of soil organic N during, 288
nitrate leaching, 276
of nitrogen from sugar-beet fields, 66
Leaf area index, for wheat, 37
Leaf chamber, for measurement of photosynthesis, 197
Leaf protein, extraction of, 294, 295
Legumes
fungal diseases of, 217, 218
resistance of to clover rot, 217, 218
ureides, as measure of nitrogen fixation in, 241, 242
See also: Clover; Lucerne; Lupins
Lepidosaphesia maculans (canker), on oilseed rape, 221
Lettuce
infection by VA mycorrhiza, 236
plant volatiles from, 96
Ligands, neutral bicyclic, 157-160
Light leafspot. See *Pyrenopeziza brassicae*
Lincolnshire, soil survey in, 248, 249
Little Knot
drought experiment on, 192
mobile rain shelter on, 191, 192
Liver fluke. See *Fasciola hepatica*
Livestock
at Broom's Barn, 71
Lodging, of wheat, 38, 210
Lolium perenne
effect of foliar application of fungicide on mycorrhizal uptake of P, 236, 237
Long Ashton Research Station, 145, 146
LS 74783
as seed-dressing for field beans, 220
effect on fungal infections of cereal roots, 211
effect on VA mycorrhiza, 236, 237
on lupins, 219
Lucerne, field trial for inoculation of, with mycorrhiza, 237, 238
Lumbricus terrestris, soil inoculation with, 95
Lupin (*Lupinus albus*)
fungal diseases of, 218, 219
fungicides for, 219
root rot of, 218, 219
seed dressings for, 219
virus diseases of, 219, 220
yields, 121

INDEX

- Mycorrhiza (cont.)*
factors affecting spread of endophytes, 235, 236
field inoculation trials with, 237-239
germination and growth of spores, 233, 234
in nutrient film culture of *Phaseolus vulgaris*, 235
interaction with *Azotobacter*, 231
protoplast formation, 235
Nasonov gland, of honeybee, 100, 136-137
National College of Agricultural Engineering, 112
National Institute of Agricultural Engineering, 94
Natural Environmental Research Council, 79, 260
Nematocides
bendiocarb, 168
carbendazim, 168
degradation of, in soil, 148, 149
ethoprophos, 168
for sugar beet, 69
in a foliar spray, 170, 171
methods of incorporation in soil, 168, 170
potential, assessment of, 168
Telone, 172
thiophanate, 168
terbufos, 168
Nematodes
biology of, 167
co-evolution and phylogeny of cyst-nematodes, 181, 182
competition between species of potato cyst-nematode, 175, 176
computer model for population dynamics of, 167, 168, 173, 174
contiguous spread of, 175
control, 167
creation of a 'domain' by, 174, 175
cyst, 167, 168, 173-182
effect of micro-organisms on, 176
Entomophthora-like fungus on, 176
epidemiology of, 174, 175
filming techniques for, 184, 185
fossil records of, 182
from Bolivia, 176, 180
from North America, 180, 181
from South America, 180, 181
function of feeding pump in stem nematodes, 184
fungal parasites of, 176, 177
gene-for-resistance to by potatoes, 180
Hardy-Weinberg equilibrium, of genotypes, 182
hatching of, 186, 187
host ranges for cyst nematodes, 180, 181
latent period for, 175
Mendelian inheritance in, 182
morphology and function of, 182-184
on beans, 120
on carrots, 171
on cereals, 167, 168
on oilseed rape, 185
on potatoes, 168-170, 176, 178-180, 305
on sugar beet, 58, 69
on tobacco, 315
osmotic pressure for, 186, 187
pathotypes of, 179, 180
population ecology of, 167
root-knot nematodes, 174
round-cyst nematodes, 180
scanning electron microscope studies of, 182, 183
self-dispersal of, 174, 175
sex determination of cyst-nematodes, 185, 186
spermatogenesis and sperm structure in, 183
spiral nematodes, 171, 172
stubby-root nematodes, 185
stunt nematodes, 172, 185
treatment of with penicillin, 176
Nematodes, scientific names of
Aphelenchoides blattophilus, 186
Aphelenchoides fragariae, 182
Aphelenchoides ritzemabosi, 182
Aphelenchus spp., 120, 182
- L-value determinations, seed P effects in, 296
Lymnaea truncatula (dwarf pond snail), identification of habitats of, 261
Lysimeter experiments
to measure leaching of nitrogen from sugar-beet fields, 66
with nitrification inhibitors, 279, 280
Lysis, enzymic, of mycorrhiza, 234, 235
Macerases, treatment of leaf tissue with, 41
Macrocyclic crown compounds, 159
Macrocyclic polyethers, synthesis of, 157
Magnesium
coordination chemistry of, 162
effect of calcining process on availability of, 293
for sugar-beet, 58, 66, 67
Maize
inoculation of with VA mycorrhiza, 235, 236
protein in seeds of, 25, 26
Malawi, tobacco experiment in, 315
Malaysia, oil-palm variety trial in, 316
Maleic hydrazide (MH), effect on *Plasmodiophora brassicae*, 139
Malonic acid, chelated complexes with, 162
Mancozeb, effect on *Entomophthora* spp., 9
Maneb
effect on *Entomophthora* spp., 97
in 'Delsene M', 210
Manganeses, for sugar beet, 61
Mercury porosimetry, application of to clay soils, 291
Metarrhizium anisopliae, infection of *Sitona* larvae with, 91
Meteorological Office, 79
Mice, damage to sugar beet caused by, 62
Microbial 'fertiliser', evaluation of, 232, 233
Microcalorimeter, 160
Micrometeorological records, 194, 195
Micromorphometry of soils, 259
Mildew. See *Erysiphe graminis*
Milk
effect of progesterone-release device on yields, 306
feasibility of production index for, 306, 307
National Milk Quality Survey, 308
'Milkpore' filters, 233, 234
'Milstem'. See Ethirimol
Ministry of Agriculture, Fisheries and Food, 134, 263, 264, 304
Fisheries Laboratory, 83
Ministry of Overseas Development, 146, 304, 308
Mitochondria, conversion of glycine to serine in, 22, 40, 41
Molybdenum, in chelated complexes, 163
Morphactin, effect on potatoes, 49
Mortierella rammanniana, enzymic lysis of, 235
Moths
chemopointing of, 90, 295, 296
moth trapping kit, 138
pea moth monitoring, 86, 88, 89, 126, 138
pheromone trap spacing, 88, 89, 304
population dynamics of, 89, 304
sex attractant lures for pea moth, 138
spray trial for pea moths, 88
statistical analysis of flight behaviour of male pea moth, 304
Mucus, role of in aggregation behaviour of slugs, 96
Musca domestica. See housefly
Mycorrhiza
barriers to infection by, 237
comparative efficiency of various endophytes, 238, 239
development of in host and 'non-host' plants, 237
effect of aeration on spread of in soil, 236
effect of cropping on, 237
effect of nutrient solution on, 235
effect of pesticides on, 236, 237
enzymic lysis of, 234, 235
effect on soil analysis for phosphorus, 284

INDEX

- Crematogaster, scientific names of (*cont.*)
Cryphonectridae spp., 173
Cryptophellinoides spp., 182, 183
Ditylenchus dipsaci, 178, 184
Globodera pallida, 175, 176, 178-182, 185, 187, 305
Globodera postochiensis, 168-170, 174-176, 178-180,
185, 186, 305
Globodera solanacearum, 180
Globodera tabacum, 180
Globodera viginiae, 180
Helicotylenchus vulgatus, 171, 172
Hemicyclophora spp., 173
Heterodera spp., 173, 181, 183
Heterodera avenae, 176-178
Heterodera carotae, 171
Heterodera cruciferae, 181, 185
Heterodera schachtii, 69, 99, 176, 181, 186
Huntaphelenchoides spp., 182
Laimaphelenchus spp., 182
Longidorus spp., 58, 173
Meloitoglyne spp., 183
Meloitoglyne incognita, 183
Merlinius microdorus, 173
Paraphelenchus spp., 182
Pratylenchus spp., 120, 172, 185
Punctodera spp., 181
Radophilus similis, 174
Selenura spp., 182, 183
Telotylenchus ventralis, 173
Trichodoros spp., 58, 173
Tylenchorhynchus spp., 172, 173
Tylenchorhynchus dubius, 185
Tylenchus spp., 120
Nephotettix virescens, as vector of rice tungro disease, 208
Net assimilation rate, for grasses, 44
NF 48, as fungicide for potato, 226
Nitrate, in xylem exudate of wheat, 23
Nitrate reduction, 22, 23
rates of, 40
nitritation
measurement of in soils, 277, 279
statistical analysis of nitrification of aqueous ammonia, 304, 305
nitrification inhibitors
analytical procedure for, 280
CS, 280
effect on leaching losses, 279, 280
efficacy trials of, 149
for grass, 277, 280
lysimeter experiments with, 279, 280
for wheat, 277
nitrapyrin, 277, 279, 280
on direct drilled soil, 277, 279
sodium trithiocarbonate, 277, 279, 280
testing of neem oil, cake and kernel materials as, 281
with aqueous N fertilisers, 277
Nitrifiers, NH₄ oxidizing, 149
Nitrifying bacteria, in Rothamsted and Woburn soils, 149
'Nitro-Chalk', effect on VA mycorrhiza, 236
Nitrogen
assimilation of in shoots, 23
concentration of in sugar-beet leaves, 65
extraction of from wheat, 25
leaching of, 66
mineral, in soil, 65
Nitrogen fertilisers
amount and time of application to cereals, 281, 282
aqueous, applied with nitrification inhibitors, control of VA mycorrhizal infection in the field by, 235
effect on amino acids of grain, 28, 29
effect on phosphonate distribution, 38
effect on proteins of wheat and barley, 29
effect on soil invertebrates, 95
Oenothera lamarckiana, 167, 168
effects of, 167, 168
Oomycetes fungus, computer model to simulate spread of mycorrhiza on, 236
Onychinus spp., on sugar beet, 99
spread of mycorrhiza on, 236
field trial for inoculation of with mycorrhiza, 237, 238
Onion
lipidic spp., effect of new fungicides on, 211
weed control on, 113
Pyrenopeziza brassicae on, 221
polyphenol in leaves of, 295
Peronospora parasitica on, 221
nematodes on, 185
Leptospira maculans on, 221
extractability of leaf protein from, 295
diseases of, 221, 222
effect of benomyl on, 221, 222
Oidium sp., fungicides for control of, 226
oilseed rape (*Brassica napus* spp., *oleifera*)
bee poisoning by triazophos on, 134
residual effects of cultivars, formalin and nematocides on, 177, 178
Heterodera avenae on, 185
chloromequat chloride on, 112
Oats
chlormequat chloride on, 112
route analysis of, 297
routage analysis of, 297
representative soil sampling of nutrient status, 307, 308
Nutrient elements
Nuclear magnetic resonance spectroscopy, 159
Nutmeg, as fungicide for potatoes, 226
See: nitrapyrin
NRDC compounds, 129, 135
North Yorkshire, soil survey in, 247, 263
Norfolk, soil survey in, 248
of *Stylosanthes capitata* and *S. hamata*, 240
of soyabean by cowpea rhizobia, 240
of lucerne by mycorrhiza, 238
cultures, 235
by mycorrhiza on plants grown in nutrient film by field beans, 240, 241
Nodulation
Noctua pronuba, caught in traps, 89, 90
preparations, 130
Nervous activity, of insects in free-walking
129, 130
NMR spectra, for cyclopropane based pyrethroids, potatoes, 223
5-nitro-8-hydroxyquinoline, effect on soft-rotting of in legumes, 241, 242
in field beans, 241
Nitrogenase activity, 120, 121
persistence of NH₄ nitrogen in soil, 277, 279
leaching of nitrate, 276, 280
of, 305
effectiveness of chemical methods for measurement of in soil
Nitrides as a measure of in legumes, 241, 242
by VA mycorrhiza, 235
by field beans, 241
assimilation of ammonia produced by, 22
Nitrogen fixation
Urea and individual crops
varietal response of wheat to, 37
relationship of yield and % N in grain to, 282
ratio of ammonium to nitrate-N in, 276
percentage of recovered in leachate, 279
on wheat, 36-38, 111, 121, 277
on beans, 120
on barley, 42, 43, 112, 211, 212, 281, 282
in legumes, 241, 242
¹⁵N fertiliser used to determine nitrogen fixation measuring response of cereals to, 305
232, 233
in conjunction with microbial fertiliser treatments, for sugar beet, 59, 61, 65, 66
exudate, 242
effect on ureides and nitrate content in xylem
Nitrogen fertilisers (*cont.*)

- Phoma exigua* var. *foveata* (gangrene on potato)
(contd.)
infected seed tubers, 224
infection of stems by, 224
pycnidia of on dying potato stems, 224
sources of inoculum, 224
Phorate
as aphicide on winter cereals, 211
effect on soil fauna, 93, 94
effect on VA mycorrhiza, 236
effect on VA mycorrhiza, 236
for herbage crops, 123
on barley, 212
to control *Sitona*, 91
Phosphorus fertilisers
to control *Sitona*, 91
Phosphorus fertilisers
use on controls in mycorrhizal inoculation trials,
prediction of phosphorus requirements for crops, 276
See also: Fertilisers; and individual crops
Phosphorus in soil
effect of mycorrhiza on soil analysis for, 284
mycorrhizal infections in soils deficient in, 236
organic P in Rothamsted and Saxmundham soils,
283, 284
rate of mineralisation of, 283, 284
seed P effects in L-value determinations, 296
uptake of by mycorrhiza, 236
Photoregulation
and ammonia, 40, 41
effect on net photosynthesis by wheat leaves, 39, 40
rate on ammonia release in, 22
Photosynthesis
distribution of in wheat, 38
effect of drought on in individual leaves, 195, 196
equipment for measurement of, 196, 197
field studies of, 196, 197
gross and net rates of, 39
in water-stressed cereals, 42
individual leaf, 195
laboratory studies of, 197
leaf chamber for measurement of, 197
portable chamber for measurement of, 192
of, 197
rate of, 197
Phytolacca americana L., as a virus inhibitor, 208
Phytophthora infestans (blight), on potato, 113, 138
Figs. breeding systems for, 307
Primicarb
as aphicide, 98, 132
effect on soil fauna, 93
for beans, 117, 119, 120
Plant Breeding Institute, 83, 179
Plant proteins
associated with resistance, 20
virus induced, 20
Plasmodiophora brassicae (clubroot)
effect of fungicides on, 139
host response to, 139, 140
of cabbage, 139
of swede, 139
Pleistocene, deposits in the West Midlands, 258
Plusia gamma, caught in traps, 89, 90
Plutella maculipennis larvae, statistical
analysis of damage done on turnips by, 304
Pollination, of cocoons, 146
Polyacrylic acid, induction of resistance to tobacco
mosaic virus by, 207, 208
Polypeptides, 'B' and 'C' groups of, 26-28
Polysciol, measurement of in leaves of crops, 295
Porometer
calibration of, 196
types of, 196
Potassium
coordination chemistry of, 161
critical K potentials for crop growth, 286
release of in soils, 286
See also: individual crops
Potatoes
application of fungicides to sprouts, 225
- Open-topped chambers, modification of, 43, 44
Organophosphorus insecticides, 131-133
Oxamyl
as nematocide, 168-172
degradation of in soil, 148, 149
effect on soil fauna, 93
Oximecarbamate nematocides, degradation of in
soil, 148, 149
Oxygenase, in wheat leaves, 40
Paecilomyces varioti, in hay, 209
Paleosols, 258
Parquat, effect on *Rhynchosporium secalis*, 212, 213
Park Grass
effect of nitrogen on invertebrates on, 95
weeds on, 52, 53
Particle-size distribution of soil samples, 262
Pea, leafless, pests of, 91, 92, 124
Pea moth, See Moths
Peas
aspartate kinase of, 23, 24
polyphenol in leaves of, 295
protein in seeds of, 25, 26
survey of in Somerset, 255, 256
Pennines, soil survey in the, 247
Peptides, fingerprinting of, 30
Periplaneta americana. See Cockroach
Permethrin
degradation of in soil, 149, 150
development of, 127
effect on soil fauna, 93
foliar sprays of, 144, 145
for beans, 117, 119, 120
for control of pea and bean weevils, 91
in seed treatments, 135, 144
Pesticides
adsorption of by soil, 149
behaviour of in soil, 143
degradation of in soil, 148-150
effect on soil fauna, 93, 94
effect on VA mycorrhiza, 236, 237
field experiment to evaluate simulation models
for, 143
leaching of, 58
oceanic/water partition coefficients of, 149
Pests
biological control of, 94, 95
cultural control of, 94, 95
detection and surveying of, 86-90
integrated control of in cereals, 92, 93
of grass and forage crops, 92, 93
of leafless peas, 91, 92
of sugar-beet seedlings, 98, 99
of *Phaedon cochleariae* (Mustard beetle), effect of
pyrethroids on, 129
Phaeosolus vilgatus
inoculation with VA mycorrhiza, 235
measurement of nitrogen fixation in, 241, 242
Phenmedipham, for sugar beet, 58
Phenol, effect on damp hay, 209
Phenyl mercuric acetate, effect on damp hay, 209
Pheromone traps. See Insect traps
alarm pheromones, in aphids, 136
of *Angastia kuehniella*, 137
of honeybees, 100, 101, 136, 137
pea moth pheromone monitoring system, 86,
88, 126, 138
pheromone traps, 88, 89, 304
secretion of sex pheromones by slugs, 96
Phialophora spp., new species of, 206, 213, 214
Phialophora radicola
carboxymethylcellulase activity of, 21
comparison of isolates of, 21, 213
var. *graminicola*, 21, 213
var. *radicola*, 21, 213
Phoma exigua var. *foveata* (gangrene on potato)
control during storage, 226
effect of seed treatment on, 225
fungicides for control of, 151, 225

INDEX

- Potatoes (*contd.*)
 bacterial diseases of, 222, 223
 bactericidal and fungicidal seed treatments for, 223, 225
 black dot, 225
 black scurf (*Rhizoctonia solani*) on, 151
 blight (*Phytophthora infestans*) on, 113, 138
 common scab (*Streptomyces scabies*) on, 138
 cyst nematodes on, 168–170, 175, 176, 178, 179
 diseases of, 206, 222–227
 dry rot (*Fusarium* spp.) on, 226
 effect of morphactin on, 48, 49
 effect of varying haulm structure, 49
Erwinia caratovota on, 206, 222, 223
 fungicides on, 225, 226
 gangrene (*Phoma exigua* var. *foveata*) on, 151, 206, 222–225
 genes for nematode resistance in, 180
 glandular hairs and insect resistance of wild potatoes, 226, 227
 grafting techniques for, 49
 irrigation on, 193
 leaf stolon and tuber growth in pots, 50
 micrometeorological records for, 194, 195
 mother tuber as source of bacterial infection, 223
 potential bactericides for, 223
 powdery mildew (*Oidium* sp.) on, 226
 rate of tuber bulking, 49
 silver scurf (*Helminthosporium solani*) on, 225, 226
 skin spot (*Polyscytalum pustulans*) on, 226
 soft rotting of, 222, 223
Solanum spp., susceptibility of to nematodes, 179, 180
 source/sink relationships in, 49
 statistical analysis of cyst nematode decline on, 305
 stolon pruning on, 222, 225
 tecnazene as sprout suppressant for, 151
 tuber-borne pathogens, 225, 226
 VA mycorrhiza on, 236
 varietal susceptibility to nematodes, 175, 179, 180
 viruses of, 20, 21
 yields, 113, 116
 Protein bodies, of cereal seeds, 25, 26
 Poultry, statistical data on, 306
 Powys, soil survey in, 256
 Processors and Growers Research Organisation, 138
 Propionaldehyde, 209
 Propionic acid, for preservation of damp hay, 208, 209
 Propyzamide, as herbicide on oilseed rape, 221
 Proteins
 barley hordeins, 24–29
 effect of N and S fertiliser treatments on, 28, 29
 in cereal seed, 24–29
 interaction with lipid, 25
 isolation of from plant viruses, 21
 synthesis of in developing seeds, 25, 26
 synthesis of *in vitro*, 26
 wheat gliadins, 24
 Protoplasts, isolation of from wheat leaves, 41
Pseudocercosporella herpotrichoides. See Eyespot
Pseudomonas spp., on roots infected with
 Gaeumannomyces graminis, 233
Pterostichus melanarius, as aphid predator, 96
Puccinia hordei (brown rust on barley), 281, 282
Pyronopeziza brassicae, on oilseed rape, 221
 Pyrethroids
 action on *in vivo*, 130
 aphid resistance to, 127
 ¹³CNMR Spectra, 129, 130
 effect of *super-kdr* on, 133
 ‘FMC 16388’, 135
 housefly resistance to, 133
 in seed treatments against wheat bulb fly larvae, 135
 molecular structure and insecticidal activity of, 127–130
 new compounds, 127–129
 NRDC compounds, 129, 135
 photostable, 135
 selectivity of, 134, 135
 toxicity of, 126
Pyricularia oryzae, enzymes extracted from, 24
Pythium spp.
 effect of new fungicides on, 211
 on lupin roots, 218, 219
 on sugar-beet seeds, 60
 Radionuclides, routine analysis of, 297
 Rain
 at Broom’s Barn, 328
 at Rothamsted, 109, 110, 326
 at Saxmundham, 329
 at Woburn, 109, 110, 327
Rhizobium spp.
 cowpea strains of, 240
 effect of amino acids on, 239
 effect of delayed inoculation, temperature and day length on, 243
 effect of lysozyme on, 240
 effectiveness in red clover, 242, 243
 inoculation of clover with, 238, 239
 inoculation of legumes with, 242
 large bodies of, 239, 240
 L-phase growth in, 240
 Rhizobium japonicum, nodulation of Malayan soyabean by, 240
 Rhizobium trifolii, breeding for high symbiotic effectiveness in red clover, 243
 Rothamsted *Rhizobium* collection, 239
Rhizoctonia spp. (stem canker on potatoes), 151, 222, 225
Rhizopogon spp., interaction with *Azotobacter* spp., 235
Rhynchosporium secalis
 effects of herbicides and fungicides on, 206, 212, 213
 spore viability, 213
 Ribulose biphosphate, in wheat leaves, 40
 Rice, tungro disease of, 208
 River catchment study, in South West Wales, 261
 Root-infecting fungi, 211
 Root nodules, nitrogen fixation in, 22
 Root systems, observation of, 197, 198
 Rotavation, for incorporating nematicides in soil, 168, 170
 Rothamsted Farm
 barley yields on, 111, 112
 bean yields on, 112, 113
 cereal aphids on, 87
 cereal variety experiment, 111, 112
 classical experiments, 115–117
 Cultivation-Weedkiller experiment, 110
 irrigation experiment, 192, 193
 light traps on, 89
 nitrifying bacteria in soils at, 149
 organic P in soils on, 283, 284
 potato yields on, 123
 rain at, 109, 110, 326
 weather, 326
 wheat yields on, 111
 Rothamsted Insect Survey, 227, 304
 Roughness length, in micrometeorology, 194
 Ryegrass. See Grass
 Salicylic acid, induction of resistance to tobacco mosaic virus by, 207, 208
 Samsum NN protein, 20
 Saxmundham
 free energy and enthalpy of K-Ca exchange in soil at, 285
 organic P in soils at, 283, 284
 porosity of soil carbonate at, 285
 weather at, 329
 Scottish Plant Breeding Station, 179
 ‘SD 740823AX’, effect on soft-rotting of potatoes, 223
 Seed treatments
 adhesion of powders to seeds, 143, 144
 apparatus for, 147
 efficacy of, 144
 EMP steep for sugar-beet seeds, 63
 for field beans, 220
 for lupins, 219

INDEX

- Seed treatments (*contd.*)
 for potatoes, 223
 for slug control, 135
 fungicidal, 63
 pyrethroid, 135
- Seeds
 adhesion of powders to, 143, 144
 boiled, effect of on mycorrhizal growth, 234
- Seepage analysis, of horizontal groundwater flow, 201
- Serine, conversion of glycine to, 40, 41
- Sewage sludge, effect on soil fauna, 95
- Sex pheromones, secretion of by slugs, 96
- Shrinkage potential, of clayey soils, 258
- Silver staining of insects, 146
- Simazine
 distribution of among soil aggregates, 143
 on beans, 113
- Simulation models, of behaviour of pesticides in soil, 143
- Sitona* spp. *See* Beetles
- Slugs
 control of in cereals, 135
 copulatory and aggregation behaviour of, 96
 in direct drilled fields, 94
 response of *Deroceras reticulatum* to food plant volatiles, 96
- Snail, use of digestive juices from for lysis of mycorrhiza, 235
- Sodium
 co-ordination chemistry of, 157
 for sugar beet, 66
- Sodium dodecylsulphate-PAGE, use of in virus studies, 20, 25–27
- Sodium nitrate, development of VA mycorrhiza in, 235
- Soil aggregates, herbicide distribution in, 143
- Soil biomass, adenosine 5'-triphosphate (ATP) content of, 289
- Soil classification, 259, 260
- Soil cores, assaying of, 215
- Soil data bank, 260
- Soil erosion, 261
- Soil fauna
 cutworms, 89, 90
 earthworms, 93–95
 effect of direct drilling on, 94, 95
 effect of farmyard manure on, 95
 effect of fertilisers on, 95
 effect of pesticides on, 93, 94
- Soil hydraulic conductivity, measurement of, 201
- Soil mapping, 260, 262–265
- Soil micro-organisms, enzyme cytochemistry of, 232
- Soil mineralogy
 of Saxmundham soils, 285
 weathering of clay soils, 294
 X-ray fluorescence spectrometry of, 276
 X-ray spectra of clays, 292, 293
- Soil organic matter
 adsorption of organic chemicals by, 149
 effect of direct drilling on, 289, 290
 loss of during cultivation, 276
 measurement of adenosine 5' triphosphate in soil, 289
 sorption of by clay, 287
- Soil physics, 198–202
- Soil structure
 aggregate size, 60, 291
 effect of repeated wetting and drying on stability of soil aggregates, 231, 232
 effect of tillage on, 199, 200
 gaseous diffusion in compacted soils, 198, 199
 gaseous diffusion within crumbs, 198
 ion diffusion in structured soil, 288, 289
 measurement of diffusion coefficients and tortuosity factors, 232, 288
 of clay soils, 290–292
 pore-size distribution of clay soils, 291
 porosity, 198, 232
 Soil Structure Working Group, 198
- Soil surveys
 Cambridgeshire, 247, 248
 Cornwall, 255
 Cumbria, 246, 247, 262, 263
 Dyfed, 256
 Essex, 253, 254
 Hereford and Worcester, 249, 250
 Humberside, 246, 247, 263
 Lake District, 247
 Lincolnshire, 248, 249
 Norfolk, 248
 Pennines, 247
 Powys, 256
 Staffordshire, 250–252
 Suffolk, 248, 263
 Surrey, 254, 255
 Warwickshire, 252, 253
 Yorkshire, 247, 263
- Soil temperature, for barley, 42
- Soil water
 chemical composition of groundwaters, 288
 Darcy's Law, 200
 hydraulic conductivity measurements, 201, 202
 hydrodynamic dispersion of, 200, 201
 in clay soils, 200, 290, 291
 in heterogeneous soils, 200
 in swelling soils, 200
 land drainage theory, 201
 limiting soil moisture deficits, 193, 194
 movement of, 191, 200
 retention of, 262
 seepage analysis of horizontal groundwater flow, 201
 soil moisture deficits on four Lincolnshire soils, 265
 water content, 42, 193
 water content and water potential relationships, 202
 water content measurement, 202
 water potential, 42, 193
 water stability, 231, 232
- Solomon Islands, sweet potato yields in, 315, 316
- Sorbic acid, effect on damp hay, 209
- South West Wales River Division, 261
- Soyabean, Malayan, nodulation of by cowpea rhizobia, 240
- Spartina townsendii*, growth of, 44
- Spatial analysis, in soil surveys, 260
- Spores
 adherence to plastics, 216
 dispersal of, 195, 215, 216
 effect of pesticides on mycorrhizal spores, 236, 237
 germination and growth of mycorrhizal spores, 233, 234
 germination of in axenic conditions, 233
 of *Rhizosporium secalis*, 213
 properties of, 216
 samplers for, 216
 splash-dispersed, 215, 216
 viability of, 213
- Staffordshire, soil survey in, 250–252
- Standards, FORTRAN, 80
- Statistical analysis
 for ADAS experiments, 305, 306
 for comparing insoluble forms of phosphate on grassland, 306
 for livestock experiments, 306, 307
 for Small Ruminants Programme in Nigeria, 308
 intercropping survey, 316
 National Milk Quality Survey, 308
 National survey of grass weeds, 308
 of anthelmintic use, 308
 of attacks by oomycetous fungus on nematodes, 177
 of break-crop trials, 306
 of carbon flow through leaves, 304
 of carcass data, 307
 of damage done by *Plutella maculipennis* larvae, 304
 of flight behaviour of male pea moth, 304
 of nitrogen response measured by soil chemical methods, 305
 of nutrient status, 307, 308

- Statistical analysis (cont.)
of overseas data, 315, 316
of potato cyst eelworm decline rate, 305
of spring nitrogen requirements of winter wheat, 306
of weed-beet in 1978 sugar-beet crop, 308
Routine analysis, 308, 309
Survey of Fertiliser Practice, 307
Statistical programming
cluster analysis program, 314
documentation, 312, 313
Generalised Linear Interactive Modelling, 313, 314
Genkey, 314
GENSTAT, 194, 242, 311-313
Maximum Likelihood Program, 312, 314
STAB, 314
Statistical theory
combination of estimates of non-linear parameters, 310
confidence regions in non-linear models, 310
covariance analysis, 316, 317
6³ design, 1/6th replicate of, 309
diagnostic keys, 310, 311
multidimensional unfolding, 311
screening algorithm for fractional replicate designs, 309
variance mean relationships in ecology, 311
Stockbridge House Experimental Horticulture Station, 263
Stomata, effect of ionophores on, 165
Stylosanthes capitata, nodulation of, 240
Stylosanthes hamata, nodulation of, 240
Suction traps. See Insect traps
Suffolk, soil survey in, 248, 263
Sugar beet
aphids on, 59, 67, 68
as a rotational crop, 68-70
Altomaria spp. on, 99
availability of calcined magnesite for, 293
bird damage to, 62, 63
bolting of, 59, 69, 70
British Sugar Corporation, 63, 66, 70
causes of seedling damage, 58
conversion of seedling energy, 64
crop productivity, 64-67
Docking disorder, 58
effect of far-red light on, 46, 47
effect of light quality and duration on, 46, 47
effect of seedbed soil structure, 60
effect of temperature on leaf growth in, 46
effect of triacetonol on, 47, 48
effect of wood mice on, 62
EMP steep for, 63
endogenous gibberellins in, 47
field performance of seed, 61
frost damage, 57, 58
herbicides for, 58
irrigation for, 59
leaf area production, 64
leaf diseases, 59
leaf persistence, 65
magnesium for, 58, 66, 67
manganese deficiency, 61
nematodes on, 58, 69, 171, 172, 175, 185
nitrogen concentration in leaves of, 65
nitrogen fertiliser for, 59, 61, 65
pelleted seed, 61
pesticides for, 58
pests of seedlings, 98, 99
Phoma betae on, 63
plant establishment, 59, 60
PMA steep for, 63
poor root systems in, 58
powdery mildew, 59
radiation interception, 64
ring numbers in, 47
root growth and sugar accumulation in, 47
rotation experiments, 68-70
Sugar beet (cont.)
rust on, 59
seedling establishment, 60, 61
seed taking by mice, 62
seed-treatment fungicides, 63
sodium for, 66
storage root anatomy, 47
Sugar Beet Research and Education Committee, 59
TCMTB steep for, 63
thiram seed steep for, 63
time of sowing, 64
virus diseases of, 58, 59, 67, 68
water uptake by seeds, 60
weed control on, 58
yields, 58, 64
Suphur
deficiency of, in wheat, 28
effect on wheat and barley proteins, 28, 29
Super-kdt, as mechanism of pyrethroid resistance in houseflies, 133
Survey, soil survey in, 254, 255
Sutton Bridge Experimental Station, 225
Sweden, clubroot (*Plasmodiophora brassicae*) of, 139
Symbiotic effectiveness, breeding of red clover for with rhizobia, 242, 243
Symphyla, effect of nitrogen on, 95
Symphids, as predators of aphids, 96
Take-all on cereals
assaying of inoculum, 215
distribution of on root systems of winter wheat, 214, 215
effect of breaks on, 214
epidemiology of, 215
fungicides for, 140
profiles of, 214, 215
validity of visual diagnosis of, 206, 207
See also: *Gaeumannomyces graminis*
Tanzania, effects of planting time and fertilisers on sugarcane in, 316
Taraxacum spp., survey of on Park Grass, 52
Tebone, as a nematocide, 172
Tecnazene, as sprout suppressant for potatoes, 151
Terbufos, as nematocide, 168
Thermal conductivity in soils, 200
Thiabendazole
as fungicide on beans, 220
effect on VA mycorrhiza, 236
for seed treatment of potatoes, 225, 226
Thiophanate methyl
as nematocide, 168
as fungicide on barley, 213
as nematocide, 168
Thiram
as steep for sugar beet seeds, 63
on lupins, 219
Tillage, 1977 tillage experiment, 199, 200
Time-lapse cinematography, 168
Tobacco
effect of benzoic acid on, 208
effect of ethylene dibromide on, 315
effect of phytoalexin inhibitor on, 208
effect of polyacrylic acid on, 207, 208
effect of salicylic acid on, 207, 208
growth of in Malawi, 315
induced virus resistance in varieties of, 207, 208
viruses of, 20, 207, 208
Tomato, nematodes on, 185
Transpiration, effect of ionophores on, 164, 165
Triadimefon
as fungicide on barley, 213
effect on mycorrhiza, 236
Triazophos, poisoning of honeybees by, 134
Trichoderma harzianum, 235
Triclosazole, systemic activity of, 226
Tridemorph
as fungicide on wheat, 122, 226
effect on *Entomophthora* spp., 97
foliar spraying of, 144, 145
on winter barley, 211, 212

351

- 304
Turnip, damage to by *Plutella maculipennis* larvae, 143
Tritiated water, distribution of in soil aggregates, 143
Fungicide on mycorrhizal uptake of P, 236
Trifolium alutum, effect of foliar application of

INDEX

- Zambia, fertiliser and variety trials on sunflowers
in, 316
Zeolites, cation exchange properties of, 286
Zero plane displacement, in micrometeorology, 194
Zineb
effect on damp hay, 209
Zineb (*contd.*)
effect on *Entomophthora* spp., 97
Zoospores
biflagellate, 177
matric potentials of, 177
motile, 168, 177