


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Report for 1981 - Part 1

[Full Table of Content](#)



Index

Rothamsted Research

Rothamsted Research (1982) *Index* ; Report For 1981 - Part 1, pp 305 - 316 - **DOI:**
<https://doi.org/10.23637/ERADOC-1-128>

SUBJECT INDEX

The General Report by the Director (pp. 9–17) has not been indexed.

- Abacarus hystris*, as a vector of ryegrass mosaic virus, 191
- Absciscic acid, in wheat, 60
- Acephate, on sugar beet, 77, 78
- Acetylcholinesterase, in houseflies, 124, 130
- Acid sulphate soils, soil survey in, 227–229
- Acremonia atra*, on winter wheat, 24
- 'Actipron', on sugar beet, 74
- ADAS, 75, 97, 209, 257
- Crop Pest and Disease Intelligence Unit, 97
- statistical analyses for, 274, 275
- Veterinary Service, 276
- Adenine compounds, link with disease resistance, 39, 40
- Adenosine deaminases, 139
- Adenylate energy charge (AEC), of the soil microbial biomass, 258
- Aerial pollutants, effect on cereal yields, 55, 56
- Aerobiology, 176
- Agricultural meteorology, 183
- Agrobacterium tumefaciens*, 46, 47
- Air Photographic Units, 233, 234
- Aldicarb
- as a nematicide, 159, 164, 165
- effect on barley yellow dwarf virus, 22
- on beans, 32, 33, 36, 159
- on winter barley, 29, 30, 32
- on winter wheat, 19, 20, 22, 23
- Alkali metals, co-ordination chemistry of, 147–150
- Alternaria* spp.,
- on wheat, 24, 25, 199
- Alternaria alternata*, 199, 201
- Amino acids
- S-adenosylmethionine, 40, 46
- analysis, 43, 44, 46, 57
- arginine, 41
- asparagine, 41
- biosynthesis of, 40, 41
- composition of in archaeological samples, 42, 43
- effect on growth of VA mycorrhiza, 211
- glutamine, 41
- glycine, 42, 211
- lysine, 40–43, 46, 211
- methionine, 40, 41
- N-terminal sequences of, 44
- ornithine, 41
- proline, 41, 42, 46
- threonine, 40, 41, 46
- Ammonia, assimilation of, 40
- Amyl acetate, microcapsules of, 136
- Ancymidol, effect on bolting of sugar beet, 63
- Anemometers, 183
- Anglesey, soil survey in, 226
- Antifeedants, 125, 131
- APE 80 sprayer, 135, 136
- Aphicides
- for sugar beet, 77, 78
- on barley, 196, 197
- on winter wheat, 25, 26
- pirimicarb, 23
- See also: Insecticides; Pesticides
- Aphids
- alarm pheromone of, 125, 130–132
- bulletins, 96, 97
- caught in suction traps, 96, 97, 186
- cereal, 98–101
- chemical interference with virus transmission by, 131, 132
- Aphids (contd.)
- detection of beet mild yellowing virus in, 189
- entomophthoraceous fungi on, 100
- infected with *Erynia neoaphidis*, 100
- Infectivity Index, 186, 195–197
- migrations, 23
- on barley, 197
- on beans, 34
- on cabbage, 97, 98
- on potatoes, 97, 189, 190
- on sugar beet, 69, 70, 77
- on winter barley, 31
- overwintering, 70, 97, 98
- parasitoids of, 101
- predators of, 101
- rearing of, 136
- repellents for, 190
- spray warning scheme, 189
- transmission of barley yellow dwarf virus, by, 22, 23
- transmission of potato virus Y by, 189, 190
- virus yellows and, 77, 78
- Aphids, scientific names of
- Aphis fabae*, 78, 96, 130, 131
- Aulacorthum solani*, 96
- Brachycaudus helichrysi*, 101
- Brevicoryne brassicae*, 130
- Claytonia perfoliata*, 77
- Cryptomyzus galeopsidis*, 101
- Macrosiphum euphorbiae*, 96
- Metopolophium dirhodum*, 23, 32, 96, 98, 99–101
- Metopolophium festucae*, 23, 31, 32, 34, 130, 197
- Myzus persicae*, 77, 78, 96–98, 130–132, 189, 203
- Nasonovia ribisnigri*, 130
- Phorodon humuli*, 96
- Rhopalosiphum padi*, 23, 31, 32, 96, 98, 130, 197
- Sitobion avenae*, 31, 32, 96, 98–100, 130
- Apis cerana*, isolation of *Streptococcus pluton* from, 107
- ARC Computing Centre, 83
- Archaeological samples, Egyptian, of barley grain, protein compositions of, 43
- Arthrionum* spp., on winter wheat, 24
- Arthur Rickwood EHF, 74
- Aspergillus* spp., on winter wheat, 199
- Aspergillus candidus*, effect of oxygen concentration on, 200, 201
- Aspergillus repens*, 201
- Aspirin, stimulation of resistance-associated Pr-proteins by, 38, 39
- ATP, measurement of in the soil biomass, 245, 258, 259, 267
- Atrazine, leaching of, 134, 135
- Atrichum undulatum*, 54
- Aureobasidium pullulans*, on winter wheat, 199, 200
- Auxin, in wheat, 60, 61
- Azotobacter* spp., interaction with VA mycorrhiza, 211
- Bacteria, earthworms feeding on, 103, 104
- Bacteriocins, production of by *Rhizobium*, 214
- Bacterium-like organelles, 212
- Barley
- aldicarb on, 29, 30, 32
- analysis of wild and old grain, 43
- aphids on, 31, 32, 116
- at Rothamsted and Woburn, 116
- Atem, 116
- Athene, 116
- basal respiration in, 181

INDEX

Barley (*contd.*)

- brown rust on, 31
- Cladosporium* sp. on, 99
- crop establishment with various drills, 182, 183
- effect of deep cultivation on, 180
- effect of drought on, 175
- effect of subsoiling on, 262, 263
- Erysiphe graminis* on, 30, 31, 116, 139, 183, 186, 187
- ethirimol on, 116
- factors limiting yield of winter barley, 29–32
- fungicides on, 30, 139
- Georgie, 114, 116
- Goldmarker, 116
- growth and development of, 29, 30
- growth regulator on, 30
- high-lysine mutant lines, 42
- hordein fraction of, 42, 43
- Igri, 29, 114, 116
- insects on, 133, 134
- Koru, 116
- leaf blotch on, 31
- leaf growth in, 180
- leaf water potential for, 182
- Lycopodium* (club moss) on, 183
- lysine plus threonine resistant mutants, 40
- Maris Otter, 116
- mesophyll conductance in, 181
- mycorrhizal infection of, 210
- net blotch on, 31
- nitrogen on, 29, 30
- number of plants and shoots, 29, 30
- on Hoos field, 114, 120, 121, 258
- pests of, 134
- photorespiration in, 41, 181
- photosynthesis in, 180, 181
- prochloraz ('Sportak') on, 29, 30
- quantum yield in, 181
- residual effects of triadimefon on, 186, 187, 193, 194
- Rhynchosporium secalis* on, 31, 139, 187
- RUBP carboxylase/oxygenase isolated from, 54
- selection of mutants, 45, 46
- Simon, 116
- stem borers on, 134
- total dry weight, 29
- triadimenol ('Baytan') on, 65–67
- tridemorph on, 116
- Triumph, 116
- water stress in, 180, 181
- yellow dwarf virus of, 1, 23, 27–29, 32, 96, 98, 99, 195–198
- yellow mosaic virus of, 186
- See also:* Cereals; *Erysiphe graminis*; Take-all
- Basal respiration, in spring barley, 181
- 'Baytan', *See* Triadimenol
- Beans (*Vicia faba*)
 - aldicarb, on 32, 36
 - aphids on, 34
 - at Rothamsted and Woburn, 117
 - benomyl on, 33, 117
 - carbofuran on, 32, 36
 - chocolate spot (*Botrytis fabae*), 34, 117, 198
 - 'economic' treatment for, 36
 - fosetyl-Al on, 32, 33
 - irrigation of, 34–36
 - nematodes on, 35, 163, 164
 - pea early browning virus on, 199
 - pests and pathogens on, 32–36
 - phorate on, 36, 117
 - pirimicarb on, 32, 117
 - root fungi of, 35
 - rust (*Uromyces fabae*) on, 35
 - season and plant growth, 33, 34
 - seed-borne viruses of, 199
 - seed treatment of, 35
 - simazine on, 117
 - Sitona* spp., on, 34, 36, 101–103, 117
 - stem nematodes on, 35, 163, 164
 - thiram, on, 32, 117
 - viruses of, 34, 187, 199
 - See also:* Phaseolus vulgaris
- Bedfordshire, soil survey in, 221, 224, 235
- Beef, production of, 275
- Bees, *See* Honeybees
- Beetles
 - carabid, as aphid predators, 100
 - Philonthus cognatus*, 100
 - See also:* Carabid beetles; *Sitona* spp.
- Behaviour controlling chemicals, 125
- Bendiocarb, effect on *Sitona* spp., 103
- Benomyl
 - effect on take-all, 138, 139
 - on beans, 33, 117, 198
 - on clover, 121
 - on winter wheat, 99, 100, 138, 139, 199, 200
- Berkshire, soil survey in, 224
- Billington, wheat at, 245–248
- Bioclimatic Map, 230
- Biodeterioration, 199–201
- Bioresmethrin, effect on houseflies, 128
- Birds, repellents for, 136
- Black pepper, nematodes on, 160, 161
- Blackleg
 - on potato, 186, 201
 - on sugar beet, 70, 71
- Blight, on potato, 186
- Blowfly, action of pyrethroids on nervous system of, 127, 128
- Boehmite, crystal thickness of, 264, 265
- Bore Place Farm Project, the, 105
- Botrytis fabae* (chocolate spot), on beans, 34, 117, 198
- Bracken (*Pteris aquilina*), detection of enzymes in, 54
- Brassica campestris*, breeding of, 137
- Brassica crops, clubroot disease of, 137
- See also:* Cabbage
- British Sugar Beet Seed Producers' Association, 72
- British Sugar Corporation, the, 69, 70, 72
- 'Brittox', 23
- Broadbalk
 - barley on, 121
 - classical experiments on, 120, 121
 - potatoes on, 120
 - prochloraz on, 120
 - residual fertiliser nitrogen and nitrogen mineralisation in soils at, 253
 - wheat on, 114, 120, 121
- Bromoxymil, on winter wheat, 23
- Broom's Barn
 - cereals on, 78, 79
 - crop rotations at, 78, 79
 - livestock, 79
 - sugar beet on, 79
 - weather at, 294
- Brown rust, on barley, 31
- Buckinghamshire, soil survey in, 224, 235
- ¹⁴C, assimilation of by mycorrhizal plants, 261
- C₄ species, RuBP carboxylases in, 55
- Cabbage, aphids on, 97, 98
- Calf rearing, survey of, 276
- Calliphora erythrocephala* (blowfly), 127, 128
- Callus, regeneration of potato plants from, 45
- Cambridgeshire, soil survey in, 234
- CAM plants, RuBP carboxylases in, 55
- Captafol ('Sanspor'), on winter wheat, 19, 200
- Carabid beetles
 - Agonum dorsale*, 100
 - Amara* spp., 100
 - as predators of aphids, 100
 - Loricera pilicornis*, 100
 - Pterostichus madidus*, 100
 - Pterostichus melanarius*, 100
- Carbendazim
 - for control of take-all, 139
 - on winter wheat, 19, 199
- Carbofuran
 - as a nematicide, 159
 - on field beans, 32
 - to control *Sitona* spp. 102
- Carbon dioxide concentration, effect on field and storage fungi, 200

INDEX

- Carbophenothion, toxicity of, 134
 Carbosulfan, on sugar beet, 77
 Carrots, stem nematode on, 163, 164
 Cellulose xanthate, effect on dispersal of eyespot spores, 188, 189
 Cereal endosperm proteins, 41–44
 Cereals
 aphids on, 98–101
 barley yellow dwarf virus on, 19, 23, 27–29, 32, 96, 98, 99, 186, 195–198
 Cladosporium sp. on, 24, 25, 99
 diseases of, 191–198
 effect of mycorrhiza on growth of, 261, 262
 insect pathogenic fungi on, 99
 on Broom's Barn Farm, 78, 79
 on Rothamsted and Woburn, 115–117
 pest control in, 99–101
 take-all on, 191–193
 See also: Barley; *Erysiphe graminis*; Maize; Oats; Rye; Take-all; Wheat
 Chalky Boulder Clay, soils in, 231
Chamaecyparis lawsoniana, 54
Chenopodium quinoa, 191
 Cheshire, soil survey in, 222, 235
 Chlorfenvinphos, 134
 Chloromequat chloride, 61
 foliar application of, 141
 Chlorophyll, in leaves of wheat, 56
 Chloroplasts, photosynthesis by, 58, 59
 synthesis of amino acids by, 41
 Chocolate spot,
 See: *Botrytis fabae*
 Chromium, toxicity of, 260
Chrysopa carnea,
 See: Lacewings
Cicer arietinum, rhizobia isolated from, 214, 215
 Cismethrin, for control of wheat bulb fly larvae, 134
Cladosporium, sp., on wheat and barley, 24, 25, 99
Cladosporium cladosporioides, 199
Cladosporium herbarum, 199
 Classical experiments, 120, 121
 Clay minerals,
 effect of crystal thickness on position and intensity of, 264, 265
 impurities in, 257, 258
 interaction of water with, 263, 264
 Cleavers (*Galium aparine*), on winter wheat, 23, 24
 Climatic classification, of England and Wales, 230
 Clingfilm technique, for measuring leaf-water potential, 182
 Clover
 benomyl on, 121
 in Classical experiments, 121
 inoculation of with VA mycorrhiza on, 211
 nematodes on, 163, 164
 response of to nitrogen, 255
 Rhizobium on, 213
 viruses of, 190
 Clubroot, See: *Plasmodiophora brassicae*
 Cobalt
 complex of with polyether, 151
 in displaced soil solutions, 259, 260
 Coccinellidae, on winter wheat, 101
 Cockroach, See: *Periplaneta americana*
 Colombia, sheep trials in, 282
 Common scab, See: *Streptomyces scabies*
 Complexes, determination of, 148, 150
 Computer programs,
 ARC Metdata system, 90
 CAMGRID, 232
 d BASE II, 90
 data bases, 90
 DECODE, 90
 FAMULUS, 90
 for RIS aphid data, 96
 for soil survey, 231, 232
 GHOST, 90, 232
 GRASP, 90, 232
 INFO package, 87, 90, 232
 languages, 87, 88, 91
 Computer programs (contd.)
 LINDAT, 232
 MINITAB, 90
 NATCAT, 232
 NVRs Gene Bank Project, 91
 Programming Advisory Service, 91
 RIRO C, 232
 Rothamsted General Survey Program, 91, 92
 SELECTOR, 90
 TAXIR, 90
 See also: Statistical programming
 Computers,
 ARC Computing Centre, 83
 ARC Computing Committee, 87
 CDC 7600, 91
 data management, 87, 91
 documentation, 87
 front end processors, 84, 86, 89
 IBM 370, 91
 ICL System 4, 84–91
 image data tablet, 88
 Jacquard J100, 276
 management services section, 92
 microcomputers, 281
 microprocessors, 87–89
 microsystems inter-connection, 88
 microtechnology, 84
 MIDAS systems, 87, 88
 National Computer Centre Threshold Scheme, 84
 NCR B-series, 91
 network, 89
 plotters, 88, 89
 Prime 550, 84, 86, 88, 90, 91
 printers, 88
 software, 87
 system failures, 86
 systems utilisation, 85
 telecommunications, 89
 training, 90, 91
 Vegetable Gene Bank Project, 84
 Conidiobolus obscurus, 100
 Controlled drop application, of pesticide sprays, 136
 Copper, for preparation of sewage sludge, 260
 Cornwall,
 Loess soils in, 267
 soil survey in, 225
 'Cosmic', on winter wheat, 19
 Crop establishment, significance of tractor wheelings for, 182, 183
 Crown gall, 46, 47
 Crystal structure, determination of, 148, 150
 Crystal thickness, effect of on position and intensity of the 020 reflection of lepidocrite and boehmite, 264, 265
Culex sp., pheromones of, 132
 Cultivations, reduced, effect on soil-borne disease, 192, 193
 Cumbria, soil survey in, 223, 236
 Curve fitting algorithms, 281
 Cypermethrin, effect on *Sitona* spp., 103
 2,4-D, 141
 3,5-D, mode of action of, 137, 138
 Dairy heifers, weight of, 275
 DDT, 128
 Deep cultivation, effect on spring barley, 180
 'Delsene M', on winter wheat, 199, 200
 Deltamethrin
 effect on potato virus Y, 186, 189, 190
 effect on *Sitona* spp., 103
 on sugar beet, 77, 78
 Demeption, on sugar beet, 77, 78
 Demeton-S-methyl
 effect on *Sitona* spp., 103
 on sugar beet, 77, 78
 Derbyshire, soil survey in, 222, 223
 Devon, soil survey in, 225, 236
 Dicyandiamide, on winter wheat, 25, 252
 Diffusion, simulation of in soil aggregates, 265

INDEX

- Dimethoate
on cereals, 99, 100
toxicity of, 134
- Dinitrogen-bridged ditungsten complex, 152
- Dispersal, of fungal spores, 187–189
- cDNA, 40
cloning of, 41, 42, 44
- Docking disorder, of sugar beet, 69
- Dodecanoic acid, effect on potato virus Y acquisition, 190
- Dorset, soil survey in, 225, 236
- Drainage rates, effect of tillage treatment on, 177
- Drills, seed, effect on crop establishment, 182, 183
- Drosophila melanogaster*, toxicity of insecticides to, 134
- Dufour's gland, in *Nemeritis canescens*, 133
- Durham, soil survey in, 235
- Dyfed, soil survey in, 235
- Earthworms
Allolobophora longa, 104
Dendrobaena veneta, 104
Eisenia foetida, 103–106
food value of, 104
harvester for, 105
Lumbricus rubellus, 104
Lumbricus terrestris, 104
production of from different wastes, 104, 105
toxicity of chemicals to, 105, 106
use of in waste disposal and protein production, 103–105
- East Anglia, soil survey in, 221, 227, 228, 231
- East of Scotland College of Agriculture, 266
- EEC legislation, on toxicity of chemicals to earthworms, 105, 106
- Egyptian archaeological sites, protein compositions from, 43
- Electrified fences, 122
- Electron microscopy
immunosorbent, 189
of bacterium-like organelles, 212
- ELISA technique, 76, 186, 189, 197
- England and Wales, soil survey in, 92
- Enthalpies, of K-Ca exchange on clays, 257, 258
- Entomophthora* spp., 23
- Entomophthora planchoniana*, 100
- Enzyme-linked immunosorbant assay (ELISA), 76, 186, 189, 197
- Enzymes
acetylcholinesterase, 130
adenosine deaminase, 139
alcohol dehydrogenase, 45, 46
asparagine synthetase, 41
aspartate kinase, 41, 46
carbonic anhydrase, 58
detection of in moss, 54
fructose biphosphate, 58
glutamate-glyoxylate aminotransferase, 58
glutamine synthetase, 40
nitrate reductase, 46, 58
nitrogenase, 40
porcine pancreatic elastase, 152, 153
RuBP carboxylase, 54–56, 58
serine-glyoxylate aminotransferase, 58
threonine synthase, 41
- Ephestia kuehniella*, structure-activity effects of, 133
- Equisetum arvense* (Common horsetail), 54
- Eriophyid mites (*Abacarus hystrix*), 191
- Erwinia carotovora* (tuber soft rot),
on potatoes, 201
- Erynia neophidius*, 100
- Erysiphe graminis* (barley mildew),
adenosine deaminases from, 139
dispersal of spores, 187, 188
lift off of spores, 183
on barley, 31, 125, 139, 186, 187
residual effect of triadimefon on, 193
sensitivity of to triadimefon, 194
- Escherichia coli*, transfer of plasmids from, 216
- Ethephon, on winter barley, 29
- Ethiofencarb, on sugar beet, 77, 78
- Ethirimol
for control of mildew, 125
mode of action of, 139
- European Weed Research Society, 135
- Eyespot (*Pseudocercospora herpotrichoides*), on
wheat, 24, 188, 189
- 'Farmers Weekly', 220, 235
- Farmyard manure, on cereals, 78
- (E)-B-farnesene, 130, 131
- Fenpropimorph, 139
- Fenvalerate
analogues of, 126
effect on *Sitona* spp., 103
- Fertilisers
Survey of Fertiliser Practice, 276
See also: Nitrogen fertilisers; Phosphate fertilisers; Potassium fertilisers
- Field Experiments,
crop yields, 114, 120, 121
small plots, 119
working party for, 119
- Fish farming, sources of protein in, 104
- Foliar application, of chlormequat chloride, 141
- Fosetyl-Al, on field beans, 32, 33
- Fuberidazole, on winter barley, 29
- Fungal diseases
eyespot, 24
of potatoes, 140
of wheat, 24, 25
Septoria, 24
See also: *Erysiphe*; Eyespot; *Fusarium*; Take-all
- Fungi
field and storage, effect of environmental factors on, 200
filamentous, 24
root, 35
storage, 24
See also: Fungus diseases; *Fusarium*; *Gaeumannomyces-Phialophora* complex; *Mycorrhiza*; Take-all
- Fungicides
effect on take-all, 138, 139
ethylmercury phosphate, 70
hydroxypyrimidine, 139
iprodione, 70
non-mercurial, 70
on barley, 29, 30, 139
on potatoes, 202, 203
on sugar beet, 70
on winter wheat, 19, 20, 24, 25, 199, 200
phenylmercury acetate, 70
prochloraz, 120
resistance to, 125, 139
sterol synthesis inhibitors, 139
TCMTB, 70
thiram, 32, 70, 117
- Fusarium* spp.,
epidemiology of, 202
on beans, 35
on black pepper, 160, 161
on potatoes, 187
- Fusarium coeruleum*, 202
- Fusarium culmorum*, on winter wheat, 199
- Fusarium sulphureum*, 202
- Gaeumannomyces graminis* var. *tritici*, 192, 216
changes within populations of, 192
See also: *Phialophora radicola*
- Gallium aparine* (cleavers), control of, 23, 24
- Gangrene, See: *Phoma exigua* var. *foveata*
- Gardner's method, of analysing soil-water diffusivity, 177
- Garlic, nematodes on, 163, 164
- Gas exchange measurements, of photosynthesis and photorespiration, 57
- Genetic manipulation, of crop plants, 44–47
- Genetic material, transfer of into plants, 46, 47
- Gibberellins, in wheat, 61

INDEX

- Ginkgo biloba*, 54
Glasshouse facilities, 47
Gleadthorpe Experimental Husbandry Farm, 276
Glomus caledonius, 212
Glomus fasciculatus, 211
Glomus mossae, 210
(¹⁴C) Glutamate, as a precursor of proline, 41
Grain
 analyses of wild and old barley grain, 42, 43
 proteins from, 41–44
 ripening microflora, 24, 25
Grasses
 barley yellow dwarf virus on, 197, 198
 responses of to nitrogen, 254, 255
 RuBP carboxylases in, 55
 ryegrass mosaic virus, 191
 take-all after, 192
Grassland Research Institute, 210
Gravel pit soils, *Rhizobium* in, 212, 213
Grazing classification, of soils, 229, 230
Growth regulators,
 on barley, 29
 on sugar beet, 73
Gwynedd, soil survey in, 235

Hair worms, comparison with nematodes, 170
Hampshire, soil survey in, 224, 234
Herbicides
 effect on insect fauna of wheat, 100, 101
 foliar application of, 140, 141
 on sugar beet, 74, 75
 PCF mixture, 74
 See also: names of chemicals used as herbicides
Hertfordshire, soil survey in, 221
Hexose phosphates, metabolism of to sucrose, 56
Hexton, wheat at, 245–248, 251
Hoagland solution, for feeding wheat plants, 56
‘Hoe 25682’, on sugar beet, 77
Honeybees (*Apis mellifera*)
 Acarapis woodi on, 106
 bee virus X, 107
 bee virus Y, 107
 European foulbrood, 106, 107
 filamentous virus, 107
 Malpighaemoeba mellificae, 107
 Nosema apis on, 106, 107
 poisoning of, 133
 sacbrood virus of, 107, 108
 viruses of, 107, 108
Hoosfield, barley on, 114, 120, 121, 258
Hordeins
 extraction of, 42
 ‘B’, 42
 ‘D’, 42
Host/plant pathogen relationships, 38
Housefly (*Musca domestica*)
 acetylcholinesterase activity, 124, 130
 biochemistry of insecticide resistance, 130
 effect of fenvalerate analogues on, 126
 gene flow and dispersal, 128
 genetics of resistance in, 128, 129
 insecticide resistance in, 128
 knock-down resistance in, 130
 modelling of resistance in, 128
 phospholipids in, 130
 population dynamics of, 128
 rearing of, 137
 sex determination in, 129
Humbly Grove, soil survey in, 233
Hydraulic conductivity, 176, 177
Hydroquinone, 252
Hydroxypyrimidine fungicides, mode of action of, 139

IAR, See: Intrinsic antibiotic resistance
ICI, 73, 75
 ‘Ten-Tonne Club’ survey, 245
Imazalil, on winter wheat, 200
Immunosorbent electron microscopy, 189
Imperial Cancer Research Fund, 40
Indoleacetic acid, in wheat, 60

3-indolylacetonitrile, (IAN), link with clubroot disease, 137
Indolylmethylglucosinolate (IMG), 137
‘Infectivity Index’, for barley yellow dwarf virus, 96
Insect traps
 aphids caught in, 186
 suction traps, 196
Insecticides
 aphid resistance to, 190
 housefly resistance to, 128, 129
 poisoning of honeybees by, 133
 spray application, 136
 See also: Aphicides; Nematicides; Pesticides; Pyrethroids; names of individual insecticides
Insects
 effect of herbicides on, 100, 101
 fungi pathogenic to, 99, 100
 insecticide resistance in, 124, 125
 neuroanatomy of, 127
 on barley, 133, 134
 rearing of, 136, 137
 Rothamsted Insect Survey, 96, 97, 196
 traps for, 196, 203, 204
 See also: Insect traps; names of individual insects
Integrated Control in Cereals Working Group, 99
Interferon system, the, 40
International Society of Soil Science, 232, 234
Intrinsic antibiotic resistance, 214, 215
In vitro synthesis, of PR-proteins, 40
Ionophores, effect on stomata, 151
Ioxynil, on winter wheat, 23, 24
Iprodione, as a fungicide on wheat, 70, 139
Irrigation
 of field beans, 33
 of winter wheat, 19, 25, 26
ISEM, See: Immunosorbent electron microscopy

Japan, transplanting of sugar beet in, 75
John Innes Institute, 209, 210, 214

‘Kadethrin’, 134
Kairomonal activity, in *Nemeritis canescens*, 133
Kaolinites, impurities of, 257
Kent, soil survey in, 224
Knock-down resistance mechanism, 124, 125, 127–130
‘Kriging’, 266

Lacewings, on winter wheat, 101
Lambs, grazing, 275
Lancashire, soil survey in, 223
Lawson’s cypress (*Chamaecyparis lawsoniana*), 54
Leaching, of nitrate, 250, 251, 266
Leaf chamber, to determine rates of photosynthesis and photorespiration, 57
Leaf protein, extraction of, 267
Leaf water potential, measurement of, 182
Leeks, mycorrhizal, carbon and phosphorus physiology of, 261
Legumes, root nodules on, 40
 See also: Clover; Lucerne
Leicestershire, soil survey in, 222
Lepidocrite, crystal thickness of, 264, 265
Lesions, necrotic, caused by tobacco mosaic virus, 38
Letcombe Laboratory, the, 176, 192, 193, 235, 248
Leys, take-all on wheat after, 191, 192
Lincolnshire, soil survey in, 222
Lipophilic chemicals, translocation of, 140
Livestock
 at Broom’s Barn Farm, 79
 at Rothamsted and Woburn, 118
 statistical analysis for, 275, 276
Locusts, neuroanatomy of, 125
Loess soils, in Cornwall, 267
Long Ashton Research Station, 196, 248
Lotus corniculatus, rhizobia on, 212, 213
Lucerne
 inoculation of with mycorrhiza, 210, 211
 nematodes on, 163, 164

INDEX

- Lupinus angustifolius*, rhizobia on, 213
Lycopodium (club moss), spores of, 183
- MAFF Experimental Husbandry Farm, Terrington, 104
 MAFF Wildlife Investigation Scheme, 133
 Magnesium, complexes of, 150
 Magnesium perchlorate cations, of alkali metal cations, 150
- Maize
 detection of enzymes in, 54
 inoculation of with mycorrhiza, 210, 211
 nitrogen on, 121, 122
 statistical analysis of trials in Nepal, 282
 stem nematodes on, 163
- Mancozeb, on potato, 117
 Maneb, on winter wheat, 19, 199, 200
 Manganese, concentrations of in soil solutions, 259
 Maps, soil, 220, 232
 Mathematical models
 of pesticide movement in soil, 135
 of photosynthesis, 180, 181
- Maulden, wheat at, 246, 251
 Mecoprop, on winter wheat, 23
Medicago sativa, rhizobia on, 212, 213
Melilotus officinalis, 212, 213
 Mepiquat chloride and ethephon ('Terpal') on winter barley, 29, 30
 Mesophyll conductance, in spring barley, 181
 Messenger RNA, 40
 Metamitron, on sugar beet, 74
 Methiocarb, microencapsulation of, 136
 Metribuzin, leaching of, 134, 135
 Mice, damage caused to sugar beet by, 68, 69
 Microcalorimeter, for measuring thermal changes in clays, 244
 Microcomputers, 281
 Microencapsulation, of insecticides, 136
 Microflora, of ripening grain, 24, 25
 Micronutrients, 259
 Microorganisms, link with earthworm production, 103, 104
 Midlands, soil survey in, 222, 223, 231
 Mildew, *See: Erysiphe graminis*
 Milton Keynes, soil survey in, 235
 Mole drainage, 179
 Molecular recognition, phenomenon of, 148
 Molecular structure, of pyrethroids, 125, 126
 Mop top, on potatoes, 186
 Mosquito, oviposition attractant pheromone of, 125, 132
 Moss (*Atrichum undulatum*), detection of enzymes in, 54
 Moths
 likely flight behaviour of pea moths, 274
 sex attractants for pea moth, 132
Musca domestica, *See: Housefly*
 Muscid flies, action of pyrethroids on nervous system of, 127, 128
 Mushrooms
 growing of, 105
 nematode of, 167, 168
 Mustard beetles (*Phaedon cochleariae*), effect of fenvalerate analogues on, 126
- Mutants
 barley, 42, 45, 46
 nitrate reductase-minus, 46
 of the moss *Physcomitrella patens*, 46
- Mycorrhiza, vesicular-arbuscular
 chemical characterisation of, 212
 effect of amino acids on, 211
 effect of nitrogen on, 211
 effect on barley, 210
 effect on cereal growth in the field, 261, 262
 effect on clover, 211
 effect on lettuce, 211
 effect on lucerne, 210, 211
 effect on maize, 210, 211
 effect on peas, 209, 210
- Mycorrhiza, vesicular-arbuscular (*contd.*)
 inoculum production, 209, 211
 interaction with *Azotobacter chroococcum*, 211
 nutrient film technique for, 209, 211
 studies of, 244
- NAD(P)H-dependent glutamate synthase, 40
 Narcissus, stem nematodes on, 164
 National College of Agricultural Engineering, 179, 259
 National Institute for Research in Dairying, 105, 107
 National Institute of Agricultural Botany, 72, 201
 National Institute of Agricultural Engineering, 105, 282
 National Soil Catalogue, 232
 National Soil Inventory, 221, 230, 232
 National Soil Map, 220, 221
 National Vegetable Research Station, 91
Nectria haematococca f. sp. *piperis*, 161
- Nematicides
 aldicarb, 159, 164, 165
 carbofuran, 159
 culture technique for, 158
 'Hoe 00668', 158
 new, 158
 oxamyl, 158, 159
 'RH 9358', 158
 vertical band applicator for, 158
- Nematodes
 cuticular fibrils of, 170
 cyst nematodes, 157, 163, 168, 169
 depth distribution of *Paratrichodorus*, 164
 desiccation of, 162
 differentiation of pathotypes, 162, 163
 effect of *Solanum* spp., on, 159
 feeding pump of, 167
 fungal pathogens, 165
 hatching of, 161, 162
 interaction with *Verticillium dahliae*, 160
 male reproductive system in, 166, 167
 Mexican cyst nematode, 168
 modelling of dispersal, 170
 of ryegrasses, 164, 165
 on beans, 35, 163, 164
 on carrots, 163
 on garlic, 163
 on lucerne, 163
 on maize, 163
 on narcissus, 164
 on oats, 163
 on oilseed rape, 163
 on onions, 163
 on peas, 199
 on potatoes, 140, 158, 159
 on rice, 161
 on sugar beet, 69
 on tulips, 164
 on wheat, 22
 pathogens of cyst nematodes, 165, 166
 pea cyst nematode, 160, 171
 population dynamics of cyst nematodes, 278
 potato cyst nematodes, 158-160
 rickettsia-like organisms from, 165, 166
 root knot, 157, 161, 166
 staining of, 171
 stem, 157, 163, 164
 stylet length, 169
 suppression of *Rhizobium* by, 160
 taxonomy of, 168
- Nematodes, scientific names of
 Aphelenchoides spp., 167
 Ditylenchus dipsaci, 159, 160, 163, 164, 167
 Globodera spp., 166-168
 Globodera pallida, 158-160, 162, 163, 168
 Globodera rostochiensis, 158-163, 166-168
 Globodera solanacearum, 168
 Globodera tabacum, 168
 Globodera virginiae, 168
 Graminae group, 169
 Helicotylenchus varicaudatus, 164
 Helicotylenchus vulgaris, 22

INDEX

Nematodes, scientific names of (contd.)

- Heterodera* spp., 166
- Heterodera arenaria*, 169
- Heterodera avenae*, 159, 165, 168, 169
- Heterodera glycines*, 165
- Heterodera goettingiana*, 171
- Heterodera mani*, 168, 169
- Heterodera schachtii*, 163, 165
- Longidorus* spp., 22, 168
- Meloidogyne* spp., 165–167, 169
- Meloidogyne acrona*, 165, 166
- Meloidogyne arenaria*, 166, 167
- Meloidogyne graminicola*, 166, 167
- Meloidogyne hapla*, 166
- Meloidogyne incognita*, 161, 165–167
- Meloidogyne javanica*, 165, 167
- Meloidogyne naasi*, 165
- Meloidogyne oryzae*, 166
- Paratylenchus*, 168
- Paratrichodorus anemones*, 164
- Pratylenchus* spp., 22, 35, 36, 170
- Pratylenchus crenatus*, 35
- Pratylenchus neglectus*, 22, 35
- Pratylenchus pinguicaudatus*, 35
- Pratylenchus thornei*, 160
- Rotylenchulus reniformis*, 165
- Rotylenchus* spp., 168
- Trichodorus* spp., 170
- Trichostrongylus colubriformis*, 170, 171
- Tylenchorhynchus dubius*, 22
- Tylenchulus semipenetrans*, 165
- Xiphinema* spp., 22
- Nematophthora gynophila*, 165
- Nemeritis canescens*,
 - Dufour's gland components in, 133
 - oviposition responses from, 133
- Net blotch, on barley, 31
- Neutron moderation meter, 25, 178
- Nickel, toxicity of to plants, 260
- Nicotiana glutinosa*, 40
- Nicotiana tabacum*, 39, 40
- Nitrate
 - growth of mutants of moss on, 46
 - soil, leaching of, 251, 266
- Nitrification inhibitors, 25, 252
- Nitrilacarb, on sugar beet, 77
- 'Nitro-Chalk', 115
- Nitrogen
 - content of in winter wheat, 274
 - leaching of, 250
 - nitrate N in wheat stems, 28
 - uptake of in wheat, 21, 28, 254
- Nitrogen fertilisers
 - Balance Sheet approach for, 251
 - effect of amount and timing on control of cleavers, 23, 24
 - effect on photorespiration rate in wheat, 56
 - effect on wheat yields, 19–21, 25–28
- ¹⁵N labelled, 253, 254
- NO³-N content of wheat stems, 28
- on barley, 29, 30
- prediction of requirements, 250–252
- residual, in Broadbalk soils, 253
- response of grass and grass-clover swards to nitrogen, 255
- timing of, 19
- uptake of by wheat, from previous crop, 254
- yield response to, 274, 275
- Nitrogen fixation, 212–216
 - carbon cost of, 215
 - rates of, 244
 - symbiotic, 209
- Nodules, root
 - formation of, 213, 214
 - glutamine synthetase in, 40
- Norfolk Agricultural Station, 71, 74
- Norfolk Broads, soil survey in, 227
- Northamptonshire, soil survey in, 221
- Northumberland, soil survey in, 235
- Nottinghamshire, soil survey in, 222, 223
- Nuarimol, for control of take-all, 139

Oats

- at Rothamsted and Woburn, 117
- barley yellow dwarf virus on, 98, 197
- nematodes on, 163
- Official Seed Testing Station, 72
- Oilseed rape
 - damage to honeybees from insecticide application to, 133
 - nematodes on, 163
- Olpidium radicale*, as a vector of red clover necrotic mosaic virus, 186, 190
- Omethoate, effect on *Sitona* spp., 103
- Onions
 - inoculation of with mycorrhiza, 211
 - nematodes on, 163
- Onobrychis viciifolia*, 213
- Organic phosphorus
 - accumulation of under long leys, 256, 257
 - changes in, 256
- Oviposition attractant, 133
- Oxamyl, as a nematicide, 158, 159
- Oxfordshire, soil survey in, 224
- Oxygen
 - affinity of RuBP carboxylase/oxygenase for, 55
 - effect of concentration of on growth of fungi, 200, 201
- ³¹P nuclear magnetic resonance spectroscopy, 256
- Parachordodes wolterstorffi*, 170
- Parasitoids, aphid, 101
- Partitioning, of chemicals on to lipophilic root solids, 140
- Pea moth, *See* Moths
- Peas
 - leafless, 121, 209, 210
 - nematodes on, 199
 - rhizobia on, 214
 - Sitona* spp. on, 101–103
 - vesicular arbuscular mycorrhiza on, 209, 210
 - viruses of, 187, 199
- Penetrometer readings, after subsoiling experiments, 263
- Penicillium* spp., on wheat grains, 24, 199–201
- Penicillium brevicompactum*, effect of oxygen concentration on, 201
- Penicillium roquefortii*, effect of low oxygen concentration on, 201
- Peptone, effect on growth of VA mycorrhiza, 211
- Periplaneta americana*, (cockroach)
 - effect of pyrethroids on, 125
 - neuroanatomy of, 127
- Permethrin
 - analogues of, 126
 - effect on houseflies, 128, 129
 - for control of *Sitona* spp., 102, 103
 - for control of wheat bulb fly larvae, 134
 - microencapsulation of, 136
 - on sugar beet, 77
- Perry Foundation, the, 158
- Pesticides
 - bird repellents, 136
 - movements of in soils, 139, 140
 - spray application of, 136
 - See also:* Aphicides; Fungicides; Insecticides; Nematicides
 - Pests, control of in cereals and beans, 99, 101
- Phaseolus coccineus*, 213
- Phaseolus vulgaris*, inoculation of with *Rhizobium*, 212, 213
- Phenmedipham, on sugar beet, 74
- Phenoxyacetic acids, for control of potato common scab, 137, 138
- Pheromones
 - aphid alarm pheromone, 125
 - derivatives of, 131
 - mosquito, 125, 132
- Phialophora graminicola*, 191, 192
- Phialophora radicola* var. *graminicola*, 216
- Phloem transport in plants, 135
- Phoma betae*, 70

INDEX

- Phoma exigua* var. *foveata* (gangrene on potato), effect of fungicides on, 187, 202, 203
- Phorate
for control of *Sitona* spp., 36, 102, 103, 117
on spring beans, 33, 36
toxicity of, 134
- Phosphate fertilisers, characterisation of, 256, 257
- Phosphonate, in soil, identification of, 256
- Phosphorus
accumulation of under long leys, 256, 257
changes in soils, 256
characterisation of, 256
evaluation of reserves, 256
physiology of mycorrhizal plants, 261
soil biomass, 258
uptake of by potatoes, 160
- Photoinhibition, 57, 58
- Photorespiration
gas exchange measurements of, 57, 58
in barley, 41, 181
in wheat, 56
- Photosynthesis
by isolated protoplasts and chloroplasts, 58, 59
in a leaf chamber, 57
in spring barley, 175, 180, 181
in winter wheat, 56, 182
induction period preceding, 58, 59
interference with, 99
mathematical models of, 180, 181
net, in sugar beet, 73
- Phoxim, as a nematocide, 159
- Physcomitrella patens*, mutants of, 46
- Phytophthora* spp., on sugar beet, 70, 71
- Phytophthora palmivora*, on black pepper, 160, 161
- Pig waste, breeding of earthworms on, 104
- Pigs, ultrasonic fat-depth measurement for, 275, 276
- Piper nigrum*, root-knot nematode in, 160, 161
- Pirimicarb
microencapsulation of, 136
on beans, 32, 117
on potatoes, 117
on sugar beet, 77, 78
on winter wheat, 99, 100
- Pirimiphos-methyl, effect on *Sitona* spp., 103
- Plant Breeding Institute, 72
- Plant physics, 180–183
- Plasmodiophora brassicae*, host-parasite relationship, 137
- Poly A + RNA, extraction of from tobacco, 39, 40, 44
- Polyacrylic acid, injection of tobacco leaves with, 38
- Polyethers
macrobicyclic, 147–150
monocyclic, 150
neutral bicyclic, 147
open chain, 150, 151
- Polygodial, 125, 131, 190
- Polymyxa betae*, 191
- Polymyxa graminis*, 186, 190
- Porcine pancreatic elastase, X-ray analysis of, 152, 153
- Potassium
complexes of, 148
enthalpies of K-Ca exchange, 257
release of non-exchangeable, 257
uptake of by potatoes, 160
- Potatoes
anaerobic and aerobic tests on, 201
aphids on, 97
Arran Banner, 158, 162
Arran Consul, 160
at Rothamsted and Woburn, 117
blackleg on, 186, 201
blight on, 186
canker on, 186
Cara, 117, 159
cyst nematodes on, 158, 159
Desirée, 117, 160
Duke of York, 164
effect of subsoiling on, 262, 263
Erwinia caratovora var. *caratovora*, (tuber soft rot) on, 201
- Potatoes (contd.)
fungal diseases of, 140
fungicides on, 203
Fusarium spp., on, 187, 202
gangrene (*Phoma exigua* var. *foveata*) on, 187, 202, 203
Golden Wonder, 160
Great Scott, 160
hatching, of cyst nematodes on root exudate, 161, 162
Immune Ashleaf, 160
Kerr's Pink, 160
King Edward, 158, 159
mancozeb on, 117
Maris Anchor, 160
Maris Peer, 160
Maris Piper, 158–160
mop top of, 186
nematode resistance in, 159, 160, 163
nematodes on, 140, 158, 159
nutrient uptake, 160
on Broadbalk, 120
Pentland Crown, 158, 159
phosphorus uptake, 160
potassium uptake, 160
powdery scab on, 186
protoplasts from, 45
regeneration of from leaf protoplasts and callus, 45
Solanum spp., on, 159
Solanum andigena, 163
Solanum kurtzianum, 163
Solanum vernei, 163
stem canker (*Rhizoctonia solani*) on, 187, 203
Streptomyces scabies (potato common scab) on, 137, 138
tolerance to cyst nematodes, 159, 160
tuber susceptibility, 202
virus diseases of, 203, 204
wound healing in, 202
yields, 117
- Poultry Research Centre, the, 105
- Poultry waste, worms grown in, 105
- Powder diffraction, 153
- 'PP333', 73, 74
- Pr(pathogenesis related)-proteins, relation of to virus resistance, synthesis of, 38, 39
- Predators, of aphids, 100, 101
- Processors and Growers Research Organisation, 103
- Prochloraz ('Sportak')
on barley, 29–31
on wheat, 120
- Prolamin storage proteins
high molecular weight, 43
homologies between, 44
in cereals, 41–44
- Propham/chlorpropham/fenuron (PCF) mixture, on sugar beet, 74
- Protein crystallography, 152, 153
- Proteins
cereal grain, 41–44
compositions of in Egyptian barley grain, 43
leaf, extraction of, 267
pathogenesis related, 38–40
use of earthworms in production of, 103–105
- Protoplasts
culture of, 45
leaf, regeneration of potatoes from, 45
photosynthesis by, 58, 59
- Pseudocercospora herpotrichoides* (eyespot), 24, 188, 189, 192, 193
- Pteris aquilina*, 54
- Puccinia hordei*, (brown rust), on barley, 31
- Pyrenophora teres* (net blotch), on barley, 31
- Pyrethroids
action of on nervous system of Muscid flies, 127, 128
decomposition of on leaves, 126, 127
for control of wheat bulb fly larvae, 134
insect resistance to, 124, 125, 129, 130
structure-activity relationships, 125
- Pythium* spp., on sugar beet, 71

INDEX

- Quantum yield, in spring barley, 181
- Radar imagery, in soil survey, 233, 234
- Rainfall, simulated, effect on spore dispersal, 188
- Relative grazing value (RGV) 229, 230
- Rhenium, complex of, 152
- Rhizobium* spp.,
bacteriocin production by, 214
competition among strains of *R. leguminosarum*,
213, 214
genetics of, 215, 216
identification of, 214, 215
in gravel pit soils, 212, 213
inoculation of field beans with, 213, 214
inoculation of peas with, 213, 214
inoculation of *Phaseolus vulgaris* with, 209
populations in soil, 213
Rhizobium japonicum, 214
Rhizobium leguminosarum, 213–215
Rhizobium meliloti, 214
Rhizobium trifolii, 213, 214
Rhizobium phaseoli, 212
suppression of by nematodes, 160
- Rhizoctonia solani* (stem canker), effects on potato
yields, 187, 203
- Rhynchosporium secalis*
effect of seed treatments on, 139, 194
interplot interference by, 195
on barley, 31
spore production on barley straw, 194, 195
- Rice, root-knot nematode on, 161
- Ricinus communis* test system, 135
- Rickettsia-like organisms, 165, 166
- 'Rizomania', of sugar beet, 186, 191
- mRNA coding, for PR-proteins, 39, 43
- RNA, messenger, 40
poly A+, 39, 44
- RNA fraction, of storage proteins, 44
- Root hairs, growth of, 262
- Roots, translocation from to shoots, 140
- Rotation, of crops, 254
- Rothamsted
barley at, 258
classical experiments at, 120, 121
growth and yield of winter wheat at, 25–29
potatoes at, 117
weather at, 113, 119, 292
wheat at, 246–251
- Rothamsted Insect Survey, 96, 97, 196
- Rothamsted *Rhizobium* Collection, 214
- Royal Agricultural Society of England
Autumn Cultivations Demonstration, 235
Soil and Water Management Association, 220
- Royal Aircraft Establishment, Farnborough, 234
- RuBP carboxylase/oxygenase
activation of, 54, 58
affinity for carbon dioxide, 54, 55
affinity for oxygen, 55
effect of sulphur dioxide on, 55, 56
purification procedure for, 54
- Rye, prolamin fraction of, 42, 44
- Ryegrasses
effect of aerial pollutants on, 55, 56
nematodes of, 164, 165
response of to nitrogen, 255
- Salix babylonica*, 54
- Samplers, suction, for splash dispersed spores, 188
- 'Sanspor' See Captafol
- SAR-580 experiment, 233, 234
- Saxmundham
classical experiments at, 120
subsoiling at, 263
weather at, 295
wheat on, 245, 246, 251
- Scilly Isles, Loess soils in, 267
- Scottish Crop Research Institute, 201
- SDS-PAGE, 43, 44
- Secale cereale*, RuBP carboxylases in, 55
- Seed drills, effect on crop establishment, 182, 183
- Seed storage proteins, 41–44
- Seeds, barley, accumulation of soluble threonine in, 46
- Septoria* spp.,
dispersal of spores, 186, 188
on winter wheat, 24
- Severn-Trent Water Authority, 235
- Sewage sludge, toxic effects of heavy metals in, 244, 260
- Sex attractants, for pea moth, 132
- Sex determination, in houseflies, 129
- Sheep
serial dipping of, 275
trials with in Colombia, 282
- Shropshire, soil survey in, 222, 227, 235
- Simazine
degradation of in soil, 135
on beans, 117
- Sitona* spp.,
control of, 101–103
establishment of natural mortality, 101
leaf notching caused by, 34, 36
monitoring and forecasting of, 101
- Snowdonia, soil survey in, 226
- Sodium chloride, on sugar beet, 72, 73
- Soil biomass
adenylate energy charge of, 258
measurement of ATP in, 245, 258, 259
measurement of phosphorus in, 258
residual N in, 253
- Soil classification, 232
- Soil erosion, 233
- Soil maps, 220, 221, 232
- Soil micromorphology, 232, 234
- Soil micro-organisms, physical studies on, 216
- Soil pests
damage caused to sugar beet by, 68
- Soil sampling, representative, 276
- Soil solutions, displaced, concentrations of manganese in, 259
- Soil structure
effect of tillage on pores, 179
gaseous diffusion, 180
interaction of water with soils and clays, 263, 264
mole drainage, 179
particle size distribution, 231, 264
pastures field experiment, 230, 231
regeneration of, 231, 264
simulation of diffusion in soil aggregates, 265
soil solution extraction with suction cups, 265
spatial analysis of soil properties, 266
- Soil Survey of Scotland, 224, 229, 230
- Soil surveys
Anglesey, 226
Bedfordshire, 221, 224, 235
Berkshire, 224
Buckinghamshire, 224, 235
Cambridgeshire, 234
Cheshire, 222, 235
Cornwall, 225
Derbyshire, 222, 223
Devon, 225, 236
Dorset, 225, 236
Durham, 235
Dyfed, 235
East Anglia, 221, 227, 228, 231
England and Wales, 92
Gwynedd, 235
Hampshire, 224, 234
Hertfordshire, 221
Humberside, 223
Kent, 224
Lancashire, 223
Leicestershire, 222
Lincolnshire, 222
Midlands, 222, 223, 231
Milton Keynes, 235
Norfolk Broads, 227
Northamptonshire, 221
Northumberland, 235
Nottinghamshire, 223

INDEX

- Soil surveys (*contd.*)
 - Oxfordshire, 224
 - radar imagery in, 233, 234
 - Scotland, 224, 229, 230
 - Shropshire, 222, 227, 235
 - Snowdonia, 226
 - Somerset, 225, 236
 - South-West England, 224–226
 - Staffordshire, 234
 - Suffolk, 221
 - Sussex, 234
 - Wales, 226, 227, 236
 - Warwickshire, 222, 223
 - Wiltshire, 226, 236
 - Yorkshire, 223, 235
- Soil water
 - diffusivity of, 176
 - hydraulic conductivity, 176
 - interaction of with soils and clays, 263
 - measurement of content and pressure, 178
 - potential, 176
 - regimes, 234
 - retention of, 234
 - thermal conductivity profiles, 179
- Solanum* spp., 159
 - Solanum andigena*, 163
 - Solanum kurtzianum*, 163
 - Solanum vernei*, 163
- Somerset, soil survey in, 225, 236
- South-West England, soil survey in, 224–226
- Spectrophotometer, 244
- Spinning disc applicators, 124
- Spongospora subterranea*, 186
- Spores
 - dispersal of, 187–189, 195
 - effect of cellulose xanthate on, 188, 189
 - of *Erysiphe graminis*, 183, 187, 188
 - of *Pseudocercospora herpotrichoides*, 188, 189
 - of *Septoria*, 188
 - production of *Rhynchosporium secalis* spores on
 - barley straw, 194, 195
 - splash-dispersed, 188
 - suction samplers for, 188
- 'Sportak', *See* Prochloraz
- Sprayers
 - electrostatic, 124, 135, 136
 - field trials of the APE 80, 136
 - of microcapsules, 136
- Spraying
 - drop application, 136
 - foliar, 136
- Stability constants, of monocyclic ligands, 150
- Staffordshire, soil survey in, 234
- Staphylinid beetles, 100
- Statistical analysis
 - calf rearing study, 276
 - for ADAS, 274, 275
 - for ODA projects, 282
 - Insect Survey data, 97
 - of livestock experiments, 275
 - of soils, 276
 - Survey of fertiliser practice, 276
- Statistical models, wheat crop growth model, 244, 245, 248, 249
 - See also*: Mathematical models
- Statistical programming
 - Cluster Analysis Program (CLASP), 281
 - documentation and support (Genstat), 279
 - Generalised linear interactive modelling (GLIM), 280, 283
 - Genkey, 280
 - Genstat, 277–279, 281, 283
 - Maximum Likelihood Program (MLP), 280
 - Programs for interactive statistical modelling (Prism), 280, 281
 - releases, 279
- Statistical theory
 - covariance and production, 277
 - distance in multivariate analysis, 277
- Statistical theory (*contd.*)
 - effective replication, 277, 278
 - individual-differences scaling, 277
 - intercropping, 281, 283
 - models with split lines, 278
 - parallel curve analysis, 278
 - population dynamics of cyst nematodes, 278
- Stem borers, control of, 134
- Stem canker, *See*: *Rhizoctonia solani*
- Sterol synthesis inhibitors, 139
- Stomata, effect of ionophores on, 151
- Stomatal resistance, determination of, 57
- Storage protein (hordein) patterns, 43
- Streptococcus pluton*, isolation of, 107
- Streptomyces scabies* (potato common scab),
 - chemicals for control of, 137
 - control of by foliar sprays, 137
 - mode of action of 3,5-D on, 138
- Subsoil modification, 244, 262, 263
- Suction cups, soil solution extraction with, 265
- Suction samplers, for splash dispersed spores, 188
- Suffolk, soil survey in, 221
- Sugar beet
 - aphids on, 77, 78
 - bird damage, 68
 - blackleg on, 70, 71
 - bolting, 63
 - damage to caused by soil pests, 68
 - damage to caused by wood mice, 68, 69
 - DM partitioning within cells, 64
 - docking disorder, 69
 - effect of ancymidol on, 63
 - effect of rainfall on, 68
 - Erysiphe betae* (powdery mildew) on, 70
 - field survey of viruses of, 77
 - fungicides on, 70
 - germination in the field, 68
 - germination in the laboratory, 72
 - growth regulators on, 73, 74
 - herbicide tolerance, 74, 75
 - leaf area growth, 69
 - leaf area index, 62
 - leaf development, 62, 63
 - Line G, 63
 - mildew on, 70
 - N fertiliser on, 68
 - nematodes on, 69
 - nitrilacarb on, 77
 - on Broom's Barn Farm, 79
 - Phoma betae* on, 70
 - Phytophthora* spp., on, 70, 71
 - Polymyxa betae* on, 190, 191
 - post-emergence losses, 68, 72
 - pre-emergence losses, 68
 - Pythium* spp. on, 71
 - Rizomania of, 186, 191
 - seed quality studies, 71, 72
 - seedbed physical structure and seedling growth, 71
 - seedling emergence, 71
 - sodium chloride experiments with, 72, 73
 - solar radiation interception, 69, 74
 - sowing date, 68
 - transplanting, 75
 - tubular virus of, 190, 191
 - variation between seed lots, 72
 - vernalisation stimulus, 63
 - virus diseases of, 76–78, 131, 186, 189–191
 - waterlogging and germination, 68
- Sulphur, prolamins rich in, 44
- Sulphur dioxide, effects of on activities of RuBP
 - carboxylase, 55, 56
- Sussex, soil survey in, 224, 234
- Syrphidae, 101
 - Episyrphus balteatus*, 101
 - Platychirus manicatus*, 101
- Take-all on cereals
 - after leys, 192
 - cultural variations in, 192

INDEX

- Take-all on cereals (*contd.*)
 decline, 192
 effect of reduced cultivations on, 193
 fungal inhibitor of, 192
 slow growth, 192
See also: Gaemannomyces graminis
 'Ten-Tonne Club' survey, 245, 249
 Tensiometers, 178, 179
 Tetrachlorofenvinphos, 134
 'Terpal', *See: the* Mepiquat and ethephon
 Thiabendazole, effect on stem nematodes, 159
Thiobacillus ferrooxidans, 227, 228
 Thionazin, 134
 Thiram, on beans, 32, 117
 Thrips, stylet apparatus in, 170
 Tillage experiments, 179, 192
 Tissue cultures, from wheat, 45
 Tobacco
 mutants of, 46
 Pr-proteins in leaves of, 38
 statistical analysis of, 282
 virus diseases of, 38–40
Toxares deltiger, 101
 Toxic metals, in sewage sludge, 244
 Toxicity, of industrial chemicals, 105, 106
 Trace elements, analysis of, 244, 245, 266
 Transformation studies, 46, 47
 Transposon mutation, 215, 216
 Traps, *See: Insect traps*
 Triadimefon, residual effect of, 186, 187, 193, 194
 Triadimenol, ('Baytan') 29, 30, 125, 139
 Triazophos, poisoning of honeybees by, 133
Trichostrongylus colubriformis, effect of osmotic stress on, 170, 171
 Tridemorph
 mode of action of, 116
 on winter barley, 29
Trifolium fragiferum, 213
Trifolium pratense, rhizobia on, 212
Trifolium repens, *See: Clover*
Triticum, photosynthesis in species of, 59
 Tuber soft rot, *See: Erwinia carotovora* var. *carotovora*
 Tulip, stem nematodes on, 164
 Tungsten, complex of, 152

 United States Department of Agriculture, 158
 University of East Anglia, 228
 University of Aston, 105
 Upper Greensand soils, 234
 Urea, on winter wheat, 25
 Urease inhibitors, 252
Uromyces fabae (rust on beans), 35

 Vectors
 aphid, 97, 189, 190
 fungus, 190, 191
 mite, 191
Verticillium spp., on winter wheat, 24, 25
Verticillium chlamydosporium, 165
Verticillium dahliae, 160
Verticillium lecanii, 199
Vicia faba
 pests and pathogens on, 32, 36
 rhizobia on, 212, 213
 Viruses
 antiserum for BMV and BWV, 189
 aphid infectivity, 96, 131, 195–197
 aphid vectors, 96, 97, 189, 190
 aphids, infectivity index, 96
 interactions between BLRV and PEMV in field beans, 199
 necrosis induced by, 199
 of barley, 19, 23, 27–29, 32, 96, 98, 99, 186, 195–198
 of beans, 34, 187, 199
 of cereals, 195–198
 of grasses, 191
 of honeybees, 107, 108
 of legumes, 187, 199
 of peas, 187, 199
 of potatoes, 189, 190, 203, 204
 of red clover, 186, 190
 of sugar beet, 76–78, 131, 186, 189–191
 of tobacco, 38–40
 of wheat, 19, 23, 28, 29, 98, 115, 197, 198
 resistance to, 38, 39
 sources of barley yellow dwarf virus, 197
 transmission of by fungi, 190
 Viruses, names of
 barley yellow dwarf virus, 19, 23, 27–29, 32, 96, 98, 99, 115, 195–198
 barley yellow mosaic virus, 186
 bean leaf roll virus, 34, 187, 189, 199
 bee virus X, 107
 bee virus Y, 107
 beet mild yellowing virus, 76, 131, 186
 beet necrotic yellow vein, 186
 beet western yellows, 189
 beet yellows, 77, 78, 131, 132
 black queen-cell virus, 107
 broad bean stain virus, 199
 broad bean true mosaic, 199
 pea early browning virus, 34, 187, 199
 pea enation mosaic virus, 34, 187, 199
 potato leaf roll virus, 203, 205
 potato mop top virus, 203, 204
 potato virus Y, 189, 190
 red clover necrotic mosaic virus, 186, 190
 ryegrass mosaic virus, 191
 sacbrood virus of bees, 107, 108
 sugar beet yellows, 69, 70
 tubular virus, of sugar beet, 190, 191
 Visitors, to Rothamsted, 122

 Wales, soil survey in, 226, 227, 236
 Warwickshire, soil survey in, 222, 223
 Water activity, effect on spore germination, 200, 201
 Water stress, response of spring barley to, 180, 181
 Weather
 at Broom's Barn, 294
 at Rothamsted, 292
 at Saxmundham, 295
 at Woburn, 293
 Weed Research Organisation, 75
 Weevils, 101
 Welsh Plant Breeding Station, 196
 Wheat
 abscisic acid in, 60
 Acremonium on, 24
 Alternaria alternata on, 24
 aphicide on, 25, 245
 at Rothamsted, 19–29, 115, 116, 246–251
 at Woburn, 25–28, 113–115, 119, 176, 245, 246
 auxin in, 60, 61
 Avalon, 75, 115, 245
 barley yellow dwarf virus on, 19, 23, 27, 28, 98, 115, 197
 brown foot rot on, 192, 193
 chemical composition of, 56, 57
 chlorophyll in leaves of, 56
 cleavers on, 23, 24
 Cladosporium sp. on, 24, 25
 components of yield, 27
 Continuous Wheat experiments, 254
 dry matter yield, 27, 28, 245, 246
 ear number in, 59
 effect of herbicide on insect fauna of, 100
 effect of husbandry treatments on, 254
 effect of soil type on yields of, 249
 effect of sowing date on yield, 75, 76
 effect of subsoiling on, 262
 estimation of sugars in, 57
 eyespot on, 24, 188, 189
 Factors Limiting Yield of Winter Wheat experiment, 25
 Fenman, 115
 Flanders, 114, 115
 Four-Institute Yield Variation, 244
 fungal diseases of, 19, 24, 25
 fungicides on, 19, 21, 24, 115, 138, 139, 199, 200, 245

INDEX

Wheat (contd.)

- Fusarium culmorum* on, 24
- gibberellins in, 61
- grain N concentration of, 254
- grain set in, 60
- grain yield, 19, 26, 27
- growth and yield at Rothamsted and Woburn, 25-29
- growth of, 20, 27, 28
- growth regulator for, 23, 24
- herbicides on, 23, 115
- Highbury, 60
- Hobbit, 61
- Huntsman, 61
- Hustler, 25, 26, 60, 61, 115, 245
- indoleacetic acid in, 60
- invasion of roots by *Gaeumannomyces graminis* var. *tritici* or *Phialophora radicola* var. *graminicola*, 216
- irrigation of, 19, 21, 25-27, 245
- leaf area index, 20, 27, 28
- leaf-water potential for, 182
- microflora of developing ears, 24, 25
- mildew on, 115
- nematodes on, 22
- nitrate N in stems of, 28
- 'Nitro-Chalk' on, 115
- nitrogen content of, 74
- nitrogen on, 19-21, 24-30, 115, 245, 250-252
- nitrogen uptake by, 21, 28, 254
- Norman, 116, 245
- number of shoots m⁻², 20
- nutrient uptake, 248
- on Broadbalk, 114, 120, 121
- Penicillium* spp. on, 24, 199-201
- photosynthesis in, 181, 182
- prolamins from, 14, 43, 44
- protoplast studies, 45
- regeneration of, 45
- root growth of, 247, 248
- rotation experiment, 254
- RuBP levels in, 57
- semi-dwarf cultivars, 60
- Septoria* on, 24

Wheat (contd.)

- shoot root ratio, 248
- soil-borne diseases of, 138, 139
- sowing date, 19, 21, 24
- take-all on, 192, 193
- tiller survival, 59, 60
- tissue cultures from, 45
- total dry weight, 20
- urea on, 25
- Verticillium* spp. on, 24, 160, 165, 199
- Virtue, 245
- water relations of root cells, 262
- winter, crop model for, 244, 245, 248, 249
- winter, factors limiting yields of, 19-28
- yeasts on, 24, 25
- yields, 19-28, 245
- See also: Cereals; *Gaeumannomyces graminis*; Take-all
- Wheat bulb fly, control of larvae, 134
- Willow (*Salix babylonica*), detection of enzymes in, 54
- Wiltshire, soil survey in, 226, 236
- Woburn
 - barley on, 258
 - classical experiments at, 120
 - continuous maize at, 121
 - grass on, 254, 255
 - Market Garden experiment, 256
 - Organic Manuring Experiment at, 259
 - organic matter in sandy soils, at 259
 - potatoes at, 117
 - subsoiling at, 1
 - weather at, 113, 114, 293
 - wheat at, 25-28, 113-115, 119, 176, 245, 246
- Wood mice, damage to sugar beet caused by, 68, 69
- Worms, See: Earthworms
- Writtle Agricultural College, 231
- Wye Double Digger, for subsoil cultivation, 263
- Yeasts, on wheat, 24, 25
- Yorkshire, soil survey in, 223, 235
- Zea mays*, See: Maize
- Zoospores, transfer of, 190