


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Rothamsted Experimental Station Report for 1983

[Full Table of Content](#)



Subject Index

Rothamsted Research

Rothamsted Research (1984) *Subject Index* ; Rothamsted Experimental Station Report For 1983, pp 341 - 349 - DOI: <https://doi.org/10.23637/ERADOC-1-23>

SUBJECT INDEX

The General Report by the Director has not been indexed, nor have the papers in Part 2.

- Absciscic acid, 115
 Acetylcholinesterase, in houseflies, 104
 Acute bee paralysis, 93
 Acyclic ligands, 150, 151
 Aerial photographs, 182
 Aerobiology, 58–60, 127
 Agricultural Genetics Company, 168
Agrobacterium spp., 145
Agrobacterium rhizogenes, 166
Agrobacterium tumefaciens, 146
 Albumins, 147
 Alcohol dehydrogenase, 144
 Aldicarb,
 as a nematicide, 110, 113, 115
 on barley, 27, 28
 on beans, 31, 32, 110
 on peas, 34, 35
 on sugar beet, 42
 on winter wheat, 22, 26, 27
Alternaria spp., 25, 127
 Aluminium, effect on mycorrhizal colonization of oat, 166
 Amazonian soils, 177
 Amino acids,
 asparagine, 143
 aspartate family, 144
 biosynthesis of, 144
 branched chain in, 144
 cysteine, 145–147
 glutamine, 143, 145
 isoleucine, 144
 lysine, 144, 146
 methionine, 144
 proline, 144
 threonine, 144
 valine, 144
 Ammonia,
 accumulation of, 143
 inhibition of assimilation of, 143, 144
 plants grown on, 143
 Anglian Water Authority, 211
 ANOPOR, for analysing soil structure, 204
 ANOSOL, for analysing soil structure, 204
 Anthelmintics, statistical analysis of, 75
 APE 80 sprays, 106, 107
Aphanomyces cochlioides, 43
 Aphid Commentary, 89, 122
 Aphids,
 alarm pheromone of, 100–102
 caught in suction traps, 74, 89
 cereal, 89–91
 diseases of, 94, 95
 effect of organic manuring on, 94
 infectivity for barley yellow dwarf virus, 121, 122
 on barley, 31, 91
 on beans, 33
 on potatoes, 36, 100
 on sugar beet, 88
 on wheat, 23, 24
 predators, 94
 radar detection of, 88
 records of, 88, 89
 resistance of (*Myzus persicae*) to insecticides, 104
 RISCAMS, 89
 virus transmission by, 104, 105, 119
 Aphids, scientific names of,
 Acyrtosiphon pisum, 33
 Aphis fabae, 94, 100
 Aphids (contd.)
 Lipaphis erysimi, 101
 Macrosiphum euphorbiae, 100, 105
 Metopolophium dirhodum, 24, 89, 122
 Metopolophium festucae, 24, 31
 Myzus persicae, 23, 31, 40, 90, 101, 104, 119
 Phorodon humuli, 101
 Rhopalosiphum padi, 23, 31, 91, 122
 Sitobion avenae, 23, 31, 89, 90, 100, 122
 Sitobion fragariae, 90
Apion vorax, 33
Asochya, on beans, 33
 Asparagine, 143
 Aspartate kinase, 144
 Aspartate pathway, the, 144
Aspergillus spp., on winter wheat, 25
 Asthma, 127
Atomaria linearis, (pygmy beetles), 42, 43
Aureobasidium pullulans, on winter wheat, 25
 Auxin levels, in potatoes, 146
Azolla filiculoides, 168

Bacillus mycoides, effect on take-all, 123
 Bacteria, metabolism of propionate by, 124, 125
 Baking quality, of cereal grain, 146, 147
 Barley,
 aldicarb on, 27
 aphids on, 31
 at Rothamsted and Woburn, 55, 56
 Atem, 55
 Athene, 121
 brown foot rot of, 30
 brown rust on, 30
 caryopses of, 144, 145
 chloroplasts of, 143
 cultivation/weedkiller experiment, 55
 effect of nematodes on, 116, 117
 electron microscopical examination of, 143
 Erysiphe graminis on, 29, 59
 eyespot on, 30
 factors limiting yield, 27–31, 55
 Georgie, 55
 growth and development of, 27, 28
 growth regulator on, 28, 55
 hordeins of, 148
 identification of cultivars, 147
 Igri, 55
 loose smut on, 30
 Maris Otter, 120, 121
 mutants in, 143–145
 net blotch on, 30
 nitrogen on, 29
 peroxisomes of, 143
 photorespiratory mutants of, 143
 Polymyxa graminis on, 120, 121
 prolamin storage proteins of, 146, 147
 Rhynchosporium secalis on, 29
 salt stress in, 144
 sharp eyespot on, 126
 Sonja, 121
 'Terpal' on, 55
 triadimenol on, 27, 28, 30, 55, 105, 106
 Triumph, 55
 water stress in, 144
 wind structure within crops, 59, 60
 yellow dwarf virus of, 24, 31, 51, 119, 121, 122

INDEX

Barley (*contd.*)

yellow mosaic virus of, 91, 120, 121
yields, 28, 29, 52

See also: Cereals; *Erysiphe graminis*; Take-all

Barley yellow dwarf virus, 24, 31, 51, 119, 121

Barley yellow mosaic virus, 120, 121

'Bayol 50', 119

'Baytan', See: Triadimenol

Beans (*Vicia faba*),

aldicarb on, 31, 32, 110

aphids on, 33

Asochya on, 33

at Rothamsted and Woburn, 56

benomyl on, 31–33

carbofuran on, 31, 110

chocolate spot of, 56, 125

fosetyl-Al on, 32

irrigation of, 32

maneb+mancozeb on, 32

Minden, 32

nematodes on, 34, 110

pests and pathogens of, 31, 32

phorate on, 31, 32

pirimicarb on, 31, 32

propiconazole on, 32

root fungi of, 33

rust (*Uromyces fabae*) on, 33, 125

Sitona spp. on, 33

thiram on, 31

viruses of, 33, 35, 125

weevils on, 33

yields, 34

See also: *Phaseolus vulgaris*

Bean yellow mosaic virus, 35, 125

Bedfordshire, soil survey in, 203

Bees, See: Honeybees

Beet mild yellowing virus, 50

Beet mosaic virus, 119

Beet necrotic yellow vein virus, 51

Beet western yellows virus, 118

Beet yellows, 41, 50

Beetles, as aphid predators, 94

Bembidion spp., 42

Bendiocarb, 45

Benomyl,

effect on take-all, 123

on beans, 31–33

Benzyl esters, side chain of, 99

Berkshire, soil survey in, 210

Bicyclic ligands, 152, 153

Biodeterioration, 124, 125

Biomass, See: Soil biomass

Botrytis fabae (chocolate spot), on beans, 33, 56, 125

Bowaters, 97

British Cartographic Society, 194

British Sugar Corporation, 39, 49, 50, 75

British Technology Group, 168, 169

Broad beans,

nematodes on, 109

viruses, of, 125

Broom's Barn Farm, 51–53, 122

rainfall, 39

sugar beet on, 39–53, 58

weather at, 336

Brown rust, 91

Brown rust,

on barley, 30

on wheat, 24

Brussels sprout, pollination by bees, 92

Buckinghamshire, soil survey in, 210

Bumblebees, 92

Calcium, uptake of by potatoes, 154

Calcium peroxide, 45

Cambridgeshire, soil survey in, 200, 205

Candida guillermundii var. *guillermundii*, 125

Captafol,

effect on fungal pathogens of nematodes, 114

Carabid beetles, See: Beetles

Carbendazim, on winter wheat, 22

Carbofuran,

on beans, 31, 110

on sugar beet, 45

Carbon, biomass, 175

Carbon cost, of nitrogen fixation, 167, 168

Carbon dioxide fixation, 142, 143

Carbosulfan, 45

Carboxylase polypeptide, 142

Carboxylesterase, in *Myzus persicae*, 104

β -Caryophyllene, 101

Caryopses, barley, 144, 145

Cattle, at Rothamsted, 57

Cereals,

at Broom's Barn, 52

baking quality of, 146

biodeterioration of, 124, 125

caryopses of, 144

diseases of, 120–124

erosion in, 205

grain yields, 123

storage proteins in, 144–148

take-all on, 122, 123

See also: Barley; *Erysiphe graminis*; Maize; Oats;

Take-all; Wheat

Chalky Boulder Clay, weathering in soils on, 182

'Chemoprints', of insects, 90, 91

Chenopodium quinoa, 51

China, viruses of faba beans in, 125

Chloridazon, 52

Chlormequat, on wheat, 22

Chocolate spot, of field beans,

See: *Botrytis fabae*

Chrysoperla carnea, 74

Cladosporium spp.,

on wheat, 25

spores of, 127

Clay minerals, in soils, 181

Clays, structure of, 164

Clones, cDNA, for cereal storage proteins, 148

Clover,

mycorrhiza on, 166

nematodes on, 109, 111

Clubroot, See: *Plasmodiophora brassicae*

Cockroach, See: *Periplaneta americana*

Colletotrichum coccodes (black dot on potato), 36

Common scab, See: *Streptomyces scabies*

Complexes, crystalline, 150–153

Computer programs,

AREAS, 208

BAYES, 154

crystallographic, 154, 155

for soil mineralogy, 181

GHOST, 72

ORTREP, 154

UNIMOL, 154

See also: Models; Statistical programming

Computers,

Apple, 208

bar-codes, 73

British Telecom Packet Switch Service, 72

data preparation, 73

Epson HX-20 portable, 73, 89

for storage of soil data, 72

graphics, 72, 78

ICL System 4, 72

Jacquard, J100, 72

microcomputers, 72, 73, 78, 209

Midas systems, 208, 209

modelling, 142, 178

Prime 550, 154, 208

PSS gateway, 155

Rothamsted Computing Unit, 71

Tektronix terminals, 155

Contarinia pisi, (pea midge), 91

Coordination chemistry, 150–153

Copper, in sewage sludge, 177–179

Coryneform bacterium, a, 123

Cotoneaster lacta,

naturally-occurring fungicide from, 154

Crop physiology, 60–66

INDEX

- Crystal structure, determination of, 150–152
 Cumbria, soil survey in, 201
 Cutworms, 91
Cylindrocarpus destructans, 114
Para-cyclophane, 152
 Cypermethrin,
 effect on virus transmission by aphids, 105, 106
 esters of, 99
 Cysteine, 145–147
 Cytokinin levels, in potatoes, 146
- Dactylis glomerata*, 90
Dasyneura brassicae (pod midges), 92
Datura innoxia, 144
 'Delsene M', on winter wheat, 22
 Deltamethrin,
 activity in soil, 107
 effect on dispersal of *Myzus persicae*, 104
 effect on potato virus Y transmission, 104
 esters of, 98
 Deposition gradients, 59, 60
 Derbyshire, soil survey in, 197, 211
Deroceras reticulatum, 95
Didymella exitialis, 127
 Dimethoate, field assessment of, 106
 Dinitrogen complexes, of tungsten, 154
 Disulphoton, 110
 DNA,
 complementary, 148
 concentration of, 165
 from mycorrhizal spores, 165
 recombinant, 146
 Dorset, soil survey in, 205
 Drought, effect on winter wheat, 64–66, 171, 172
- Earthworms,
 Dendrobaena veneta, 96
 Eisenia foetida, 96
 Eudrilus eugeniae, 96
 Perionyx excavatus, 96
 production of, from farm wastes, 97, 98
 productivity of large scale systems, 96, 97
 uptake of heavy metals by, 96
 wastes worked by, 97, 98
 East Anglia, soil survey in, 200
 Electrodyn sprayers, 106
 Electron paramagnetic resonance, 142
 Electrostatic spraying systems, 100, 104, 106, 108, 110
 ELISA. See: Enzyme-linked immunosorbent assay
 Embryos, immature, regeneration from, 145
 Enzyme-linked immunosorbent assay, 50, 119, 122, 125, 146
 Enzymes,
 alcohol dehydrogenase, 144
 aspartate kinase, 144
 carboxylase polypeptide, 142
 glutamine synthetase, 143, 148
 glycollate oxidase, 143
 nitrate reductase, 144
 of the aspartate pathway, 144
 RuBP carboxylase, 142
Epicoccum spp., 25
 Ergosterol, 106
Erynia neoaphidis, 94
Erysiphe graminis (barley mildew)
 development of, 59
 on barley, 29, 30
 on wheat, 24
 sensitivity to fungicides, 105
Escherichia coli, 165
 Eyespot (*Pseudocercospora herpotrichoides*), on wheat,
 105, 120
- Faba beans, 125
 Falkland Islands, 78
 Farmyard manure (FYM),
 effect on aphid populations, 94
 on sugar beet, 42, 43
 Fenamiphos, 110
 Fenpropimorph, 105
- Fenvalerate, effect on virus transmission by aphids, 104
 Ferredoxin-dependent barley mutants, 143
 Field Drainage Experimental Unit, 210
 Field Experiments,
 crop yields, 54–56
 number of plots, 54
 small plots, 54
 working party for, 54
 Flamprop, 103
 Foliar sprays, against potato scab, 103
 Foot rot, of wheat, 24, 25
 Forestry, suitability of soils for, 194, 195
 Fosetyl-Al, on beans, 32
 'Friends of Rothamsted', 57
 Fungal diseases,
 of potatoes, 36
 of wheat, 24, 25
 See also: *Erysiphe graminis*; Eyespot; *Fusarium*;
 Take-all
 Fungicides,
 naturally occurring, 154
 on wheat, 102
 resistance, 105, 106
Fusarium spp.,
 on barley, 30
 on peas, 35
 on wheat, 124
Fusarium avenaceum,
 on peas, 35
 on wheat, 124
Fusarium culmorum, on winter wheat, 124
Fusarium equiseti, on wheat, 124
Fusarium nivale, on wheat, 124
Fusarium oxysporum, on wheat, 124
Fusarium poae, on wheat, 124
Fusarium solani, on peas, 35
Fusarium tabacinum, 35
 Fusion, of protoplasts, 145
 FYM. See: Farmyard Manure
- Gaeumannomyces graminis* var. *tritici*, 165
 See also: *Phialophora radicola*
 Galls, from potatoes, 145
 Gangrene,
 See: *Phoma exigua* var. *foveata*
 Gene libraries, 165
 Genes, for the storage proteins, of wheat, barley and rye,
 148
 Genetic manipulation programme, 148
 Genetic studies, with *Rhizobium* and mycorrhizas, 164
 Genkey, 77
 Genstat, 78
 Gleadthorpe Experimental Husbandry Farm, 210
 Globulins,
 localization and characterization of, 148
 of oats, 146
Glomus caledonium, 165, 166
¹⁴C-glutamine, metabolism of, 143
 Glutamine synthetase, 143
 cloning of, 148
 Gluten, components of, 146, 147
 Glycollate oxidase, 143
 Goethite, determination of, 181
 Grass, at Rothamsted and Woburn, 56
 Growth regulators, 142
 on sugar beet, 49
 on wheat, 22
- Hampshire, soil survey in, 198, 199, 202, 205, 211
 Hay, propionate-treated, 124, 125
 γ-HCH, on sugar beet, 42
 HCl reflux, 177
Helminthosporium solani (silver scurf on potato), 36
 Hematite, in soil clays, 181, 182
 Herbicides, potential, 143
 Herefordshire, soil survey in, 205
 HMW (high molecular weight) polypeptides, of wheat, 147
 HMW prolamins, of wheat, 148
 Honeybees (*Apis mellifera*), acute paralysis virus of, 93
 foraging pheromones, 92

INDEX

- Honeybees (*contd.*)
hazards to from fungal control agents, 92, 93
pollination of Brussels sprout by, 92
queen pheromones of, 93
Varroa jacobsoni on, 93
Hop cones, (*E*)- β -farnesene in, 101
Hordeins, 148
'Host races', 109
Housefly (*Musca domestica*),
insecticide resistance in, 103, 104
knock-down resistance in, 104
neuroanatomy of, 100
Hyalodendron spp., 25
Hydraulic sprays, of nematocides, 110
Hydrothermal time, 44
Hymenoptera, as aphid predators, 94
Hypochlorite, immersion of potato tubers in, 127
Hyphopichia burtonii, 125
- ICRISAT (International Crops Research Institute for the Semi Arid Tropics), 168
Identification, of barley cultivars, 147
Immature embryos, regeneration from, 145
Immunological studies, with cereal prolamins, 146, 147
Immunospecific electron microscopy, 119, 125
'Infectivity Index', for barley yellow dwarf virus, 121, 122
Insect traps,
aphids caught in, 74, 89
sex-pheromone traps, 91
suction traps, 74, 89
Insecticides,
aphid resistance to, 103
biological activity of in soil, 107
effects on beneficial species, 103
effects on pests of sugar beet, 42–45
housefly resistance to, 103, 104
See also: Aphicides; Nematicides; Pesticides;
Pyrethroids: names of individual insecticides
Institute of Hydrology, 211
Iron oxide, in the soil, 181
Irrigation,
of field beans, 32
of sugar beet, 40
of wheat, 26, 27
ISEM, See: Immunospecific electron microscopy
Isoleucine, 144
- 'Jumbo' type sprayers, 106
- Kent, soil survey in, 203, 211
- Leaf Area Index (LAI), 60
Land and Water Service, 210
Land drainage, 178
Leaching, of pesticides in the soil, 107
Leaf protein, extraction of, 183
Leaf water potential, in winter wheat, 63, 64
Lectins, 146, 147
Leghaemoglobin content, of root nodules, 112
Legumes,
grain, diseases of, 125
nitrogen fixation in, 167, 168
See also: Beans; Clover; Lucerne
Leicestershire museums, 194
Letcombe Laboratory, 172, 211
Lincolnshire, soil survey in, 198
Linyphiid spiders, effect of insecticides on, 43
Livestock,
at Broom's Barn Farm, 53
at Rothamsted and Woburn, 57
statistical analysis for, 75
Long Ashton Research Station, 122, 142, 154
Lucerne, nematodes on, 110, 111
Lucerne moth, pheromones of, 101
Lysine, 144, 146
- Macrobicyclic polyethers, 152
MAFF Aerial Photography Unit, 205
- 344
- Maize,
carboxylases from, 142, 143
nematodes on, 110
nitrogen content, 168
Maleic hydrazide, 103
Maneb, on winter wheat, 22
Maneb+Mancozeb, on beans, 32
Manganese, effect on mycorrhizal fungi, 166
Markov chain simulation, 60
Mathematical models, See: Models
Metal ion concentrations, 178
Metal toxicity, of soils, 175
Metalaxyl, 34
Methiocarb, for slug control, 35
Methionine, 144
Methionine sulphoximine, 143, 144
Microclimatology, 58–60
Microcomputers, 72, 73, 78, 208, 209
Microflora, soil, 165
Micronutrients, in soils and crops, 177–179
Microprocessors, 66
Midge,
pod, 92
pea, 91
Milax budapestensis, 95
Mildew,
downy, on peas, 34
on sugar beet, 41
See also: *Erysiphe graminis* (barley mildew)
Millet, N₂ fixation in, 168
Mineral oil, effect on virus infection, 119
Mixtures, of cultivars, 59
Mobile shelters, 171, 172
Models,
for catches of *Chrysoperla carnea* and aphids, 74
for yield of Pentland Squire potatoes, 74
leaching, 107
of disease development, 58, 59
of dispersal of fungal spores, 60
of herbicide movements in soils, 73
of nitrogen requirement predictions, 174
of pea moth flight, 74
of plant and soil samples, 74
of take-all distribution, 73
winter wheat crop model, 172
Mole-drained soils, hydrology of, 179
Molluscicides, 95
Monocyclic ligands, 151, 152
Moths,
lucerne, 101
pea, 101
Montmorillonite, 182
MSO, See: Methionine sulphoximine
Multilines, use of, 59
Musca domestica, See: Housefly
Mutants,
in barley, 143–145
of wheat, 145
photorespiratory, 145
Mycorrhiza, vesicular arbuscular,
effect of aluminium on, 166
effect of manganese on, 166
effect of phosphate on, 166
effect on oats, 166
effect on onions, 166
effect on white clover, 166, 167
genetic studies with, 164, 165
inoculum production, 166
'Mycotal', effect on honeybees, 93, 94
- National Institute of Agricultural Engineering, 96, 97, 106
National Lowland Peat Inventory, 194
National Peat Inventory, 200, 201
National Radiological Protection Board, 211
National Soil Inventory, 210
National Soil Map, 194, 195, 200, 210, 211
Nematicides,
aldicarb, 110
electrostatic and hydraulic sprays of, 110

INDEX

- Nematicides (*contd.*)
 FMC 65201, 113
 FMC 67825, 113
 for use on onions, field beans and lucerne, 110
 in seed furrows, 110
 oxamyl, 110
 split-application technique for, 110
- Nematodes,
 biological control of, 114
 control of, 109–118
 cyst nematodes, 111–118
 effect of crop rotations on, 109
 effect on barley yield, 116, 117
 effect on *Rhizobium* nodulation of peas, 109, 111–113
 host races, 109
 identification, 118
 in weeds, 109
 interaction with *Verticillium dahliae*, 115
 morphology and function of, 117
 on barley, 116, 117
 on beans, 34, 109, 110, 117
 on clover, 109, 111
 on lucerne, 110, 111
 on maize, 110
 on oats, 109, 110
 on onions, 110
 on peas, 35, 110, 111, 117
 on potatoes, 35, 36, 115–118, 153
 on soil fungi, 109
 on soy bean, 113
 on sugar beet, 40, 51, 109
 on wheat, 23
 'pathotypes', 109
 pea cyst nematodes, 111–113
 perineal patterns, 117
 potato cyst nematodes, 35, 36, 115, 116
 resistance to, 111
 root knot, 117, 118
 stem, 109, 110, 112
 stylet length, 117
 taxonomy of, 117
 trichodoriid, 116, 117
 vulval morphology of, 118
- Nematodes, scientific names of,
Ditylenchus spp., 34
Ditylenchus dipsaci, 109, 112
Globodera pallida, 113, 116, 118
Globodera rostochiensis, 113, 115, 116, 118, 153
Helicotylenchus spp., 23, 34
Heterodera avenae, 23, 114
Heterodera cruciferae, 114, 115, 117
Heterodera glycines, 111
Heterodera goettingiana, 111–113
Heterodera schachtii, 51, 114
Longidorus spp., 40
Meloidogyne spp., 117
Paratrichodorus spp., 40, 116
Pratylenchus spp., 23, 34, 35
Pratylenchus neglectus, 34
Pratylenchus thornei, 122
Rotylenchus spp., 23
Trichodorus spp., 40
Trichodorus cylindricus, 116
Trichodorus primitivus, 116
Tylenchorhynchus spp., 23, 34
Tylenchus spp., 34
- Nematophthora gynophila*, 114
 New Plant Products Ltd., 168
 Nickel, in sewage sludge, 177–179
 Nickerson RPB Ltd., 145
Nicotiana plumbaginifolia, 144
Nicotiana tabacum, *See*: Tobacco
 Nitrate, effect on photorespiration, 143
 Nitrate reductase, 144
- Nitrogen,
 fixed, transfer to associated crops, 168
 immobilization of in the autumn, 175, 176
 in cow slurry, 74
 in the soil, 26
 in the soil biomass, 175
- Nitrogen (*contd.*)
 nitrate, in wheat stems, 173, 174
 release of from incorporated straw, 176
- Nitrogen fertilizers,
 losses of ¹⁵N labelled fertilizers applied to winter wheat, 173
 on sugar beet, 40, 46, 47, 60, 61
 on winter wheat, 21, 26, 27, 62–64
 prediction of requirements, 164, 174
 supply of, 142
 timing of, 21
- Nitrogen fixation,
 carbon costs of, 167, 168
 in sorghum and millet, 168
 transfer of fixed nitrogen to associated crops, 168
- Nodules, root,
 formation of, 167
- Norfolk, soil survey in, 205, 210, 211
 Norfolk Agricultural Station, 211
 Northumberland, soil survey in, 195
 Nottingham University, 49
 Nottinghamshire, soil survey in, 205
 Nuairimol, on swedes, 106
 Nuclear Overhauser Effect, 153
 Nuclear magnetic resonance spectra, 151
- Oats,
 at Broom's Barn, 52
 at Rothamsted and Woburn, 56
 breeding for nematode resistance, 110, 111
 embryos of, 148
 globulins of, 146, 148
 mycorrhiza on, 166
 nematodes on, 110, 111
- Oilseed rape,
 at Rothamsted and Woburn, 56
 nematodes on, 114, 115
 pod midge of, 92
 regeneration from protoplasts, 145, 146
- Onions,
 inoculation with mycorrhiza, 166
 nematodes on, 110
- Organic complexes, 177
- Oxamyl,
 on potatoes, 35
 to control nematodes, 110, 113, 116
 Oxfordshire, soil survey in, 211
 Oxygen evolution, 63, 64
- Paper pulp waste, breakdown of by earthworms, 97
 Pathogenesis related proteins, 146, 147
 'Pathotypes', 109
 Pea moth, *See*: Moths
- Peas,
 aldicarb on, 34, 35
 carboxylases from, 142
 downy mildew of, 34
 fungal diseases of, 35
 interaction between nematodes and *Rhizobium* of, 111–113
 metalaxyl on, 34
 nematodes on, 35
 permethrin on, 24
 pirimicarb on, 34
Sitona spp. on, 34, 35
 tolclofos methyl on, 34
 viruses of, 35
- Peat, survey of, 194, 200, 201
 Pellets, seed, 45, 46
Periplaneta americana, (cockroach) neuroanatomy of, 100
- Permethrin,
 activity of in soil, 107
 effect on virus transmission by aphids, 104
 esters of, 98
 in electrostatic sprayers, 100, 101
 on peas, 34
- Peronospora schachtii*, (downy mildew, of peas), 34
- Pesticides,
 behaviour of in soils, 107, 108

INDEX

- Pesticides (*contd.*)
 leaching of in the field, 107
 translocation of, 102
See also: Aphicides; Fungicides; Insecticides; Nematocides
Phaseolus vulgaris (French bean), transfer of fixed nitrogen from, 168
 Phenmedipham, 52
 Phenoxyacetic acids, 103
 Pheromones,
 aphid alarm pheromone, 100
 foraging pheromones, 92
 hazards to, from fungal control agents, 93, 94
 inhibition of pheromone activity, 101
 in pea midges, 91
 in the lucerne moth, 101
 of *Ephesia kuehniella*, 101, 102
 pea moth, 101
 queen pheromone, 93
 synthesis, 101
Phialophora graminicola, 165
Phoma exigua var. *foveata* (gangrene on potato), effect of thiabendazole on, 127
 Phorate, on beans, 31, 32
 Phosphate fertilizers, effect on take-all, 124
 Phosphinothricin (PPT), 143, 144
 Phosphorus, in the soil biomass, 174
 Photorespiration,
 effect of nitrogen source on, 143
 in winter wheat, 63, 65
 Photorespiratory metabolism, 143
 Photosynthesis,
 in wheat, 63–66
 light response curves, 49
 Photosynthetic carbon, interaction with nitrogen metabolism, 143
 Pigs, fattening of, 75
 Pirimicarb,
 on beans, 31, 32
 on peas, 34
 on winter wheat, 22
 Plant Breeding Institute, 145
 Plant growth regulators, 142
 Plant nutrition, 164
 Plasma Emission Spectrometer, 183
 Plasmids, host range, in *Rhizobium*, 167
 Plough pan, effect of, 171
 Polyethers,
 macrobiocyclic, 152
 synthesis of, 150
Polymyxa graminis, 120, 121
 Polypeptides, HMW, of wheat, 147
 Porometers, 66
 Potassium,
 acyclic ligands with, 150, 151
 deficiency of, 176, 177
 for control of water potential, 164
 in soils, 177
 selectivity between sodium and potassium, 151
 soil, 205
 Potato leaf roll virus, 127
 Potato virus Y, 36, 104, 105, 119, 127
 Potatoes,
 aphids on, 36
 Arran Comet, 126
 at Rothamsted and Woburn, 56
 black dot on, 36
 Cara, 56, 116, 126
 common scab on, 36, 103
 Désirée, 35, 56
 Estima, 126
 fungal diseases of, 36
 gangrene on, 127
 imazalil on, 35
 intensive production, 35, 36
 King Edward, 56
 methiocarb on, 35
 monocultures, 114
 nematode resistance in, 116
 nematodes on, 35, 36, 115–117, 153
 Potatoes (*contd.*)
 oxamyl on, 35
 Pentland Crown, 56
 Pentland Squire, 126
 phorate on, 36
 primicarb on, 36
 powdery scab, 36, 103, 126
 regeneration from protoplasts, 145
 silver scurf on, 36
 slugs on, 36
 stem canker (*Rhizoctonia solani*) on, 36, 126
 stomatal aperture in, 153, 154
 tolclofos methyl on, 35
 tolerance to cyst nematodes, 115, 116
 Ulster Sceptre, 126
 virus diseases of, 36, 127
 water stress in, 115
 yields, 56
 Powdery mildew, *See: Erysiphe graminis*
 PPO, 143, 144
 PPT, *See: Phosphinothricin*
 PR (pathogenesis related)-proteins,
 immunological studies with, 146
 in transformed tobacco, 147
 relation of to virus resistance, 146
 Programs, *See: Computer programs: statistical programming*
 Prolamin storage proteins,
 clones for, 148
 identification of barley cultivars by, 147
 immunological studies with, 146, 147
 in barley and wheat, 146
 Proline, 144
 Propionate, metabolism of by yeasts and bacteria, 124, 125
 Propiconazole, 22, 32, 105
 Proteins,
 cereal grain, 144–148
 leaf, extraction of, 183
 pathogenesis related, 146, 147
 Protoplasts, regeneration from, 145
Pseudocercospora herpotrichoides, (eyespot), 30, 105, 120
Puccinia hordei, (brown rust), on barley, 30
Pyrenophora teres, (net blotch) on barley, 30
 Pyrethroids,
 activity of in soil, 107
 insect resistance to, 104
 relationship between structure and insecticidal activity of, 98, 99
 Quantimet 720 image analyser, 204
 Radar, for detection of aphids, 88, 89
Ramularia beticola, 41
 Rape, *See: Oilseed rape*
 RCF, *See: Root concentration factor*
 Recombinant DNA, 148
Rhizobium spp.,
 effect of nematode infestations on nitrogen fixation by, 109, 111–113
 genes determining host range and N₂ fixation, 167
 in mixed treatments, 167
 on clover, 167
 oxygen diffusion resistance, 168
 on peas, 111
 production of inoculants, 168, 169
 Rhizobium leguminosarum, 111, 167
Rhizoctonia cerealis, 126
Rhizoctonia solani (stem canker on potato), 36, 126
 'Rhizomania', of sugar beet, 51
Rhynchosporium secalis, on barley, 30
 Ribulose biphosphate carboxylase, 142
 Rice, root uptake by, 102
Ricinus communis, root uptake from, 102
 Root concentration factor, 102, 103
 Root hairs, growth of, 176
 Root systems, developing, infection spread in, 165, 166
 Roots,
 growth of, 171, 176
 water flow across, 176

INDEX

- Rothamsted,
barley at, 55, 56
beans at, 56
weather at, 54, 334
wheat at, 54, 55
Rothamsted Aphid Commentary, 89, 122
Rothamsted Insect Survey, 88, 89, 122
Royal Aircraft Establishment, Farnborough, 206
RuBP carboxylase, 142
Rubus fruticosus, 90
Rye, secalins of, 148
- Salt stress, in barley, 144
Saturated hydraulic conductivity, of soils, 203
Saxmundham,
weather at, 337
wheat at, 170, 171, 173
Secalins, of rye, 148
Seed furrow treatment, 110
Seed pellets, 45, 46
Septoria spp., in winter wheat, 24
Sewage sludge, toxic effects of metals in, 177–179
Shardlow, 121, 122, 208, 209
Sharp eyespot, on wheat, 24
Sheep, experiments with, 78
Shropshire, soil survey in, 205
Shuttleworth Agricultural College, 209
Sitona spp.,
on field beans, 33, 96
on peas, 95
Slugs,
chemical control of, 95, 102
on potatoes, 36
on wheat, 102
SMD (Soil moisture deficit), 126
Sodium, and potassium, selectivity between, 151
Soil, iron oxide in, 181
Soil analysis, 183
Soil and Water Management Association, 212
Soil biomass,
nitrogen and phosphorus in, 174–176
Soil erosion, 205
Soil maps, 194–200
bulletins, 194, 195
methodology for, 206, 207
units of, 207
Soil microflora, 165
Soil micromorphology, 210
Soil mineralogy, 181, 182
Soil moisture deficit, 126
Soil-root relationships, 164
Soil structure,
description of, 180
quantification of, 204
regeneration of, 180, 181
structural development within aggregates, 181
Soil Survey Information System, 208
Soil surveys,
Bedfordshire, 203
Berkshire, 210
Buckinghamshire, 210
Cambridgeshire, 200, 205
Cumbria, 201
Derbyshire, 197, 211
Dorset, 205
East Anglia, 200
for ADAS, 210
Hampshire, 198, 199, 202, 205, 211
Herefordshire, 205
Kent, 203, 211
Lincolnshire, 198
Norfolk, 211
Northumberland, 195
Nottinghamshire, 205
Oxfordshire, 211
Shropshire, 205
Somerset, 199, 201, 202, 205
South-West England, 198, 199
Staffordshire, 204, 205, 211
Suffolk, 200
- Soil surveys (*contd.*)
Sussex, 205
Wales, 198, 211
Worcestershire, 198
Yorkshire, 195, 210
Soil type, effect on severity of take-all, 124
Soil water,
regimes, 204, 205, 209
retention of, 209
Solar radiation, interception of, by sugar beet, 40, 48, 49, 60
Somerset, soil survey in, 199, 201, 202, 205
Sorghum, associative N₂ fixation with, 168
South-east England, soil clays in, 181
South-west England, soil survey in, 198, 199
Soy beans, nematodes on, 113
Spatial variation, 182, 183
Spectral ratio meters, 48, 49
Spinach, carboxylases from, 142
Split-application technique, 110
Spongopora subterranea, 126
Spores,
airborne counts of, on Rothamsted farm, 127
dispersal of, 60
mycorrhizal, 165
of *Cladosporium* spp., 127
of *Pseudocercospora herpotrichoides*, 120
'Sportak', on winter barley, 106
Staffordshire, soil survey in, 204, 205, 211
Staphylinid beetles,
effect of insecticides on, 43
Statistical analysis,
for ADAS, 74
for ODA projects, 78
in nutrition chemistry, 75
of agronomy experiments, 78
of anthelmintic treatments, 75
of crop experiments, 74
of experiments on growth of sheep, 78
of livestock experiments, 75
of nitrogen in cow slurry, 74
of oilseed rape trial, 75
routine analysis, 74
Rothamsted Insect Survey, 88, 89, 122
Statistical models. *See: Models*
Statistical programming,
Genkey, 77
Genstat, 77, 78
GLIM 3, 78
GLIM 4, 78
Maximum Likelihood Program (MLP), 78, 204
Statistical theory,
biplots, 76
confidence limits for parameters in curve fitting, 76
intercropping, 79
irredundant sets in diagnostic keys, 76
quasi-likelihood, 76
variance-mean relationships, 77
zeros in contingency tables, 76
Stem canker. *See: Rhizoctonia solani*
Stomatal resistance, 66
Storage proteins,
cereal, 144–148
genes for, 148
Straw, incorporation of, 175, 176
Streptomyces scabies (common scab on potato), 36, 126
Stress hormones, 115
Suffolk, soil survey in, 200
Sugar beet,
aldicarb on, 42, 43
Aphanomyces cochlioides on, 39, 43, 44
aphids on, 40, 52
Atomaria linearis on, 42, 43
Bembidion spp. on, 42, 43
bolting, 39, 40, 52
crop establishment, 42–44
Docking disorder, 40
effect of air temperature on, 60
effect of insecticides on pests of, 42, 43
effect of soil physical factors on, 44
Erysiphe betae (powdery mildew) on, 49, 50

INDEX

- Sugar beet (*contd.*)
 farmyard manure on, 42, 43
 fibrous root growth, 46
 growth regulators on, 49
 γ -HCH on, 42
 hydrothermal time, 44
 insecticides for, 42, 43
 irrigation of, 40
 leaf area index, 60
 leaf expansion, 60
 leaf growth and development, 60, 61
 nematodes on, 40, 51
 'Nomo', 50
 nitrogen on, 40, 46–48, 60
 pellet structure, 45, 46
 pests of, 42, 43
Polymyxa betae on, 51
 powdery mildew on, 41, 52
 radiation interception, 40, 49, 60
Ramularia beticola, 41
 remote sensing and crop growth, 48, 49
 'rhizomania' of, 51
 rotations, 42, 43
 rust on, 41
 survey of, 75
 thermal time, 44
 weed beet, 39
 yellowing viruses of, 41
 yield prediction, 48, 49
 yields, 48, 53
 Sussex, soil survey in, 205
 Swedes, control of mildew on, 106
- Take-all on cereals,
 control, 122, 123
 difference in between cultivars, 123
 effect of phosphate manuring on, 124
 effect on nitrogen requirements of wheat cultivars, 174
 fungicides for control of, 123
 incidence of, 119
 on wheat after barley, 24
 on winter wheat, 123, 124
 relationship between severity and soil type, 124
- Thermal time, 44, 61
 and root growth, 176
 estimates of in soils, 180
- Thiabendazole,
 effect on stem nematodes, 110
 for control of potato gangrene, 127
- Thiram, for seed treatments, 31
- Threonine, 144
- Tissue culture, of potatoes, 145
- Tobacco,
 carboxylases from, 142, 143
 disease resistance in, 146
 virus diseases of, 119, 147
- Tobacco mosaic virus, 119
- Tolclofos methyl, 34, 35
- Toxic metals, in sewage sludge, 177–179
- Translocation, of pesticides in plants, 100
- Transpiration stream concentration factor (TSCF), 102
- Traps, *See*: Insect traps
- Triadimefon, 105
- Triadimenol, ('Baytan'), 27, 28, 55, 105
 resistance to, 106
- Tridemorph, 24
- Trifolium repens*, *See*: Clover
- Tuber soft rot, *See*: *Erwinia caratovora* var. *caratovora*
- Tungsten, complexes of, 154
- Turbulent dispersal theory, 60
- Unit of Nitrogen Fixation, 154
- Uromyces fabae* (rust on beans), 33, 125
- Valine, 144
- Varroa jacobsoni*, 93
- Vectors, of barley yellow dwarf virus, 122
- 'Vertalec', effect on honeybees, 93, 94
- Verticillium chlamydosporium*, 114
- Verticillium dahliae*, 115
- Verticillium lecanii*, 93
- Viruses,
 aphid infectivity, 121, 122
 aphid transmission, 119
 effect of mineral oil on, 119
 infectivity index for barley yellow dwarf virus, 119
 luteoviruses, 119
 of barley, 24, 31, 52, 119–122
 of beans, 33, 35, 125
 of faba beans, 125
 of honeybees, 93
 of lettuce, 119
 of potatoes, 36, 127
 of sugar beet, 41, 50, 51
 of tobacco, 119, 146, 147
 properties of, 119
 resistance to, 146
 restriction, 146
 transmission by pyrethroid resistant aphids, 104, 105
- Viruses, names of,
 acute bee paralysis, 93
 barley yellow dwarf virus, 24, 31, 52, 119, 121
 barley yellow mosaic virus, 120, 121
 bean yellow mosaic virus, 35, 125
 beet mild yellowing virus, 50
 beet mosaic virus, 119
 beet necrotic yellow vein, 51
 beet western yellows virus, 118
 beet yellows, 41, 50, 51
 broad bean luteo-type viruses, 125
 broad bean spherical, 125
 broad bean stain virus, 125
 broad bean true mosaic, 125
 broad bean vein mottle virus, 125
 broad bean wilt, 125
 potato leaf roll, 127
 potato virus Y, 36, 104, 105, 119, 127
 tobacco mosaic virus, 119
- Visitors, to Rothamsted, 57
- Wales, soil survey in, 198, 211
- Water potential, root, 120
- Water relations, in winter wheat, 62, 64
- Water stress,
 effect on wheat leaf photosynthesis, 64
 in potatoes, 115
 role of proline in, 144
- Weather,
 at Broom's Barn, 336
 at Rothamsted, 54, 334
 at Saxmundham, 337
 at Woburn, 335
- Weathering, in soils on Chalky Boulder Clay, 182
- Weeds, nematodes in, 109
- Weevils, *See*: *Sitona* spp.
- Welsh Plant Breeding Station, 167
- Wheat,
 after barley, 21, 170
 after oats, 21, 170
 after potatoes, 170
 aldicarb on seedbed, 26, 27
 at Broom's Barn, 41, 52, 172
 at Maulden, 170, 171
 at Rothamsted, 54, 55, 170, 171
 at Saxmundham, 170, 171, 173
 at Woburn, 25–27, 54, 55
 Avalon, 24, 26, 41, 55, 61, 124, 170–172
 Avocet, 55
 barley yellow dwarf virus on, 24
 brown rust on, 24
 carboxylases from, 142
 cell elasticity, 63
Cladosporium spp. on, 25
 ear number, 61
 effect of radiation on, 62
 effect of soil conditions on, 171
 effect of sowing data on yield, 21, 170
 effect of straw incorporation on, 175
 effect of temperature on, 61
 eyespot on, 24, 105, 120

INDEX

Wheat (*contd.*)

Factors Limiting Yield of Winter Wheat, 21–26, 55, 74, 170
 Fenman, 55
 Flanders, 55, 124
 foot rot on, 24, 25
 fungal diseases of, 24
 fungicides on, 21, 102
Fusarium spp. on, 124
Gaeumannomyces graminis on, 165
 grain yield, 170
 growth of, 21, 22
 HMW polypeptides of, 147
 irrigation of, 26, 27
 leaf appearance, 61
 leaf area index, 26, 27, 65, 66
 leaf growth, 61
 leaf water potential 63, 64
 light interception in, 63
 Longbow, 55
 loss of nitrogen by, 173
 microflora of developing ears, 24, 25
 mildew on, 24
 mutants of, 145
 nematodes on, 23
 nitrate N in stems of, 173, 174
 nitrogen content of, 22, 23, 171
 nitrogen deficient, 172
 nitrogen on, 21, 26, 27, 63, 170–174
 Norman, 55, 124, 170, 171, 174
 photosynthesis in, 63–66
 prolamins from, 146–148
 rate of oxygen evolution, 63, 64

Wheat (*contd.*)

rate of senescence, 61, 62
 regeneration from protoplasts, 145
 root growth of, 171, 176
Septoria on, 24
 slugs on, 102
 sowing data, 170
 stem extension in, 62
 take-all on, 24, 26, 102, 123, 124, 174
 tiller survival, 61
Triticale, 145
 water relations in, 62
 winter, modelling of, 172
 yields, 41, 170
See also: Cereals; Take-all
 Wind speed frequency distributions, 59
 Winter rainfall acceptance potential, 211
 Woburn,
 Minimum Cultivation and Deep PK experiment, 55
 weather at, 335
 wheat at, 25–27, 54, 55
 Worcestershire, soil survey in, 198
 Worm-worked wastes, 97, 98
 Worms, *See:* Earthworms
 Wye Double Digger, 171

 X-ray diffraction spectrometer, 165, 181

 Yeasts, metabolism of propionate by, 124, 125
 Yorkshire, soil survey in, 195, 210

Zea mays, *See:* Maize
 Zinc, in sewage sludge, 177–179