This work is licensed under a Creative Commons Attribution 4.0 International License.

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.

Rothamsted Experimental Station Report for 1984

Full Table of Content



Subject Index

Rothamsted Research

Rothamsted Research (1985) *Subject Index ;* Rothamsted Experimental Station Report For 1984, pp 323 - 330 **- DOI: https://doi.org/10.23637/ERADOC-1-25**

This work is licensed under a Creative Commons Attribution 4.0 International License.

SUBJECT INDEX

The General Report by the Director (pp. 11–21) has not been indexed, nor have the papers in Part 2.

Abscisic acid, 118
Acetylcholinesterase, in houseflies, 106
Acid, deposition of, 186
ADAS, 198, 206, 213–215
Aerobiology, 68–70, 133–134
AFRC wheat model, 61–62
'AG 58', 134
Agricultural Development and Advisory Service, *See:* ADAS
Agricultural Genetics Company, 175
Agrobacterium spp., 151–152
Agroclimatic databank, 210
Airborne microorganisms, 133–134
Aldicarb,
  aphid resistance to, 107
  as a nematicide, 122
  degradation of in anaerobic soils, 112
  effect on severity of take-all, 27
  on beans, 34
  on peas, 36, 37
Alnwick and Rothbury, soil survey of, 198
Alternaria, spp., 27, 28
Amides, insecticidal, 103
Amino acids,
  aspartate family, 150
  glycine, 149
  in cereal mutants, 150
  serine, 149
  threonine, 150
Anglian Water Authority, 216
Anthracnose, of bean, 109
APE 80 sprays, 110, 125
Aphids,
  alarm pheromone of, 104
  antifeedants, 105
  biological control of, 94–95
  bulletins, 92
  cereal, 93
  enemies of, 92
  forecasts, 92
  fungal pathogens, 95
  infectivity for barley yellow dwarf virus, 26, 129
  on beans, 35
  on potatoes, 59
  on wheat, 26
  resistance to insecticides, 103–107
  surveys, 92–93
  vectors of potato virus Y, 132
Aphids, scientific names of,
  Acyrthosiphon pisum, 35
  Aphis fabae, 43, 77, 92
  Macrosiphum euphorbiae, 43, 104, 132
  Metopolophium dirhodum, 93, 129
  Metopolophium festucae, 26, 32, 129
  Myzus persicae, 42, 43, 51, 103–107, 132
  Phorodon humuli, 132
  Rhopalosiphum padi, 129, 132
  Sitobion avenae, 26, 32, 92, 129
Apion vorax, 35
Arthrobotrys, 99
Arthur Rickwood Experimental Farm, 171, 174
Aspartate kinase, 150
Aspartate pathway, 150
Aureobasidium pullulans, on winter wheat, 27

Bacillus cereus, 128
Bacillus pumilis, 128
Baking quality, of cereal grain, 153–154
Barley,
  aphids on, 32
  at Broom's Barn, 54
  caryopses of, 151
  comparison with wheat, 32–33
  diseases development in, 69
  Erysiphe graminis on, 31, 58, 127
  eyespot on, 32, 33
  factors limiting yield, 28–32
  growth regulator on, 30
  Igri, 28, 29, 31
  K deficiency in, 184
  loose smut on, 32
  mutants in, 149–151
  nitrogen concentration on, 184
  nitrogen on, 28, 29
  Panda, 28–31
  pests of, 32
  photorespiratory mutants of, 150
  Pirate, 28, 29, 31
  prolamin storage proteins of, 153–154
  Rhynchosporium secalis on, 31
  take-all on, 32–33
  triadimenol on, 29–31, 33
  yellow dwarf virus of, 26, 32–33, 58, 129
    See also: Cereals; *Erysiphe graminis;* take-all
Barley yellow dwarf virus,
  See: Barley
Barley yellow mosaic virus, 130
Barnby Broad, peat at, 206
'Baytan', *See:* Triadimenol
Beans (*Vicia faba*),
  aldicarb on, 34
  anthracnose of, 109
  benomyl on, 34
  chocolate spot of, 35, 126
  fosetyl-Al on, 34
  irrigation of, 59
  maneb+mancozeb on, 34
  nematodes on, 35, 119
  phorate on, 34
  pirimicarb on, 34
  root fungi of, 35
  rust (*Uromyces fabae*) on, 35
  seed borne nematode infestations on, 119
  seed rate, 58
  sowing date, 58–59
  viruses of, 35, 126
  weevils on, 34, 35
  yields, 34
    See also: Phaseolus vulgaris
Beccles Marshes, peat in, 206
Bedfordshire, soil survey in, 198, 208
Bees, *See:* Honeybees
Beet mild yellowing virus, 42,49, 133
Beet mosaic virus, 133
Beet necrotic yellow vein virus, 51–52
Beet western yellow virus, 42, 50–51
Beet yellows, 43, 49–50
Bendiocarb, 44
Benfuracarb, 44
Benomyl,
  effect on take-all, 128
  on beans, 34
  on oilseed rape, 125
  on winter wheat, 23
Bicyclic ligands, 160–161
Biggleswade and St. Neots, soil survey in, 205

https://doi.org/10.23637/ERADOC-1-25

This work is licensed under a Creative Commons Attribution 4.0 International License.

INDEX

Biodeterioration, 134
Biomass, *See:* Soil biomass
Bioresmethrin, 104
Black dot, 38, 131
Blackfly, counts of, in Volta River Basin, 77
Bodmin Moor, soil survey in, 203, 204
Boston and Spalding, soil survey of, 201
Botrytis fabae (chocolate spot), on beans, 35, 126
Brassica napus, 155
British Society of Soil Science, 213
British Sugar Corporation, 51–52, 54
British Technology Group, 172
Broadbalk, wheat on, 57
Broom's Barn,
  sugar beet on, 40–55
  weather at, 320
Broom's Barn Farm, 54–55
Buckinghamshire, soil survey in, 206, 208, 214
Bulk density measurements, 211
Buxton, soil survey at, 200

^{13}C nuclear magnetic resonance, 157
CALF model, 112
Calf-rearing, survey of, 80
Cambridgeshire, soil survey of, 206, 208
Carbendazim, on winter wheat, 57
Carbon, organic turnover of in soil, 178–179
Carbosulfan, 44, 47
Carboxylase RuBP, 148–149
(—)-β-caryophyllene, 104
Caryopses, cereal, 151
Catch crops, effect on hatching of *Heterodera schachtii,* 52–53
Cattle, at Rothamsted, 59
Cereals,
  at Broom's Barn, 54–55
  baking quality of grain, 153–154
  biodeterioration of, 134
  caryopses of, 151
  cultivar mixtures, 127
  somaclonal variation in, 151
  storage proteins in, 153–155
  take-all on, 26, 27, 32–33, 128–129, 178
    See also: Barley; *Erisyphe graminis*; Maize; Oats; take-all and Wheat
Chalk aquifers, microflora of, 171
Cheltenham, soil survey in, 202–203
'Chemoprints', of insects, 92
Chenopodium quinoa, 52
Cheviot Hills, soil mapping in, 198
China, virus of faba beans in, 130
Chlormequat, on wheat, 23
Chlorophyll *a*/*b* ratios, 67
Chocolate spot, of field beans, *See: Botrytis fabae*
Chrysanthemum, 122
Chrysoperla carnea, 103–104
Chymotrypsin inhibitors, 155
CIAT (Centro Internacional de Agricultura Tropical), 174
Cladosporium spp., on wheat, 27,28
Cladosporium herbarum, 99
Clay minerals, interstratified, 187–188, 208
Clones, cDNA, for cereal storage proteins, 154
Clover, inoculation of mycorrhiza with, 175
  nematodes on, 119
  Rhizobium on, 174–175
Cloves, virus disease of, 133
Cockle Park Experimental Farm, 215
Colletotrichum coccodes (black dot on potato), 38, 131
Common scab, *See: Streptomyces scabies*
Computer programs,
  AREAS, 210
  Datatrieve, 209–210
  databases, 77
  SURFACE II, 76, 92
    See also: Models; Statistical programming
Computers,
  AGRENET, 76
  British Telecom Packet Switch Stream, 76
  graphics, 76
  ICL System 4, 76, 210
Computers (*contd.*)
  Jacquard, 76, 78
  laboratory automation, 76–77
  microcomputers, 76–77
  Rothamsted Computing Unit, 75
  VAX systems, 76, 78, 189, 209
Contarinia pisi, (pea midge), 93
Coordination chemistry, 157–161
Copper, in sewage sludge, 185–186
'Corbel', on winter barley, 33
Cornwall, soil survey in, 203–204
Cotswolds, soil survey in, 202–203
Crown ethers, 158–159
Cultivar mixtures, for control of foliar diseases, 70
Cumbria, soil survey in, 213, 214
Cut grass, chemicals to inhibit respiration of, 134
Cypermethrin, 29, 32, 104

Dames and Moore International, 215
Dartmoor, soil survey in, 204
Dasyneura brassicae (pod midges), 93, 94
Data management, for soil surveys, 209
Delia coarctata, See: Wheat Bulb fly
Deltamethrin,
  resistance to, 107
  toxicity to *Myzus persicae,* 104
Denitrification, nitrogen losses caused by, 180
Deposition, of acid and nutrients, 186
Derbyshire, soil survey in, 200
Derbyshire County Museum Service, 216
Deroceras reticulatum, 95
Devon, soil survey in 198, 203, 204, 209
Dicyandiamide, effects on recovery of fertiliser N, 180
Dipwells, 213
Disease resistance, 152–153
Disease simulation model, 70
DNA,
  complementary, 155
  from mycorrhizal spores, 171–172
Domestic refuse disposal, airborne microorganisms associated with, 133–134
Dorset, soil survey in, 208–209
Drayton EHF, 213

Earthworms,
  Allolobophora caliginosa, 98
  Allolobophora chlorotica, 98
  Allolobophora longa, 98
  Eisenia foetida, 97–99
  Eudrilus eugeniae, 97
  growth of in spent mushroom compost, 98
  interaction with microorganisms, 99
  Lumbricus terrestris, 98
  Octolasion cyaneum, 98
  production of from farm wastes, 97
  uptake of heavy metals by, 98
  wastes worked by, 97–98
East Anglia, soil survey in, 214
Efford EHS, 98
Electrostatic spraying systems, 109–111
  air assistance for, 110
  effect of design of, 111
  for applying pesticides to potatoes, 111
  timing of, 110
ELISA technique, 51, 126
  BYV identification by, 107
Entomophorales, 95
Environmental change, 92
Enzyme-linked immunosorbant assay, *See:* ELISA technique
Enzymes,
  aspartate kinase, 150
  glutamate synthase, 149
  glutamine synthetase, 155–156
  nitrate reductase, 150
Erwinia carotovora, 130
Erwinia carotovora sp. *atroseptica*, 131
Erysiphe graminis (barley mildew), 31, 58, 69–70, 127
  resistance to fungicides, 108–109

https://doi.org/10.23637/ERADOC-1-25

This work is licensed under a Creative Commons Attribution 4.0 International License.

Evolution of storage protein genes, 155
Eyespot, *See: Pseudocercosporella herpotrichoides*

Faba beans, 126
Falkland Islands, 82–83
Farm wastes, exploitation of, 97–99
Farming systems, effect on soil organic matter, 181
(*E*)-β-farnesene, formulation of, 104
Fenland, soil survey of, 206
Fentin hydroxide, 59
Field beans, *See:* Beans
Field Drainage Experimental Unit, 170
Field Experiments,
  'Barley 84', 33
  crop yields, 57–59
  working party for, 57
Flea beetle, on sugar beet, 44
Fluorescence studies, of photosynthesis, 66–68
Food Research Institute, 157
Formic acid, 134
Fosetyl-Al, on beans, 34
French bean (*Phaseolus vulgaris*), 174
'Friends of Rothamsted', 60
Fungal diseases,
  of potatoes, 38, 130–131
  of wheat, 26–28
  See also: Erysiphe graminis; Eyespot; *Fusarium;* take-all
Fungicides,
  MBC, 108
  on oilseed rape, 124–125
  on wheat, 23, 24, 27
  resistance to, 108–109
Furathiocarb, 44
Fusarium, spp.,
  on barley, 32
  on wheat, 27, 134
Fusarium avenaceum, on wheat, 28, 134
Fusarium culmorum, 28, 134
Fusarium poae, on wheat, 27, 134
Fusarium solani, on peas, 36, 122
Fusarium tabacinum, 36
Fusarium tricinctum, 27
Fusion, of protoplasts, 151–152

Gaeumannomyces graminis var. *tritici*, 32, 128
  See also: Phialophora radicola; take-all
Gangrene, *See: Phoma exigua* var. *foveata*
Genes, for the storage proteins, of wheat, barley and rye, 155
Genetic manipulation, 151
Genetic studies, with *Rhizobium* and mycorrhiza, 171–173
Genkey, 81
Genstat, 79, 81–83
Glasshouse Crops Research Institute, 97
Glasshouse services, 156
Gleadthorpe Experimental Husbandry Farm, 214
Gliadins, of wheat, 154
Glomus mossae, 172, 174
Glucosinolates, 124
Glutamate synthase, 149
Glutamine synthetase, 155–156
Glutathione metabolism, 149–150
Gluten, components of, 154
Glycollate oxidase, 150
Goethite, determination of, 187
Grass, at Rothamsted and Woburn, 59
Grassland, poaching of, 209
Grassland Research Institute, 119, 215–216
Grassland Suitability Model, 209
Growth regulators, 24
Gwent, soil survey in, 208

Hampshire, soil survey in, 203, 206, 213
Harwood Forest, soil mapping in, 198
Hatfield Moors, peat in, 205
Heavy metals, effects of on soil biomass, 180–181
Hematite, in soil clays, 187–188
Herefordshire, soil survey in, 208
HMW (high molecular weight) secalins, 154
Holme Fen, peat in, 206
Honeybees (*Apis mellifera*),
  acute paralysis virus of, 99
  brood disease, 99
  pollination of oilseed rape by, 100
  queen pheromones of, 99–100
  Varroa jacobsoni on, 99
Hordeins, 154
Housefly (*Musca domestica*),
  acetylcholinesterase in, 106
  insecticide resistance in, 106
  knock-down resistance in, 106
Hyalodendron spp., 27
Hydraulic sprays, of nematicides, 119
Hyphal growth, of *Glomus caledonium*, 172

ICI, 213
ICRISAT (International Crops Research Institute for the Semi Arid Tropics), 174
Imazalil, 37
'Infectivity Index', for barley yellow dwarf virus, 26
Insect traps,
  light traps, 96
  sex-pheromone traps, 93
  suction traps, 96
  water and sticky traps, 94
Insecticides
  aphid resistance to, 103–107
  housefly resistance to, 106
  selectivity of, 103
  soil, availability of, 112
  systemic uptake of, in sugar beet, 44
  to control pests of sugar beet, 44–45
    See also: Nematicides; Pesticides; Pyrethroids; names of individual insecticides
Insects, elemental analysis of, 93
Interferon, 152–153
Ion-selective cellulose membranes, 157
Iron oxides, in soil clays, 187
Irrigation,
  of sugar beet, 43, 48
  of wheat, 64
Isobutylamides, 103
Isothiocyanates, 125
Isotope dilution, 174

Kent, soil survey in, 204
Kirton Experimental Horticulture Station, 214

Laboratory germination tests, 45–46
Laboratory of the Government Chemist, 95–96
Lancashire, soil survey in, 205–206
Land evaluation, 210
Landfill, assessment of materials for, 98
Leaching,
  model of, 112, 182
  nitrogen losses from, 180
Lead, in sludge-treated soils, 186
Leaf blotch, 133
Leaf boundary layer resistance, measurement of, 68
Leaf protein, extraction of, 184
Leicestershire, soil survey in, 213
Lepidocrite, 187
Letcombe Laboratory, 60, 170, 216
Light traps, *See:* Insect traps
Lincolnshire, soil survey in, 201
Liverpool, soil survey in, 200
Livestock,
  at Broom's Barn, 55
  at Rothamsted, 59
Llysfasi College of Agriculture, 215
Long Ashton Research Station, 60, 61, 216
Lucerne, nematodes on, 119

MAFF, soil surveys for, 204, 210, 213
Maize, 58
  virus diseases of, 132
Malverns, soil survey in, 201

https://doi.org/10.23637/ERADOC-1-25

This work is licensed under a Creative Commons Attribution 4.0 International License.

INDEX

Maneb on winter barley, 29
Maneb+mancozeb, on beans, 34
Manganese,
  deficiency of in sugar beet, 42
Market Weighton, soil survey at, 199–200
Marshland soils, structural instability of, 213
Mathematical models, *See:* Models
MBC fungicides, 108
Melons, virus disease of, 132
Membranes, cellulose, 157
Metal concentration, in soils, 77, 180, 181
Metaldehyde, 95
Metals, in sewage sludge treated soils, 185–186
Methiocarb,
  for slug control, 95
  on potatoes, 37
Microcomputers, 76–77
Microflora,
  of chalk aquifers, 171
  of developing ears, 27
Micronutrients, in soils and crops, 185–186
Microorganisms, interactions with earthworms, 99
Midges, 93–94
Mildew,
  on oilseed rape, 125
  on sugar beet, 43
    See also: Erysiphe graminis
Mobile shelters, 170, 178
Models,
  for aphid forecasts, 92
  for movement of soil, 77
  for turnover of nitrogen in soil, 179
  mathematical, to predict virus dispersal rates, 50
  non-linear, 78, 80, 81
  of incidence of sugar beet virus yellows, 77
  of life of Colorado beetle, 79
  of solute flow, 187
Mole drains, water movement to, 186
Molluscicides, 95
Monocyclid ligands, 157–159
Mosquitoes, pheromones of, 105
Moths,
  light trap survey of, 96
  pea, 78
Musca domestica, See: Housefly
Mushrooms, growth of worms in spent compost from, 98
Mustard oils, production of, 124
Mutagenesis, of RuBP carboxylase, 148–149
Mutants,
  catalase deficient, 150–151
  chlorophyll *b*, 151
  in barley, 149–151
  in nitrogen metabolism, 150–151
Mycorrhiza, vesicular arbuscular,
  DNA extraction from, 171
  effect of nitrogen and phosphorous on, 172
  genetics of, 171
  identification of, 172
  inoculation of onions with, 174
  inoculation of white clover with, 174
Myzus persicae, See: Aphids

National catalogue of soils, 213
National Coal Board, 216
National Institute of Agricultural Botany, 131
National Institute of Agricultural Engineering, 97
National Lime Producers Council, 215
National Nature Reserves, 199
National Peat Inventory, 198, 205–207
National Soil Inventory, 189, 198, 216
National Soil Map, 209, 214–215
Nature Conservancy Council, 215
Nematicides, 119
Nematodes,
  cold tolerance in, 121
  cyst nematodes, 119, 120, 123
  functional morphology of sense organs, 121
  infectivity of *Globodera*, 120–121
  interactions with other organisms, 122
  on oilseed rape, 120
Nematodes (*contd.*)
  on sugar beet, 52, 53, 120
  on wheat, 25, 26
  potato cyst nematodes, 114–118
  resistance to, 114–115
  root knot, 123
  stem, 118
  taxonomy of, 114, 122–123
  tolerance to, 116
Nematodes, scientific names of,
  Aphelenchoides spp., 122
  Aphelenchoides ritzemabosi, 122
  Ditylenchus dipsaci, 118
  Globodera achilleae, 123
  Globodera pallida, 114–118, 123
  Globodera rostochiensis, 114–116, 121
  Heliocotylenchus spp., 25, 38
  Heterodera avenae, 119
  Heterodera cruciferae, 120
  Heterodera schachtii, 52, 120
  Hexatylus viviparus, 122–123
  Longidorus spp., 53
  Paratrichodorus spp., 53, 120
  Pratylenchus spp., 25–26, 35, 37, 121, 122
  Pratylenchus neglectus, 35–36
  Pratylenchus pinguicaudatus, 35
  Trichodorus spp., 53, 120
  Tylenchorhynchus spp., 25
  Tylenchus spp., 25, 26
Nene washes, peat in, 206
Neutron moisture meters, 189
New Forest soils and vegetation, 212
New Plant Products Ltd., 175
Newtown, soil survey of, 201
Nickel, in sewage sludge, 185–186
Nicotiana plumbaginifolia, 150
Nicotiana tabacum, See: Tobacco
Nitrate reductase, 150
Nitrate supply, 67
Nitrogen,
  amino-N, in sugar beet, 64–65
  concentrations in spring barley, 183–184
  effect of dicyandiamide on recovery of, 180
  fertilizer, 179
  leaching of, 180
  loss of spring-applied N, 179
  mineralization rates, 182
  model for turnover of in soil, 179
  on winter barley, 30
  transformations in acid tea soils, 180
Nitrogen fertilizers
  on sugar beet, 64
  on winter wheat, 23
  rate of, 23
  timing of, 23
Nitrogen fixation, 173
  carbon costs of, 173
  measurement of by isotope dilution, 174
Nitrogen prediction method, 170, 181–182
Nodulation, on peas, 37
Nodules, root, formation of, 173–174
Non-ester pyrethroids, 102
Norfolk, soil survey in, 206
North Kent marshes, soil survey of, 204
Northern Ireland Plant Breeding Station, 151
Northumberland, soil survey in, 213
Nottinghamshire, soil survey in, 205
Nuarimol, to control take-all, 108, 128

Oats,
  aphids on BYDV infected plants, 93
  at Broom's Barn, 54
Overseas Development Administration, 82
Oilseed rape,
  Agrobacterium on, 152
  at Rothamsted, 59
  beet western yellows in, 50–51
  diseases of, 124–125
  downy mildew of, 125
  pod midge of, 93–94

https://doi.org/10.23637/ERADOC-1-25

This work is licensed under a Creative Commons Attribution 4.0 International License.

Oilseed rape (*contd.*)
pollination of, 100
root growth of, 183
take-all on, 128
virus from, 133
Olpidium brassicae, 52
Omethoate, 58
Onions,
inoculation of with mycorrhiza, 174
pseudomonads in rhizosphere of, 171
Opencast sites, 216
Opomyza florum, 32
Ouse washes, peat in, 206
Oxamyl, on potatoes, 37
Oxfordshire, soil survey in, 203
Oximecarbamates, degradation of in anaerobic subsoils, 112
Oxygenase activity, of mutant carboxylase, 149

Paleo-argillic horizons, 188
Paper waste, reproduction of worms in, 97
Parasites, of aphids, 94–95
Particle-size analysis, for soil survey, 211
Pathogenesis related proteins, 152–153
Pathotypes, 114
Pea moth, *See:* Moths
Peas,
aldicarb on, 36–37, 122
effect of pests and pathogens on, 36–37
fungal diseases of, 36
nitrogen fixation in, 173
nodulation of, 37, 174
permethrin on, 36–37
Sitona spp., on, 36
tolclofos-methyl on, 36
Peat, *See:* National Peat Inventory
Permethrin, 104
on peas, 36
Peronospora parasitica (downy mildew),
on oilseed rape, 125
Pesticides,
distribution of in plant and soil, 111–112
leaching of in the field, 112
minimizing usage of, 92–97
See also: Fungicides; Insecticides and Nematicides
Phaseolus vulgaris (French bean)
nitrogen fixation of, 174
Pheromones,
aggregation, in weevils, 105–106
aphid alarm pheromone, 104
foraging pheromones, 100
in aphid parasites, 95
in midges, 94
oviposition, in mosquitoes, 105
queen pheromone, 99–100
Phialophora graminicola, 171
Phloem, translocation of, 111–112
Phoma betae, control of, 44
Phoma exigua var. *foveata* (gangrene on potato),
effect of thiabendazole on, 131
Phorate, on beans, 34
Phosphate, inorganic, activation of RuBP carboxylase with, 148–149
Phosphorus, effect on mycorrhizal infection, 172
Photorespiration, 66–67
Photorespiratory metabolism, 149
Photosynthesis, in wheat and sugar beet, 67–68
net, 173
Piezometers, 212–213
Pirimicarb,
on beans, 34
on oilseed rape, 51
on potatoes, 59
on winter wheat, 57
Plant Breeding Institute, 60
Plasmids, host range, in *Rhizobium*, 173
Plymouth and Launceston, soil survey of, 203–204
Podzolization, 208
Pollution, 97
Polyethers, macrobicyclic, 159
Polygodial, 105
Polymeric ligands, 161
Polymyxa betae, on sugar beet, 160
Polymyxa graminis, 130
Polyscytalum pustulans, 38, 130
Potassium,
deficiency of, 184
in soils, 184–185
Potato virus Y, 38, 132
Potatoes,
Agrobacterium on, 152
aphids on, 38
at Rothamsted and Woburn, 109
black dot on, 38, 131
black scurf on, 131
blackleg on, 131
Désirée, 37–38, 131
fungal diseases of, 38, 130–131
gangrene on, 131
imazalil on, 37
methiocarb on, 37
nematodes on, 37–38, 114–118
oxamyl on, 37
Pentland Crown, 130–131
regeneration from protoplasts, 151–152
root system of, 118
sample sizes for disease assessments, 130
skin spot on, 130
slugs on, 38
sprayers for, 111
storage diseases of, 131
tolclofos-methyl on, 37
tuber diseases of, 130–131
virus diseases of, 38, 131–132
yields, 37
Powdery mildew, *See: Erysiphe graminis*
Pr (pathogenesis related)-proteins,
immunological studies with, 153
in tobacco, 153
relation of to virus resistance, 152
Prochloraz, 57
Programs, *See:* Computer programs; Statistical programming
Prolamin storage proteins,
clones for, 155
in barley, wheat and rye, 153–154
structural genes for, 154
Proline, in water stressed plants, 118
Propiconazole, 23
Proteins,
cereal grain, 153–155, 184
leaf, extraction of, 184
pathogenesis related, 152, 153
Proton NMR studies, 148
Protoplasts,
fusion of, 151–152
regeneration from, 151
Pseudocercosporella herpotrichoides,
(eyespot), 27, 32, 108, 127
electrostatic sprayers for, 110
Pseudomonads, in the rhizosphere of onions, 171
Pyrenopeziza brassicae, on oilseed rape, 124, 125
Pyrethroids,
non-ester, 102
relationship between structure and insecticidal activity of, 102–104

Rabbit population, monitoring of, 214
Rape, *See:* Oilseed rape
Raphanus sativus, 52
Redesdale EHF, 214
Resistance, to insecticides, 103–107
Rhizobium spp.,
genetics of, 173
on clover, 174–175
production of inoculants, 175
Rhizobium leguminosarum, 173
Rhizoctonia solani (stem canker on potato), 122
'Rhizomania', of sugar beet, 51
Rhynchosporium secalis, on barley, 54, 69, 133

https://doi.org/10.23637/ERADOC-1-25

This work is licensed under a Creative Commons Attribution 4.0 International License.

INDEX

Ribulose bisphosphate carboxylase, 68, 148–149
Ricinus communis, root uptake from, 111–112
  seed storage proteins of, 155
Root hairs, growth of in nutrient solutions, 182–183
Root systems, developing,
  infection spread in, 172
Roots,
  nutrient flow to, 183
  studies of, 182–183
Rothamsted,
  barley at, 58
  beans at, 58–59
  weather at, 57, 318
  wheat at, 57–58
Rothamsted Insect Survey, 78, 92, 96
RuBP carboxylase, 148–149
Rye, secalins of, 154

Sampford Peverell, soil survey of, 204
Saxmundham,
  weather at, 321
  wheat at, 176–177
Scottish Institute for Agricultural Engineering, 211
SDS-PAGE, 78
Secalins, of rye, 154
Septoria spp., on winter wheat, 54
Sewage sludge,
  toxic effects of metals in, 180–181, 185–186
Sex attractants, *See:* Pheromones
Shardlow laboratory, 213
Sharp eyespot, on wheat, 27
Sinapis alba, 52
Sites of Special Scientific Interest, 199, 215
Sitona spp.,
  aggregation pheromone of, 105
  on field beans, 34
  on peas, 36
Slugs,
  antifeedants for, 106
  chemical control of, 95–96
  on potatoes, 38
Soil analysis, 189
Soil biomass,
  effect of farming systems on, 181
  effect of heavy metals on, 180
  nitrogen and phosphorus in, 180–181
Soil classification, 207–208
Soil engineering, 212
Soil erosion, 208–209
Soil-gas transport, 187
Soil Information System, 209
Soil mapping, 198–205
Soil micromorphology, 213
Soil mineralogy, 187, 188, 208
Soil sampling, 80
Soil shrinkage, measurement of, 212
Soil structure,
  research on interparticle forces, 187
  seasonal changes in, 211
Soil suppressiveness, assessment of, 128–129
Soil Survey Field Handbook, 208
Soil Survey of England and Wales, 184–185
Soil surveys,
  Bedfordshire, 198, 208
  Bodmin Moor, 203–204
  Boston and Spalding, 201
  Cambridgeshire, 206, 208, 214
  Cheviot Hills, 198
  Cornwall, 203, 204
  Cotswolds, 202–203
  Cumbria, 213–214
  Dartmoor, 204
  Derbyshire, 200
  Devon, 198, 203, 209
  Dorset, 208, 209
  East Anglia, 214
  England and Wales, 207
  Fenland, 206
  for MAFF, 204, 210, 213
  Gloucestershire, 202
Soil Surveys (*contd.*)
  Gwent, 208
  Hampshire, 203, 206, 213
  Harwood Forest, 198
  Hatfield Moors, 205
  Herefordshire, 208
  Kent, 204
  Lancashire, 205–206
  Lincolnshire, 201
  Liverpool, 200
  Malverns, 201
  Market Weighton, 199–200
  Newtown, 201
  Norfolk, 206
  North Kent marshes, 204
  Oxfordshire, 203
  St. David's, 215
  Sampford Peverell, 204
  Somerset, 198, 204, 205, 209
  Suffolk, 206
  Sussex, 208
  Thorne Waste, 206
  Wales, 214, 216
  Wensleydale and Wharfedale, 198–199
  Yeovil, 204–205
  Yorkshire, 204–205
Soil thin sections, international descriptions of, 211–212
Soil water,
  regimes, 212–213
  retention of, 213
  sub model, 178
Soils, transport processes in, 186
Solute flow, modelling of, 187
Somerset, soil survey in, 198, 204, 205, 209
Soya bean (*Glycine max*), 174, 175
Spatial variation, 188
Spectroscopy, proton NMR, 148
Splash dispersal, of fungal spores, 69
Spores,
  deposition of on barley crops, 68–69
  of *Botrytis fabae,*126
'Sportak', on winter barley, 33
Sprays, penetration of into crop canopies, 110
Staffordshire College of Agriculture, 216
Statistical analysis,
  for ADAS, 78–79
  multivariate, 77, 81
  of crop experiments, 79
  of livestock experiments, 79
  sugar beet survey, 79–80
  survey of fertilizer practice, 80
Statistical computing, 81
Statistical models, *See:* Models
Statistical programming,
  Genkey, 81
  Genstat, 79, 81–83
  GLIM, 82–83
  Maximum Likelihood Program (MLP), 82, 188
Statistical theory,
  diagnostic keys, 81
  quasi-likelihood, 80
  restricted randomization, 81
  variance-mean relationships, 80
Stem canker, *See: Rhizoctonia solani*
Sterol biosynthesis, inhibition of, 108–109
Storage proteins, cereal, 153–155
Streptomyces scabies (common scab on potato), 38
Suction traps, 92
Suffolk, soil survey in, 206
Sugar beet,
  aldicarb on, 53
  amino-nitrogen content of, 64
  aphids on, 42–43
  bolting of, 41
  crop growth, 40
  cultivation techniques, 46–47
  Docking disorder, 41, 53
  effect of birds on seed establishment, 46
  emergence, 41
  establishment, 41

https://doi.org/10.23637/ERADOC-1-25

This work is licensed under a Creative Commons Attribution 4.0 International License.

Sugar beet (*contd.*)
fibrous root growth, 47
flea beetle on, 44
growth-yield prediction, 41
herbicides for, 42
insecticides for, 44–45
irrigation of, 43, 48
light interception, 41, 49
manganese deficiency, 42
nitrogen on, 65
Phoma betae on, 44
plant density, 49
plant establishment, 44–47
Polymyxa betae on, 52
problem samples, 54
Ramularia beticola, 43
'Rhizomania' of, 51
rust on, 43
seed pelleting, 41
seed quality studies, 45
soil moisture deficits, 43, 47–48
sulphur on, 47
water use, 48
weed beet, 41
viruses of, 42–43, 49–51
yields, 55
Sulphur, 125
Surveys, statistical, 79–80
See also: Aphids
Sussex, soil survey in, 208

Take-all on cereals,
control of, 108
decline, 128
on barley, 32
on wheat, 26–27, 33, 128–129
relationships between severity and soil type, 178
Tea soils, acid, N transformations in, 180
Thames Water Authority, 216
Thermoluminescence dating, of buried soils, 188
Thiram steep, for sugar beet seed, 152–153
Thorne Waste, peat in, 205
Tobacco,
disease resistance in, 152–153
virus diseases of, 123, 153
Tobacco mosaic virus, 152–153
Tolclofos methyl, 37
Tomato colour, 3-dimensional assessment of, 78
Toxic metals, in sewage sludge, 185–186
Transport processes in soils, 186
Traps, *See:* Insect traps
Triadimenol, ('Baytan'), 29–31, 58, 108
Triazophos, 51
Tridemorph, 29–30
Trifolium repens, See: Clover
Triticum vulgare, infection of by take-all fungi, 171
Tropical crops, diseases of, 132–133
Tuber soft rot, *See: Erwinia caratovora*

Unit of Nitrogen Fixation, 161–162
Urea, use of in tea plantations, 180
Uromyces fabae (rust on beans), 35

Vale of York, soil survey in, 199
Vectors, of barley yellow dwarf virus, 26, 129
Verticillium chlamydosporium, 119–120
Verticillium dahliae, 118
Vesicular arbuscular myccorhiza,
See: Mycorrhiza
'Vigour tests', for sugar beet, 45
Viruses,
aphid transmission, 107, 132, 133
model to predict dispersal rates, 50
of barley, 26, 32–33, 58, 129
of beans, 35, 126
of faba beans, 126
of grasses, 129–130
of honeybees, 99
of potatoes, 131–132

Viruses (*contd.*)
of sugar beet, 42–43, 49–51
of tobacco, 123, 153
Viruses, names of,
barley yellow dwarf virus, 26, 32–33, 58, 129
barley yellow mosaic virus, 130
bean leaf roll virus, 35
bean yellow mosaic virus, 35–36
beet mild yellowing virus, 42, 49, 133
beet mosaic virus, 133
beet necrotic yellow vein, 51–52
beet western yellows virus, 42, 50–51
beet yellows, 43, 49–50, 57
broad bean stain virus, 126
broad bean true mosaic, 35, 126
broad bean wilt, 126
brome mosaic virus, 129–130
nasturtium ringspot virus, 126
pea enation mosaic, 36
soya bean mosaic virus, 126
sugar beet virus yellows, 42–43, 77
tobacco mosaic virus, 152–153
turnip mosaic virus, 126
Visitors, to Rothamsted, 60

Wales,
grassland map of, 214
soil acidity in, 216
Waterways Experiment Station, USA, 98
Waveney valley, peat in, 206
Weather,
at Broom's Barn, 320
at Rothamsted, 57, 318
at Saxmundham, 321
at Woburn, 319
Weevils, *See: Sitona* spp.
Wellesbourne laboratory, 213
Welsh National Folk Museum, 215
Welsh Plant Breeding Station, 206
Wensleydale and Wharfedale,
soil survey of, 198–199
West Essex Farmers Agronomy Ltd, 214
Wheat,
after barley, 23–24, 26, 176–177
after oats, 24, 26
aldicarb on seedbed, 23–24
aphids on, 26, 94
at Broom's Barn, 54–55
at Rothamsted, 57–58
at Woburn, 57, 177
Avalon, 23–24, 177
baking property of, 153–154
barley yellow dwarf virus on, 26
causes of yield variation, 154
comparison with barley, 32–33
deep cultivation, 63
development of, 63
droughting, 177–178
effect of nutrition on development, 63
effect of soil conditions on, 177–178
effects of a compact subsoil layer on, 63
eyespot on, 27, 108, 127
Factors Limiting Yield of Winter Wheat, 23–28, 57
fungicides on, 57
Fusarium spp. on, 27
grain yield, 23
growth of, 23–24
growth regulator on, 23–24
leaf area index, 24, 30
leaf size, 67
microflora of developing ears, 27
nematodes on, 25
nitrate N in shoots, 25
nitrogen content of, 25
nitrogen on, 24, 63
Norman, 177
omethoate on, 23
pesticides on, 24
pirimicarb on, 23

https://doi.org/10.23637/ERADOC-1-25

This work is licensed under a Creative Commons Attribution 4.0 International License.

INDEX

Wheat (*contd.*)
  prolamins from, 153–154
  root growth of, 63
  sowing data, 62
  take-all on, 26–27, 33, 128–129, 178
  tiller production, 61–63
  water use, 28
    See also: cereals; take-all
Wheat bulb fly, 32
Winchester and Basingstoke soil survey in, 203
Woburn,
  weather at, 319
  wheat at, 57, 177
Worcestershire, soil survey in, 201
Worm-worked wastes, 98
Worms, *See:* Earthworms

X-ray diffraction, 187–188
X-ray equipment, 189
Xylem, translocation of, 111

Yarner Wood National Nature Reserve, 208
Yeasts, on ripening ears, of wheat, 27
Yeovil, soil survey of, 204–205
Yorkshire, soil survey in, 198–200
Yorkshire Dales National Park, 198

Zea mays, See: Maize
Zinc, in sewage sludge, 185–186

https://doi.org/10.23637/ERADOC-1-25