


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Rothamsted Experimental Station Report for 1985

[Full Table of Content](#)



Subject Index

Rothamsted Research

Rothamsted Research (1986) *Subject Index* ; Rothamsted Experimental Station Report For 1985, pp 291 - 300 - DOI: <https://doi.org/10.23637/ERADOC-1-26>

SUBJECT INDEX

The papers in Part 2 have not been indexed.

- Abbeycwmhir, 191
 Acetohydroxyacid synthase, 145
 Acetylene blocking technique, 165
 Acid rain debate, the, 194
Acremonium, 30
 Acute paralysis virus, of honeybees, 98–99
Acyrtosiphon pisum, 94, 96, 123–124
 ADAS, 77, 79–82, 172
 AERE, Harwell, 197
 Aerobiology, 69–70, 129–130
 AFRC, 93, 103, 142, 158, 174, 193
 Straw Operations Group, 172
 Winter wheat model, 93
 AGRENET, 75
 Agricultural Development and Advisory Service, *See*:
 ADAS
 Agricultural Genetics Company, the, 141
 Agricultural land,
 classification of, 199
 management and sales of, 193
Agrobacterium spp., 146
 Agroclimate, 198
 Agroforestry, statistical methods in, 86
 Agviser, 14, 55, 94
 Air photos,
 of eroded fields, 200
 to estimate fodder biomass, 178
 Airborne microorganisms, 129–130
 Alarm pheromone, in aphids, 20
 Aldicarb,
 alternatives to, 112
 as a nematicide, 112, 117, 121
 Algae, blue-green, soil N₂ fixation by, 168
N-alkylamides, 21, 105
 Alnwick and Rothbury, soil survey of, 188
Alternaria, spp., 29, 30
 Alternative crops, 15–16
 Amides, insecticidal, 21, 105, 108
 Amino acids,
 biosynthesis of, 144
 sequences of in barley, rye and wheat, 148, 150–151
 sulphur in, 149
 synthesis of, in wheat leaves, 65
 See also: Names of individual amino acids
 Amino-N, in sugar beet storage roots, 66–67
 Ammonia, assimilation of, 149
 volatilization losses from, 167
 Animal and Grassland Research Institute, 194
 Anisotropic soils, 175
 Antifeedants, 100, 106
 APE 80 sprayer, 123
Aphanomyces, 41
 Aphicides,
 on sugar beet, 50–51
 on wheat, 59
 resistance to, 109–110
 Aphid alarm pheromone, 20, 98, 105–107
Aphid bulletin, 93
Aphid commentary, 93
 Aphid repellents, 48
Aphidius ervi, 96
 Aphids,
 compounds affecting behaviour of, 105–107
 control of on potatoes, 128
 effect of plant age on, 46–47
 electrophoretic variation in, 95
 fungal pathogens of, 97–98
 infectivity with beet yellowing viruses, 32
 insecticide resistance in, 109–110
 kairomones from, 96
 migrations of, 41
 on barley, 26
 on beans, 94, 97–98
 on carrots, 94
 on hops, 94
 on potatoes, 94, 128
 on sugar beet, 41–42, 46–48, 94
 on wheat, 59
 overwintering, 41, 47
 parasitoids of, 96–97
 populations, 94–95
 radar taxonomy of, 19–20
 repellents for, 48
 surveys of, 93–94
 vectors of potato virus Y, 20
Aphis fabae, 41, 46, 48
Aphis gossypii, 106, 110
 'Aphox', 59
 'Apron T69 SD', 163
 Archaeological investigations, 194
 AREAS computer program, 76
Ascaris suum, 115
 Aspartate kinase, 94
 Aspartate pathway, the, 144
Aureobasidium pullulans, on oilseed rape, 30
 Automatic data recording, of soil samples, 178
 Barley,
 aphids on, 26
 at Broom's Barn, 55, 56
 calcium in, 169
 carboxylases from, 143
 comparison of cultivars, 60
 crop sequence experiments for, 23, 25
 cultivation/weedkiller experiment, 60
 deposition of *Erysiphe graminis* in, 69
 ear number, 24
 factors limiting yield, 23–27
 fungicide on, 24
 grain yield, 24–25
 growth regulator on, 24
 high lysine mutants of, 149
 hordeins of, 146, 148
 Igri, 60
 Klaxon, 60
 mildew control on, 60
 on Hoos, 60
 nitrogen concentration in, 25
 Panda, 23–26, 60
 photorespiratory mutants of, 142–143
 Pirate, 26, 60
 potassium deficiency in, 18, 169
 prolamin storage proteins of, 148–149
 seed treatment, 24
 shoot number, 24–25
 Triumph, 60
 viruses of, 20, 27, 60, 105, 122, 125–126
 winter nitrogen on, 24–25
 yields, 60
 See also: Barley yellow dwarf virus; barley yellow
 mosaic virus; cereals; *Erysiphe graminis*; Take-all
 Barley yellow dwarf virus, 27, 105, 125
 Barley yellow mosaic virus, 20, 122, 125–126
 Barney Patch, in sugar beet, 52–53
 'Bavistin FL', 123
 'Baytan', *See*: Triadimenol
 BBC Doomsday Project, 199

INDEX

- Bean leaf roll virus, 31
 Beans (*Vicia faba*),
 aldicarb on, 30
 aphids on, 94, 97–98
 benomyl on, 30
 carbendazim on, 30
 chocolate spot of, 31
 chlorothalonil on, 30
 deltamethrin on, 31
 fosetyl-Al on, 30
 Minden, 60
 nematodes on, 31–32
 pests and pathogens of, 30–31
 rust on, 31–32
 seed rate, 31–32
 viruses of, 31–32
 yields, 27
 See also: Bean leaf roll virus; *Phaseolus vulgaris*
 Bees, *See*: Honeybees
 Beet cryptic virus, 128
 Beet leaf miner, 40
 Beet mild yellowing virus, 41, 46–50
 Beet necrotic yellow vein virus, 51
 Beet western yellows virus, 30
 Beet yellows, 41, 46–50
 control of by aphicides, 51
 effect on aphid performance, 46–47
 See also: Virus yellows
 Behaviour-controlling chemicals, 20, 105–107
 Biggleswade, soil survey in, 190
 Bioassay, novel, to study nematode hatching sequences, 115–116
 Biochemical characterization, of nematodes, 114
 Biodeterioration, of stored rape seed, 130
 Biological agents, to control nematodes, 113
 Biomass, *See*: Soil biomass
 Biometric Unit, 85
 Bioresmethrin, 108
 Biosynthesis, of amino acids, 144
 Birds, in sugar beet fields, 39
 Black dot,
 See: *Colletotrichum coccodes*,
 Black scurf, of potatoes, 128
 Blue-green algae, *See*: Algae
 Bodmin Moor, soil survey in, 197
 Bolters, control of, 39, 53–54
 Boston and Spalding, soil survey of, 189
Botrytis cinerea, 29, 30, 123
Botrytis fabae (chocolate spot), on beans, 31–32
 Botswana, estimation of fodder
 biomass in, 178
Brachycaudus helichrysi, 95
 Bracken, in relation to soil type, 202–203
 Branched chain amino acid synthesis, 144–145
 Brassica crops, fungal diseases of, 20
 Brimstone experiment, the, 158, 174
 British Earthworm Technology Limited, 100–101
 British Sugar, 41, 48, 51, 54–55, 82
 British Sugar Specific Field Survey, 39, 42
 British Technology Group, 93
 Broadbalk, wheat on, 59–60
 Broom's Barn,
 studies with pesticides at, 112
 sugar beet at, 38–55, 66, 82
 weather at, 38–40
 Broom's Barn Farm, 17, 55–57
 Brown foot rot, *See*: *Fusarium* spp.
 Burning of straw, 172–173
 Buxton, Matlock and Dovedale, soil survey in, 189

 Cadmium, concentrations of in plants, 171
 Calcium,
 in barley leaves, 169
 in wheat grain, 172
 Cambridgeshire, soil survey of, 192
 Canker, *See*: *Leptosphaeria maculans*
 Captafol, 24
 Carbendazim,
 on barley, 24
 Carbendazim (*contd.*)
 on beans, 30
 on cereals, 124
 Carbendazim plus maneb, 58
 Carbendazim+vinclozolin, 123
 Carbofuran, 112
 Carbon cost, of nitrogenase activity, 161
 Carbon metabolism,
 in wheat leaves, 65–66
 studies of, 142–144
 Carboxin, toxicity to rhizobia, 163
 Carboxylase activity,
 regulation of by anionic effectors, 143
 See also: RuBP carboxylase
 Carboxylation efficiency,
 effect of nitrogen shortage on, 64–65
 Carrots, aphids on, 94
 Cattle, at Rothamsted, 57, 65
 See also: Livestock
 Cavariella spp., 46
 Cavariella aegopodii, 94
 Cell vacuoles, accumulation of nitrate in, 159
 Cellulolytic fungi, in straw decay, 160
 Cereal seed proteins,
 See: Proteins
 Cereals,
 alternatives to, 16
 aphids on, 94
 at Broom's Barn, 55–56
 at Rothamsted, 58
 at Woburn, 58
 developing endosperms of, 149–150
 diseases of, 124–126
 fungicides on, 124–125
 rhizospheres of, 161
 yields, 15, 56
 See also: Barley; *Erysiphe graminis*; Maize; Oats;
 Take-all; Wheat
Ceutorhynchus assimilis, 29
Chenopodium quinoa, 51–52
 Cheshire, soil survey in, 192, 195
 Cheviot Hills, soil mapping in, 188
 Chickpea, nitrogen fixation by, 161
 Chiral HPLC, for analysis of insecticides, 104
 Chloride,
 as a marker for nitrate, 165
 concentrations of in plants, 161
 Chlormequat, on barley, 24
 2-chloroethylphosphonic acid ('Cerone'), 28
 Chlorophyll, in wheat leaves, 65
 Chloroplasts, barley, 169
 Chlorothalonil, 30
 Chlorsulfuron plus metsulfuronmethyl, 110
 Chocolate spot, of field beans,
 See: *Botrytis fabae*
 Chronic paralysis virus, of honeybees, 98
 Chymotrypsin inhibitors, 149
 CIAT (Centro Internacional de Agricultura Tropical), 162
Cladosporium spp., on oilseed rape, 30
 Clay soils,
 cracking of, 175
 straw disposal on, 16
 Clover,
 mycorrhiza on, 160
 Rhizobium on, 158, 162
 CO₂ concentration, in wheat, 64–65
 CO₂ fixation cycle, enzymes of the, 65
Colletotrichum coccodes (black dot on potato), 122, 127
 Colluvial soils, dating of, 200–201
 Compaction, of soil under traffic, 176
 Compartmentation, sub-cellular,
 of plant nutrients, 98
 Computer models, *See*: Models
 Computer programs, 76
 for soil survey, 199
 See also: Models; Statistical programming; names of
 individual programs
 Computers,
 graphics, 76–77
 Jacquard, 77–79

INDEX

- Rothamsted Computing Unit, 75–78
VAX systems, 75–77, 79, 199
See also: Microcomputers
Conference Hall, the, 12
Consultancy work, by Soil Survey, 193
Controlled traffic system, effect on soil, 176
Copper, from sewage sludge, 171, 172
Coulter counter, for counting and sizing of plant cells, 67–68
Cow-slurry, response of cut grass to N content of, 80
Cracking, of clay soils, 175
Crop experiments, statistical programs for, 80
Crop residues, oxygen demand by, 173
Crop sequences, effect on barley yields, 25
Crop suitability, advice on, 193
Crop yields, 15
See also: under individual crops
Crops, alternative, 15–16
Cryo-fracture-fixation technique,
to study nematode eggs, 114–115
Cryptococcus spp., 30
Cultivation, methods of in Northfield experiment, 172–173
Cultivation/Weedkiller experiment, 60
Cumbria,
soil survey in, 194
soil erosion in, 200
Curve-fitting program, for ADAS, 80
Cypermethrin, 60
Cyst nematodes, See: Nematodes
Cysteine, sulphur in, 149
Cytoplasm, potassium in the, 169
- Dactylis glomerata*, 95
'Dark earth', 177
Dark field microscopic technique, 161
Dark leaf spot, 29
Dasyneura brassicae (pod midges), 29
Data-entry program, 85
Data-logging, 77
Datatrieve, 197, 199
Datura innoxia, 144
Deltamethrin, 108, 123
on beans, 30
on oilseed rape, 28
Deltamethrin+heptenophos, on sugar beet, 50, 51
Demeton-S-methyl, as an aphicide on sugar beet, 50
Denitrification, nitrogen losses caused by, 17
Deroceras reticulatum, 100
Diffraction, X-ray, of soil clays, 176–177
Diffusion,
of ions, in soil, 168
oxygen, resistance to, 161
Diquat, 61
Direct drilling, 173, 176
Dispersal, of fungal spores, 20, 69–70
Dispersion ratio, of soils, 204
'Dithane', 61
Diitylenchus, 21, 114
DNA,
recombinant technology, 149
sequencing, 142
cDNA clones, isolation of, 147–148
Docking disorder, 17, 40–41
Dodecanoic acid, as an aphid repellent, 48
Domestic waste disposal, airborne microorganisms associ-
ated with, 129–130
Dorset, soil erosion in, 200
Drainage, land, 173–174
Drazoxolon, 163
Drought, response of winter wheat to, 63–65, 165
Durham, soil survey in, 194
'Du-ter', 61
- Ear diseases, of wheat, 124–125
Earias insulana, 107
Earthworms, 93, 100–102
and microbial interactions, 101
Eastern England, peat in, 192
EDTA-extractable metal concentrations, in soils, 171
Egg membranes, of nematodes, 114
Egg production, model of, 81
- Eggshell lipid layer, of nematodes, 115
Eisenia foetida, 101
Electrical conductivity, of soils, 204
Electrophoresis, polyacrylamide gel, 160
Electrostatic spraying systems, 110, 127
ELISA technique, the, 99, 147
BYV identification by, 41, 51, 123
Endophytes mycorrhizal, identification of, 160
England and Wales, soil map of, 198
Enol ether side chains, 104
Entomogenous fungi, for aphid control, 97
Entomophthora, 42
Enzyme banding patterns, in mycorrhiza, 160
Enzyme-linked immunosorbant assay,
See: ELISA technique
Enzymes, 142–144
activity of in wheat leaves, 65
barley mutants deficient in, 142–144
in aphids, 110
of the CO₂ fixation cycle, 65
See also: Aspartate kinase; Carboxylase; Esterases;
Glutamine synthetase; Nitrogenase; Peroxidases;
and RuBP carboxylase
Epicoccum purpurascens, on wheat, 124–125
Epping Forest, soil survey in, 206
Erynia neoaphidis, 97
Erysiphe graminis, (barley mildew), 26
control of, 60
deposition of spores, 69
Escherichia coli, transformation of, 19
Essex, soil survey in, 202
Esterases, 110
Estimation, of variance, 83–84
Eudrilus eugeniae, 101
Experiment sites, 194
Eyespot,
See: *Pseudocercospora herpotrichoides*
- Factors Limiting Yield experiment, 60
Farm Research Ltd., 82
Farm wastes, exploitation of, 100
Farmer's lung, 130
Farmers' Weekly demonstration farm, 195
Farmlink, See: Prestel Farmlink
(*E*)- β -farnesene, 98, 105–107
Fenpropimorph, 28
Fentin hydroxide, 61
Fertiliser Manufacturers' Association, 82
Fertilizers,
¹⁵N-labelled, 30
nitrophosphate, 172
P, K, Na and Mg, timing of, on sugar beet, 44–45
sulphur content of, 149
survey of fertilizer practice, 81–82
See also: Nitrogen fertilizers; Phosphate fertilizers
Fibrous root system, of sugar beet, 45
Field beans, See: Beans
Field Drainage Experimental Unit, 17
Field Experiments, 15–16
straw disposal on heavy clay soils, 16
to study rates of nitrophosphate fertilizers, 172
to study the effects of simplified tillage, 176
Field mice, in sugar beet fields, 39
Financing, of research, 12–13
Flea beetle, 39, 61
Fluorescence microscopy, to study nematode hatching
activity, 115–116
Fodder beet, 39, 41
Fodder biomass, estimation of, 178
Foraging, in honeybees, 99–100
Forest Projects Community Programme Agency, 206
Forward Policy, 13
Fosetyl-Al, on beans, 30
Friends of Rothamsted, 14, 172
Fuberidazole, 23
'Fubol' 58 WP, 127
Fungal diseases,
of brassica crops, 20
See also: *Erysiphe graminis*; Eyespot; *Fusarium*; Take-
all

INDEX

- Fungal spores, dispersal of, 20, 69–70
- Fungi,
 cellulolytic, 160
 mycorrhizal, 160–161
- Fungicide seed treatments, for sugar beet, 42–43
- Fungicides,
 at Rothamsted, 59
 effect on wheat grain quality, 170
 for seed treatment of potatoes, 128
 for seed treatment of sugar beet, 42–43
 on cereals, 124–125
 on sunflowers, 123
 volatile, 112
 See also: Names of individual chemicals used as fungicides
- Fusarium* spp.,
 on barley, 26
 on wheat, 34
- Fusion, of potato protoplasts, 146
- Gaeumannomyces graminis* var. *tritici*,
 effect of chloride concentration on, 161
 on barley, 26
 on wheat, 34
 See also: Take-all
- gamma-HCH ('Gammasan 30'), 163
- Gene transfer, 145
- Genes, isolation and expression of, 149–151
- Genkey, 84
- Genstat, 80, 82–84, 86
- Germany, virus incidence in honeybees from, 98–99
- GHOST computer program, 76
- Glasshouse Crops Research Institute, 172
- Glasshouses, 12, 151
- Gley morphology, 201
- Gliadins, of wheat, 145–146, 148
- Glim, 85
- Globodera pallida*, 116–120
- Globodera rostochiensis*, 115–120
- Glomus caledonium*, 160
- Glomus fasciculatum*, 160
- Glomus mossae*, 160, 161
- Glutamine synthetase, 142, 143, 150
- Gluten, structure and dynamics of, 148
- Glutenins, 148
- Glyphosate, to control sugar beet bolters, 53–54
- Grain legumes, See: Legumes
- Grain quality, of wheat, 170
- Grass,
 at Rothamsted and Woburn, 61
 cut, response of to N content of cow slurry, 80
- Grasses, prolamins in, 148
- Grey mould, See: *Botrytis cinerea*
- Groundwater,
 movement in, 173–174
 nitrate leaching into, 168, 202
- Growth regulators,
 on barley, 24
 on oilseed rape, 28, 123, 148
- Halcrow Water, soil survey for, 196
- Hampshire, soil survey in, 202
- Harrow, vertical band applicator fixed to a, 117–118
- Hatching mechanisms, of nematodes, 114–117
- Heavy metals,
 in sewage sludge, 159, 168, 171–172
 residues of, 101–102
- HEN (model of egg production), 81
- Herbicides,
 for cereals at Broom's Barn, 55–56
 new, 144
- Heterodera cruciferae*, 117, 119, 121
- Heterodera glycines*, 114
- Heterodera schachtii* (beet cyst nematode), 17, 42, 114–115, 118
- Hill grasslands, crop inoculation in, 162
- Hilleshog Sugar Beet Breeding Company, 49
- Home-Grown Cereals Authority, 149
- Honeybees (*Apis mellifera*),
 German, acute paralysis virus in, 98–99
 queen pheromones of, 99–100
 Varroa Jacobsoni on, 98–99
 viruses of, 98–99
- Hoos Barley, 60
- Hops, aphids on, 94
- Hordeins, 146, 148, 150
- Host-endophyte relationships, in mycorrhiza, 160–161
- Host-parasitoid interaction,
 models of, 78
- Housefly (*Musca domestica*),
 knock-down resistance in, 21, 105, 107–109
 sex-determining mechanisms in, 108–109
- HPLC, chiral, analysis of isomers by, 104
- Humber warplands, soil survey of, 204
- Humberside, soil survey in, 195
- Hydraulic sprayers, 127
- Hydrographs, drain, 173–174
- Hydroquinone, 166–167
- ICRISAT (International Crops Research Institute for the Semi Arid Tropics), 162
- Identification, of VA mycorrhizal fungi, 160
- Image analysis techniques, 76–77
- Immunospecific electron microscopy, 123
- Impedance factors, ionic, 168
- Imperial College, 41
- Inductively Coupled Plasma Emission Spectrometer, 178
- 'Infectivity Index', for barley yellow dwarf virus, 125
- Inference, 83
- Inflows, nutrient, in winter wheat, 169
- Inheritance, of hatching behaviour in nematodes, 116–117
- Inoculation, dual, 158
- INRA, Science du Sol, 201
- Insect data system, 39
- Insect traps, 20, 93–95
- Insecticidal amides, 105
- Insecticides,
 aphid resistance to, 107, 109–110
 chiral analysis of, 104
 housefly resistance to, 21, 105, 107–109
 relationship between molecular structure and insecticidal activity, 103
 selectivity of, 104
 transplant of, in phloem, 21
 See also: Nematicides; Pesticides; Pyrethroids; names of individual insecticides
- Insects, airborne, radar detection of, 19
- Intercropping, 86
- International Livestock Centre for Africa, 17, 178
- International Society of Soil Science, 206
- Interparticle bonding, in soil aggregates, 175
- Invertebrates, compounds influencing behaviour of, 105–110
- Ion trap effect, See: Translocation
- Ions, diffusion of in soil, 168
- Iprodione, 28
- Iron, in wheat grain, 172
- Irrigation,
 design of systems of, 193
 of sugar-beet, 45–46, 55
 of winter wheat, 165
- ISEM, 123
- Isoproturon, 110–111
- Isotope dilution, 161
- Jacquard computer systems, 77–79
- Jumbo electrostatic sprayer, 127
- Kairomones, from aphids, 96
- Kaolinite, 177
- kdr*. See: Knock down resistance
- Kent, soil survey in, 204, 206
- Knock down resistance, in houseflies, 21, 105, 107–109
- Kriging, 17, 178

INDEX

- Laboratory Information Management System, 199
 Lancashire, peat in, 191
 Land management, soil survey for, 193
 Land restoration, 194
 Landscape planning, advice on, 194
 Lawes Agricultural Trust Committee, 11
 LAWS, advice given to, 194, 195
 Leaching,
 effect on sodium nutrition of sugar beet, 44
 model of, 66, 165, 167
 nitrogen losses from, 167–168
 Leaf area index,
 in sugar beet, 66
 in wheat, 64
 Leaf canopy expansion, in oilseed rape, 67
 Leaf disc transformation method,
 for tomato plants, 150
 Leaf water potential, in wheat, 64
 Leatherjackets, 39
 Leeks, mycorrhiza on, 160
 Legumes,
 diseases of, 123–124
 nitrogen fixation in, 18, 158–159, 161–162
 Lepidoptera, control of, 107
Leptosphaeria maculans, 30
 Less Favoured Areas, 193
 Letcombe Laboratory, closure of, 12, 16, 158, 174
 Ley-arable rotations, 159, 166
 Light leafspot, *See: Pyrenopeziza brassicae*
 Light response curves, 64–65
 Liming, response of rhizobia to, 162
 Lincolnshire, soil survey in, 191–192, 196
 Linseed, 193
Lipaphis erysimi, 106
 Liverpool, soil survey in, 189
 Livestock,
 at Broom's Barn, 57
 at Rothamsted, 62
 statistical analysis for, 41
 Lodging, of winter wheat, 148
 Long Ashton Research Station, 14, 172
Longidorus spp., 40
 Lupins, 16, 61, 124
 inoculation with rhizobia, 163
 Lysine, 149

 Maceration techniques, enzymic, 68
Macrosiphum euphorbiae, 46
 MAFF (Ministry of Agriculture, Fisheries and Food), 13,
 17, 51, 81, 93, 100, 174, 187, 193, 194, 199–200, 204
 Magnesium, in wheat grain, 172
 Maize, mycorrhiza in roots of, 161
 Malvern, soil survey in, 189–190
 Management practices, effect on nitrate losses in winter
 wheat, 167–168
 Mancozeb, 61
 Manganese,
 deficiency of, 40, 176
 in wheat grain, 172
 Maps, *See: Soil maps*
 Markov-chain simulation model, 70
 Martin Down National Nature Reserve, 206–207
 Mass spectrometer, 103
 Mathematical models, *See: Models*
 Maximum Likelihood Program (MLP), 84–85
 MBC resistant isolates, in wheat, 124
 Mean-variance relationships, 83
 Mechanized methods of bolter control in sugar beet, 53–54
 Metadata Blowaway system, 81
Meligethes aeneus (pollen beetle), 29
 Melon rugose mosaic virus, 129
 Mepiquat chloride + 2-chloroethylphosphonic acid, 123
 Mesophyll cells, potassium in, 169
 Metal contents in soil, model of, 78
 Metalaxyl, 127
 Metals, heavy,
 in sewage sludge, 159, 168, 171–172
 uptake of by earthworms, 101–102
 Meteorological Office, the, 199

 Methionine,
 biosynthesis of, 145
 sulphur in, 149
Metopolophium dirhodum, 78, 94, 96
 Metribuzin, 61
 Microbial interactions, with earthworms, 101
 Microcomputers, 76–77, 79, 86, 199
 Microflora, of stored rape seed, 130
Microlophium carnosum, 96
 Micronutrients,
 concentrations of in wheat, 159
 in soils and crops, 171
 in wheat grain, 172
 Micronutrients, in soils, 172–173
 Microorganisms, airborne, 129–130
Microspora faeni, 130
 Microscopy, fluorescence, 115–116
 Microwave scattering, by various insect species, 95
 Midas computer system, 199
 Midland and Western England, 192
 'Mil-col 30', 163
 Mildew, 26, 60, 69
 See also: Erysiphe graminis
 Mineral extraction, 194
 Mineral oil plus cypermethrin, 128
 Mineralogy, of soil clays, 176–177
 Minirhizotrons, 169
 Mobile crop shelters,
 demountable, for winter wheat, 149
 on sugar beet, 45
 Models, mathematical,
 AFRC winter wheat model, 62–63
 discrimination between, 83
 for early dry matter growth of sugar beet, 69
 for leaf area expansion of sugar beet, 68
 for tiller production in winter wheat, 68
 for soil survey, 197, 199
 HEN, for egg production, 81
 of host-parasitoid interactions, 78
 of metal contents in soil, 78
 of nitrate leaching, 66, 165, 167–168
 of particle dispersion, 70
 of population development in aphids, 94
 to predict N min, 44, 167
 Moisture stress, in sugar beet, 46
 Molecular structure, of insecticides, 103, 105
 Mosquitoes, pheromones of, 107
 Mouldboard ploughing, for winter wheat, 176
 Multiple-comparison tests, 83
 Multiple-range tests, 83
 Multi-seeded inoculum pellets, 162
 Multivariate analysis, 84
Musca domestica, *See: Housefly*
 Mutants, in barley, 142–143, 149
 Mycorrhiza, vesicular arbuscular,
 host-endophyte relationships, 160–161
 influence of soil pH on, 160
 inoculation of white clover with, 162
 on strawberries, 160
 sucrose in plants, 160
 symbioses of, 18
Myzus ascalonicus, 46
Myzus cerasi, 95
Myzus persicae, 20, 41, 46, 49, 95, 128
 insecticide resistance in, 109–110
 population dynamics of, 46
 spreading of beet yellowing viruses by, 50–51

¹⁵N, enriched atmospheres, 162
 National Coal Board, the, 202
 National Institute of Agricultural Engineering, 100, 172
 National Peat Inventory, 187, 191–192
 National Soil Inventory, 178, 194, 198
 for Wales, 202–203
 National Soil Map, 203
 National Vegetable Research Station, 77
 Nature Conservancy Council, 93, 197, 206–207
 Nematicides,
 new, 117
 oxime carbamate, 117, 121

INDEX

- Nematicides (*contd.*)
 trial of, 119
See also: Aldicarb; Oxamyl
- Nematodes,
 beet cyst, 21, 42, 114, 118–119
 biochemical characterization of, 114
 biological agents for control of, 113
 brassica cyst, 21
 control of, 113–114, 117–118
 cyst, 114
 effect of temperature on, 116
 egg membranes of, 114
 eggshell lipid layer of, 115
 growth of cultivars resistant to, 113, 118–120
 hatching of, 114–117
 interaction with *Verticillium dahliae*, 120
 interference with behaviour of, 113
 metabolic activity of, 116
 novel bioassay for, 115–116
 on beans, 31–32
 on oilseed rape, 29, 121
 on potatoes, 113, 117–121
 physiology of, 114–117
 root knot, 114
 serological methods for study of, 114
 Newtown, soil survey of, 191
 Nicholas Pearson Associates, soil survey for, 197
 Nickel, in sewage sludge, 171
Nicotiana plumbaginifolia, 144
Nicotiana tabacum, *See:* Tobacco
 Nitrate, and nitrous oxide content,
 of drainage water, 174
 Nitrate leaching, 166
 model, 66, 165, 167–168
 pollution due to, 168, 202
 Nitrate reductase, in wheat leaves, 65
 Nitrate status, model for, 197
 'Nitro-Chalk',
 on oilseed rape, 166–167
 on wheat, 125
 Nitrogen,
 amino N in sugar beet, 66–67
 in cow slurry, 80
 in oilseed rape plants, 28–29
 in the soil, 23, 30
 model to predict requirements for, 44, 167
 uptake of by sugar beet, 67
See also: Nitrate; Nitrate Leaching
- Nitrogen fertilizers,
 efficiency of use, 17
 in crop residues, 166
¹⁵N-labelled, 165–166
 on oilseed rape, 164, 166–167
 on sugar beet, 43–44, 55
 on winter wheat, 56, 63–64, 125, 148–150
 slow release, 161
See also: Fertilizers
- Nitrogen fixation,
 carbon costs of, 18, 158, 159, 161–162
 measurement of by isotope dilution, 161–162
 soil, by blue-green algae, 168
 Nitrogen metabolism, in wheat leaves, 65–66
 Nitrogen shortage, in wheat, 64
 Nitrogen uptake, 66–67
- Nitrogenase,
 carbon cost of activity of, 161
 location of in the root nodule, 18
- NMR machine, 103
 NMR spectroscopy, 103, 148
 Nodulation, on peas, 161
 Nodules, root, 161
 Norfolk, soil survey in, 192
 Norsk Hydro Fertilizers Ltd., 172
 North Kent marshes, soil survey of, 204, 206
 Northern England, peat in, 191
 Northfield experiment, for straw disposal, 172–173
 Northumberland, soil survey in, 204–205
 Northumbria Water, soil survey for, 195
 Nuairimol, on wheat, 125
 Nuclear Magnetic Resonance, *See:* NMR
- Nutrient uptake, 159, 168–169
 Nutritional chemistry, 81
- Oats,
 at Broom's Barn, 55
 at Rothamsted, 60
 before barley, 25
 before wheat, 35, 36, 63
 tonoplast from, 169–170
See also: Cereals
- ODA, the
See: Overseas Development Administration
- Oilseed rape,
 at Rothamsted, 16, 61
 before wheat, 34, 36
 biodeterioration of seed, 130
 brassica cyst nematode on, 21
 deep PK experiment on, 61
 diseases of, 29–30
 dry matter growth, 67
 effect of drainage on, 174
 effect of urea on, 166
 factors limiting yield, 27
 fungicides on, 28
 growth regulator on, 28, 123, 148
 insect pests on, 29
 insecticide on, 27, 28
 leaf canopy expansion, 67
 leaf production, 67
 light interception, 67
 light leaf spot, 20
 nematodes on, 97, 121
 nitrogen uptake, 148
Pyrenopeziza brassicae on, 20, 69–70
 quality of crop, 159
 recovery of labelled fertilizer from, 30
 sowing date, 148
 superficial microflora of, 30
 viruses of, 29–30, 123
 yeasts on, 30
 yields, 148–149
- Oilseed rape root diffusate, 15, 28
 hatching of nematodes on, 117
- Oilseeds research programme, 79
- Olpidium brassicae*, 51–52
- Onions, establishment of, 176
- Opomyza* spp., 33, 34
- Organophosphate nematicides, 117
- Overland flow, transport of soil in, 177
- Overseas Development Administration (ODA), 85, 93, 158
- Oviposition, in mosquito, 107
- Oxamyl, on potatoes, 117–118
- Oxime carbamate nematicides, 117, 121
- Oxygen demand, by crop residues, 173
- Oxygen diffusion, into the legume nodule, 161
- Paraquat plus linuron, 61
- Parasitoids, of aphids, 96–97
- Paratrachodorus* spp., 40
- Particle dispersion modelling, 70
- Particle-size distribution, in soil, 175, 177
- Patatin, 150
- Pathogenesis related proteins,
See: PR proteins
- Pea enation mosaic virus, 31
- Pea moth, tracks of, 78
- Pea seed-borne mosaic virus, 124
- Peas,
 aphids on, 94
 nitrogen fixation in, 161
 viruses of, 123–124
- Peat, *See:* National Peat Inventory
- Penicillium janthinellum*, 160
- Perionyx excavatus*, 101
- Permeability of nematode eggshells, 115
- Peronospora parasitica* (downy mildew),
 on oilseed rape, 29, 30
- Peroxidases, virus-induced, 147

INDEX

- Pesticides,
developments in chemistry of, 21
distribution of, in plant and soil, 111–112
See also: Aphicides; Fungicides; Herbicides; Insecticides; Nematicides
- Pests, soil, of sugar beet, 39
- pH, soil, effect on mycorrhiza, 160
relationship with metal concentration in crops, 171
See also: Soil acidity
- Phaseolus vulgaris* (French bean),
amino acid sequences of, 150–151
nitrogen fixation in, 162
- Pheromones,
alarm, 20, 98, 99, 105–106
in lepidoptera, 106
oviposition, in mosquitoes, 106
queen, 99–100
- Phloem, transport of pesticides in, 21, 111–112
- Phoma betae*, control of, 42–43, 52
- Phoma* leaf spot, on oilseed rape, 30
- Phorate,
on beans, 30
on potatoes, 128
- Phorodon humuli*, 46, 95, 110
- Phosphate fertilizers,
water-soluble phosphate in, 172
- Phosphofructokinase, 150
- Phosphoglycollate phosphatase, 142–143
- Phosphorus,
concentrations of in soil, 160
deficiency of in sugar beet, 41
effect of mycorrhizal infection, 144
in wheat grain, 172
- Photorespiration, 19
- Photorespiratory mutants, of barley, 142–143
- Photosynthesis, 19, 142–143
efficiency of, in wheat, 64–65
- Photosynthetically active radiation, 67
- Piglet mortality, 81
- Pipeline routes, advice on, 194
- Pirimicarb,
on potatoes, 128
on sugar beet, 50
- Plant Breeding Institute, the, 14
- Plant cell biology, 145–146
- Plant cells, counting and sizing of, 67
- Plant nutrients, sub-cellular compartmentation of, 18
- Plant Science Institute, 14
- Ploughing, mouldboard, for winter wheat, 176
- Pod midge, *See:* *Dasineura brassicae*
- Pollen beetle, *See:* *Meligethes aeneus*
- Pollution, nitrate, risk classification of soils for, 167, 202
- Polygonum hydropiper*, 106
- Polymyxa betae*, on sugar beet, 17, 51–52
- Polymyxa graminis*, 20, 126
- Polyscytalum pustulans*, 128
- Population dynamics,
of earthworms, 101
of *Myzus persicae*, 46–47
- Potassium,
deficiency of, in barley, 19, 169
deficiency of, in wheat, 170
in wheat grain, 172
- Potato leafroll virus, 128
- Potato root diffusate,
hatching of nematode eggs in, 115–117
- Potato virus Y, 128
aphid vectors of, 20, 95
- Potatoes,
aphids on, 94, 128
at Rothamsted and Woburn, 61
diseases of, 126–128
fungicides on, 128
nematode resistance in, 113, 118
nematodes on, 117–121
oxamyl on, 117–118
pre-emergence weedkiller on, 61
regeneration from protoplasts, 146, 150
yields, 15
- Powdery mildew, *See:* *Erysiphe graminis*
- PR (pathogenesis related) proteins, 147–148
distribution of in local lesions, 128–129
- Pratylenchus* spp., 29, 31
- Pratylenchus neglectus*, 29, 31
- Pratylenchus penetrans*, 120
- Pratylenchus pinguicaudatus*, 31
- Pratylenchus thornei*, 29, 31
- Prestel Farmlink, 14, 55, 93, 94
- Previous cropping, effect on wheat yields, 148–150
- Prochloraz, 28
and carbendazim, 58
on cereals, 124
on oilseed rape, 122, 123
- Prolamin storage proteins, *See:* Proteins
- Propiconazole, 31, 58, 123
- Programs, *See:* Computer programs; Statistical programming
- Proteins,
cereal grain, 142, 145–146, 148
from potato, 150
pathogenesis related, 128–129, 147–148
- Proton pumping pyrophosphatase, 159, 169–170
- Protoplasts, regeneration from, 146
- Pseudocercospora herpotrichoides* (eyespot),
on barley, 26
on wheat, 34, 124
- Pseudomonads, in the rhizosphere, 159
- Psylliodes chrysocephala*, on oilseed rape, 29
- Pyrenopeziza brassicae*, on oilseed rape, 20, 29–30, 122
dispersal of spores, 69–70
- Pyrethroids, synthetic,
insect resistance to, 78, 107–109
non-ester, 103–104
- Pyrophosphate-driven proton pump, 159, 169–170
- Queen honeybees, pheromones of, 99–100
- 'Radar', for winter wheat, 58
- 'Radar Taxonomy' to detect airborne insects, 19–20, 94–95
- Radiation interception, in sugar beet, 67
- Radiocarbon dating, of colluvial soils, 200–201
- Rangeland, estimating fodder biomass on, 178
- Rape, *See:* Oilseed rape
- Regeneration of barley plants from culture, 146
- 'Reglone', 61
- Remobilization of nitrogen, 66
- Remote sensing,
in soil research, 177–178
to detect aphids, 94
- Rent reviews, agricultural, 193
- Resistance, to insecticides, 21, 105, 107–110
- Restricted randomization, 83
- Rhizobium* spp.,
genetics of, 158
nodulation on lupins, 163
numbers of, 162
on clover, 162
response to liming, 162
- Rhizobium leguminosarum*, 161
- Rhizobium trifolii*, 162
- Rhizoctonia* spp.,
in potato stems, 128
in sugar beet, 52–53
- Rhizoctonia cerealis*,
on barley, 26
on wheat, 34
- Rhizoctonia solani*,
on potatoes, 126–127
on sugar beet, 52–53
- Rhizomania, of sugar beet, 17, 51–52
- Rhizosphere,
of sorghum and millet, 162
pseudomonads of, 162
- Rhopalosiphum padi*, 26, 96
- Rhynchosporium secalis*, 26
dispersal of spores, 129
- Ribulose biphosphate carboxylase, 19
- Ricinus communis*,
pesticide movement in phloem of, 21, 111–112

INDEX

- River catchment studies, 194
 'Ronilan', 123
 Root observation tubes, 169
 Root systems, in wheat, 165
 Rothamsted Insect Survey, 54, 94
 'Rotorod' spore traps, 70
 'Roundup', *See*: Glyphosate
 RuBP carboxylase, 142–144
 in wheat leaves, 65
Rubus fruticosus, 95
 Rye, secalins of, 148
- Sales of agricultural land, 193
 Salicylic acid treatment, effect on TMV and PR protein accumulation, 129
 Saxmundham, weather at, 289
 wheat at, 148
 Scientex systems, 77–78
 Scientific interchange, 14–15
Sclerotinia sclerotiorum, 30, 123
 Seasonal differences, effect on nitrate losses in winter wheat, 167–168
 Secalins, of rye, 148
 Seed advancement studies, for sugar beet, 42–43
 Seedbeds, cultivation of, 176
 Seed rates, for beans, 60
 Seed treatment, of potatoes, 128
 of sugar beet, 42–43
 Seed weevil, *See*: *Ceutorhynchus assimilis*
 Selectivity, of insecticides, 104
 'Sencorex', 61
 'Septal', 58
Septoria spp., on winter wheat, 33, 36
 Serological technique, for identification of resistant *Myzus persicae*, 109–110
 Sewage sludge, acceptance of by soils, 202
 toxic effects of metals in, 159, 168, 171–172
 Sex attractants, *See*: Pheromones
 Sharp eyespot, *See*: *Rhizoctonia cerealis*
 Shear modulus, of soil aggregates, 175
 Shelters, *See*: Mobile crop shelters
 Shropshire, soil survey in, 192, 194–195
 Silver scurf, of potatoes, 128
 Sites of Special Scientific Interest, 193
Sitobion avenae, 26, 94, 96
Sitobion fragariae, 95
Sitona spp., on field beans, 31
 on peas, 123
 SL 291A, 127
 Slugs, 100
 Slurry, acceptance of by soils, 202
 Sodium nutrition, of sugar beet crop, 44–45
 Soil, pesticides in, 111
 phosphorus in, 160
 Soil acidity, 194, 203–204
 See also: pH
 Soil analysis, 178
 Soil and clay structure, 159
 Soil biomass, effect of heavy metals on, 159, 168
 fodder, 178
 Soil classification, 199
 Soil erosion, 177, 200
 Soil Information System, the, 197–199
 Soil Isotope Section, 178
 Soil mapping, 188–191, 198, 202–204, 206
 Soil micromorphology, 205–206
 Soil mineralogy, 176–177
 Soil moisture, 198
 Soil organisms, nitrogen fixation by, 159
 Soil salinity, 204
 Soil sampling, representative, 82
 Soil structure, 174–176
 Soil Survey Handbook, 205
- Soil Survey, of England and Wales, 13, 202, 205
 Soil Survey, of Scotland, 205
 Soil Survey Regional Bulletins, 198
 Soil surveys, Abbeycwmhir, 191
 Alnwick and Rothbury, 188
 Biggleswade, 190
 Bodmin Moor, 197
 Boston and Spalding, 189
 Buxton, Matlock and Dovedale, 189
 Cheshire, 192
 Cumbria, 194
 Durham, 194
 Eastern England, 192
 Epping Forest, 206
 Hampshire, 202
 Humberside, 195, 204
 Lincolnshire, 191–192, 196
 Liverpool, 189
 Market Weighton, 188–189
 Midland and Western England, 192
 Norfolk, 192
 North Kent marshes, 204, 206
 Northern England, 191–192
 Northumberland, 194, 204–205
 Shropshire, 192, 194, 195
 South West England, 192
 Staffordshire, 192
 Suffolk, 192
 Wales, 192, 203–204
 Wensleydale and Wharfedale, 188
 Worcester and the Malverns, 189–190
 Yeovil, 190
 Yorkshire, 194
 Soil water, regimes, 201–202
 retention of, 205
 suction, 175
 use of by direct drilled crops, 176
 Soils, anisotropic, 175
 colluvial, 200–201
 compaction of, 176
 man-made, 177
 micronutrients in, 171–172
 mineralogy of, 176–177
 nitrate pollution of, 202
 pH values for, 203–204
 slurry and sewage sludge acceptance of, 202
 spatial analysis of, 17
 stripping of, 202
 structural stability of, 204
 water movement in, 197, 173–174
 woodland, 202
 Somerset, soil erosion in, 200
 South West England, peat in, 192
 Spatial analysis of soils, 17
 Spatial models, 79
 Specific absorption rates, for nutrients in winter wheat, 169
 Specific Field Survey, 44
 Spectral responses, of cereals, 178
 Splash dispersal, of fungal spores, 70
 Splash erosion, 177
 Spores, dispersal of, 20, 69–70
 traps for, 70
Sporobdomyces spp., 30
 'Sportak', on oilseed rape, 122–123
 on winter wheat, 59
 Stability, soil, 204
 Staffordshire, soil survey in, 192
 Statistical analysis, 79–81
 Statistical models, *See*: Models
 Statistical programming, 84–85
 See also: Genkey; Genstat; GLIM; Maximum Likelihood Program (MLP)
 Statistical theory, 82–84
 analysis and design, 82

INDEX

- Stem canker, *See: Rhizoctonia solani*
 Stem flea beetle, *See: Psylliodes chrysocephala*
 Stokes-Napier equations, 174
 Storage proteins, *See: Proteins*
 Straw,
 disposal of, 158, 160, 172–173
 incorporation experiments with, 32–34, 39, 43–44, 59, 82, 170
 Strawberry, mycorrhiza on, 160
 Strength, of soil fractions, 174–176
 Sucrose, concentrations of,
 in mycorrhizal plants, 160
 Suction traps, 20, 93–95
 Suffolk,
 soil erosion in, 200
 soil survey in, 192
 Sugar beet,
 aphids on, 41–42, 46–48, 94
 at Broom's Barn Farm, 56–57
 bolting of, 39, 53–55
 cyst nematode on, 17
 diseases of, 17, 39, 51–53
 Docking disorder of, 17, 40–41
 downy mildew on, 42
 early dry matter growth, 69
 establishment, 176
 fibrous root growth, 45
 fodder, 39, 41
 fungicide seed treatment, 42–43
 growth of, 38–42
 irrigation of, 45–46, 55
 leaf area expansion of, 68
 leaf area index, 66
 MAFF survey of, 42
 manganese deficiency in, 40
 moisture stress in, 46
 nematodes on, 17, 40, 42
 nitrogen uptake, 66
 pesticides on, 40
 pests of, 39–42, 112
 plant clinic for, 41
 prediction of N fertilizer requirements, 43–44
 productivity of, 40
 remobilization of N from shoot, 66
 seed advancement studies, 42
 soil N supply, 66
 straw incorporation, 39, 43–44
 stunt disorders of, 52–53
 surveys, 82
 tolerance to yellowing viruses, 50
 viruses of, 30, 41, 46–51, 128
 water balance sheet in, 45
 yield forecasts, 55
 yields, 17, 42, 44, 48–50, 66
 See also: Beet cryptic virus; Beet mild yellowing virus; Beet necrotic yellow vein virus; Beet western yellows virus; Beet yellows; Docking disorder
 Sugar Beet Research and Education Committee, 51
 Sulphur,
 atmospheric deposition of, 159
 content of in British wheat, 149, 159, 172
 Sunflowers,
 diseases and yield, 123
 fungicides for, 123
 Super-kdr, 108
 SURFACE II computer program, 76, 199
 Surveys of fertilizer practice, 81–82
 Sym plasmids, 161
 Synecoccus, RuBP carboxylase genes for, 144
 Synomones, 97
 Synthetic pyrethroids, *See: Pyrethroids*
 Take-all on cereals, 161
 on barley, 26
 on wheat, 34, 124
 Temperature,
 effect of on metabolic activity of nematodes, 116–117
 effect on development of barley yellow mosaic virus, 126
 Tensile strength, of clay soils, 175
 Tensile stresses, in clay soils, 175
 'Terpal', 123
 Thin ironpan formation, 204–205
 Thiram,
 for seed treatment of sugar beet, 42–43
 toxicity to rhizobia, 163
 Tillage, simplified, long-term effects of, 176
 Tiller production, in wheat, 34–36, 170
 'Tilt', 123
 Tobacco,
 carboxylases from, 143, 144
 virus diseases of, 128–129, 146–148
 Tobacco mosaic virus, 128–129, 146–147
 Tolerance trials, with potatoes and potato cyst nematodes, 119–120
 Tomatoes, transformation of, 150
 Tonoplast
 oat, pyrophosphate-driven proton pump on, 159, 169–170
 role of in maintaining ionic composition of cytoplasm, 18
 Town and Country Planning Acts, 194
 Toxic metals, *See: Heavy metals*
 Toxin production, by crop residues, 173
 Tracks, of pea moth, 82
 Traffic, compaction of soil under, 176
 Tramlines, for control of traffic on soil, 176
 Translocation, of pesticides in plants, 111–112
 Traps, *See: Insect traps*
 Triadimefon, 24
 Triadimenol ('Baytan'), 23, 24, 26, 125
 Triapenthenol, as a growth regulator, 123
 Triazole growth regulator, 123
 Triazophos, 28
Trichoderma harzianum, 160
 Trichodorus spp., 40
 Tridemorph, 24
Trifolium repens, *See: Clover*
 Tropical crops, diseases of, 129
 Turbulent particle slip, 70
 Turnip, aphids on, 106–107
 University of Lancaster, 145
 Urban soils, man-made, 177
 Urea, on oilseed rape, 166–167
 Urease inhibitor, a, 166–167
Uromyces fabae (rust on beans), 31–32
 US Army, 93
 VA mycorrhiza, *See: Mycorrhiza*
 Vacuole, barley, K concentrations in, 18
 Vacuoles, of mesophyll cells, potassium in, 169
Varroa jacobsoni mites, infestation of honeybees with, 98–99
 Vectors, aphid, 20, 95
 Vertical band technique, for incorporating nematicides into soil, 117–119
Verticillium dahliae, 120
 Vesicular arbuscular mycorrhiza,
 See: Mycorrhiza
Vicia faba, *See: Beans*
 Viewdata systems, 14, 55, 93
 Virus yellows, 39, 41
 field survey for, 41
 warning scheme, 54
 Viruses,
 aphid transmission of, 20, 32, 95, 123
 of barley, 20, 27, 60, 105, 122, 125–136
 of beans, 31–32
 of honeybees, 98–99
 of oilseed rape, 97–98, 123
 of peas, 123–124
 of potatoes, 95, 128
 of sugar beet, 30, 41, 46–51, 128
 of tobacco, 128–129
 of tropical crops, 129
 Wales,
 peat in, 192
 soil acidity in, 203–204
 Waste, domestic, airborne microorganisms associated with, 129–130

INDEX

- Water Research Centre, the, 101
- Water-soluble phosphate, importance in phosphate fertilizers, 172
- Water use, efficiency of, 176
 - See also*: Soil water; Irrigation
- Waterlogging, of soil, 201
- Waterways Experiment Station, USA, 101
- Weather,
 - at Broom's Barn, 288
 - at Rothamsted, 58
 - at Saxmundham, 289
 - at Woburn, 58
 - effect on nitrogen requirements of winter wheat, 167
- Weed beet, 17, 39, 53–54
 - bulletins, 55
- Weed control, *See*: Herbicides
- Weevils, *See*: *Sitona* spp.
- Wensleydale and Wharfedale, soil survey of, 188
- Wetness classes, for soils, definitions of, 201
- Whaddon, straw incorporation at, 62
- Wheat,
 - after arable crops, 165–166
 - after beans, 148
 - after ley, 166
 - after oilseed rape, 63, 148
 - aphicides on, 58
 - apical development, 63
 - at Broom's Barn, 56
 - at Rothamsted, 58–60, 148
 - at Woburn, 58
 - Avalon, 32, 63–64
 - bread-making cultivars, 148
 - carbon and nitrogen metabolism in, 65
 - causes of yield variation, 148–149
 - comparison of cultivars, 59
 - development of winter wheat, 63
 - diseases of, 26, 124–125
 - droughting response in, 63–64
 - effect of nitrogen shortage on, 64
 - effect of simplified tillage on, 176
 - effect of straw treatment on, 32
 - feeding, 148
 - fungicides on, 58, 125, 170
 - gliadins of, 146, 148
 - grain quality, 170
 - growth of, 35
 - leaf water potential, 64
 - light response curves, 64–65
 - Wheat (*contd.*)
 - lodging of, 148
 - Longbow, 59
 - micronutrients, 172
 - nitrate-N in shoots, 35–36
 - nitrogen content of, 36, 149
 - nitrogen on, 34, 35, 63, 125, 148–150
 - nutrient uptake by, 168–169
 - on Broadbalk, 59–60
 - photosynthesis in, 64
 - predicting N requirement of, 167
 - response to nitrogen, 80
 - sulphur content of, 149, 159
 - tiller production, 64
 - yields, 32
 - See also*: Cereals; Straw; Take-all
 - Wheelings, control of, on soil, 176
 - White clover mosaic virus, 123
 - Wick machines, for killing sugar-beet bolters, 54
 - Witch hazel, land suitable for, 193
 - Woburn, weather at, 287
 - wheat at, 58
 - Woburn Market Garden experiment, 78
 - Woodland soils, 202
 - Worcester and the Malverns, soil survey in, 189–190
 - Worcestershire College of Agriculture Farm, 195
 - Word processing systems, 77–78
 - Worm-worked wastes, 101
 - Worms, *See*: Earthworms
- X-ray diffraction, 176–177
- X-ray microanalysis,
 - of barley leaf tissue, 18, 169
 - of nematode eggshells, 115
- Yeasts,
 - identification of, 79
 - on oilseed rape, 30
- Yeovil, soil survey of, 190
- Yield variation, in wheat, causes of, 148–149
- Yorkshire, soil survey in, 194
- Zea mays*, *See*: Maize
- Zinc,
 - from sewage sludge, 171
 - in wheat grain, 172