


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Rothamsted Experimental Station Report for 1986

[Full Table of Content](#)



Subject Index

Rothamsted Research

Rothamsted Research (1987) *Subject Index* ; Rothamsted Experimental Station Report For 1986, pp 327 - 336 - DOI: <https://doi.org/10.23637/ERADOC-1-27>

SUBJECT INDEX

The papers in Part 2 have not been indexed.

- Abscisis acid, effect of on wheat roots, 153
Acaulospora laevis, 141
 Acetohydroxyacid synthase, 128
 Acetohydroxybutyrate, 128
 Acetolactate, 128
 Acetylcholinesterase, 98–99
 Acid rain, 156, 205
 Acid soils,
 biomass C in, 150–151
 nutrient reserves in, 155
 on Park Grass and Geescroft, 156
 Acid sulphate soils, 198, 201
 Acridine orange, 153
 Actinomycetes, soil, 140
 Acute paralysis virus, of honeybees, 19, 92
Acyrtosiphon pisum, 89–90, 116
 ADAS, 73–76, 80, 86, 102, 196, 199
 Adenylate energy charge measurements in soil, 150
 Ades distributions, 73
 Aerobiology, 51–52, 122–123
 AFRC, 11–12, 78, 85, 122, 126, 211
 Institute for Engineering Research, 162
 Winter Wheat Model, 50–51
 AGRENET, 70, 80, 203
 Agricultural Development and Advisory Service,
 See: ADAS
 Agricultural Genetics Company, the, 126, 145
 Agricultural land classification, 211
Agrobacterium spp., 129–130, 133
Agrobacterium rhizogenes, 130, 141
Agrobacterium tumefaciens, 132
 Agropine, 141
 Agviser, 86–87
 Airborne allergens, 123
 Airborne microorganisms, 122–123
Ajuga chamaepitys, 99–100
 Aldicarb,
 as a nematocide, 104, 108, 109
 on sugar beet, 55, 56, 61–62, 64–66
 N-alkylamides, 96–97
 Allergens, airborne, 123
Allium porrum, *See*: Leek
Allolobophora caliginosa, 93
Allolobophora chlorotica, 93
Allolobophora longa, 93
 Alnwick and Rothbury, soil survey of, 194–195
Alternaria, spp., 30, 115–116
 Alternative crops, 15
 Amides, insecticidal, 96–97
 Amino acids,
 biosynthesis of, 126, 128–129
 in barley hordeins, 131
 N-terminal, 127
 See also: Lysine
 Ammonia, assimilation of, 126
 β -amylase, 131–132
 Anisotropic shrinkage, 161
 Antibiotic resistance, in rhizobia, 143
 Antibodies, 127, 129, 134
 monoclonal, 119–120, 122
 Antifeedants, 99–101
 See also: Polygodial
Aphanomyces cochlioides, 56, 58–59
Aphelenchoides, 112–113
 Aphicides,
 on sugar beet, 64–66
 on wheat, 41, 154
 resistance to, 19–20
 Aphid bulletin, 86
 Aphid commentary, 86
 Aphid warnings, 86
Aphidius ervi, 89–90
Aphidius rhopalosiphi, 89
 Aphids,
 alarm pheromone of, 101
 black, 56
 database for, 86
 in suction traps, 86
 infectivity with BYDV, 86–87, 89, 99
 insecticide resistance in, 19, 29, 98–99
 migrations of, 55, 85
 on barley, 26
 on peas, 115
 on sugar beet, 55–56, 62, 64–66
 parasitoids of, 89–90
 population genetics, 88
 predators of, 86, 90
 sex pheromone of, 19, 100
 surveys, 72
 virus vectors, 64–66, 86–87, 89, 116, 120–121
Aphis, spp., 91
Aphis craccivora, 91
Aphis fabae, 56, 64, 87, 91
Aphis sambuci, 87
 Apical development, in winter wheat,
 model for, 50–51
Apis mellifera, *See*: Honeybees
Apodemus sylvaticus, *See*: Fieldmice
 Archaeological investigations, 164, 207
 Argillic horizons, in Northumberland, 208
 ARRS, 78
 Artesian head, 159
Arthrobotrys irregularis, 106
 Ascospores, 51
 Aspartate kinase, 129
Aspergillus, spp., 123
 Asthma, outbreak of in a sugar beet factory, 123
 Atmospheric deposition, 156
Atomaria linearis, *See*: Pygmy beetle
 ATP content, of soils, 150
Aureobasidium pullulans, on oilseed rape, 30
 Automatic data recording, of soil samples, 165
 Avadex, *See*: Di-allate
 Azamethiphos, resistance to, 99

Bacillus spp., 123
 Badgers, density of, 210
 Bakery, airborne allergens in, 123
 Barley,
 at Rothamsted, 42–43
 development and tillering in, 23–24
 disease control, 147
 dispersal of fungal spores from, 122
 effects of previous cropping, 25
 factors limiting yield, 23–26, 146–147
 fungal diseases of, 26, 116
 growth and yield in, 24–25, 128–129
 high lysine genes, 132, 133
 hordeins of, 131–132
 Igri, 42
 Klaxon, 43
 leaf area index, 24
 leaf blotch on, 26
 nitrogen in soil, 23
 on Hoos, 42

INDEX

- Barley (*contd*)
 Panda, 23–25, 42
 phosphate on, 154–155
 Pirate, 25, 42
 regeneration from immature embryos, 131
Rhizoctonia solani from, 120–121
 take-all on, 26, 118
 triadimenol + fuberidazole on, 25
 viruses of, 14, 15, 26, 42, 86–87, 89, 99, 119–120
 volunteers, 42, 146
 See also: Barley yellow dwarf virus: Barley yellow mosaic virus; cereals; *Erysiphe graminis*; Take-all
 Barley yellow dwarf virus, 14, 15, 19, 26, 42, 119–120
 aphid vectors of, 86–87, 89, 99
 Barley yellow mosaic virus, 119
 Basidiomycetes, 140
 Bayesian estimation, 76
 'Baytan', See: Triadimenol
 BBC Domesday Project, 76
 Beans (*Vicia faba*),
 benomyl on, 43
 chlorothalonil on, 43
 chocolate spot of, 43
 Minden, 43
 nematodes on, 104
 rust on, 43
 seed rate, 43
 yields, 43
 See also: *Phaseolus vulgaris*
 Beddgelert forest, 155
 Bees, See: Honeybees
 Beet cryptic virus, 121–122
 Beet mild yellowing virus, 55–56, 65–66
 Beet necrotic yellow vein virus, 56
 Beet western yellows virus, 115
 Beet yellows, 65–66, See also: Virus yellows
 Beetles, as aphid predators, 90
 Beetroot, 176
 Behaviour-controlling chemicals, 99–100
Bemisia tabaci, insecticide resistance in, 96
 Bendiocarb, 61–62
 Benfuracarb, 61
 Benomyl, 43, 115
 Benzyltriazoles, substituted, 102
 Biochemical characterization, of nematodes, 112
 Biochemistry, of insecticide resistance, 98–99
 Biocontrol agents, 140
 Biological agents, to control nematodes, 105–107
 to control take-all, 118–119
 Biomass, See: Soil biomass
 Biomass carbon, in acid soils, 150–151
 Biosynthesis, of amino acids, 126, 128–129
 Birds, in sugar beet fields, 54
 Bolting, control of, 53–54, 57
 Boron uptake, 72
 Boston and Spalding, soil survey of, 196–197
Botrytis spp., 116
Botrytis cinerea, 30, 115
Botrytis fabae (chocolate spot), on beans, 43
 Br tracer, to estimate nitrate leaching, 148
Brachycaudatus helichrysi, 87, 91
 Brassica cyst nematodes, 106–108
 Brimstone Experiment, the, 72, 159–160
 British Geological Survey, the, 205
 British Sugar, 49, 55, 56, 62, 75, 102
 British Sugar Specific Field Survey, 53–54
 Broadbalk, wheat on, 148, 153–154
 Broom's Barn, 11, 14, 49, 56
 cereals at, 50, 66–67
 farm, 66–67
 long-term soil fertility experiment at, 60
 studies with pesticides at, 98–99
 sugar beet at, 48, 53–67
 weather at, 54–55, 63, 326
 wheat at, 50
 Brown foot rot, See: *Fusarium* spp.
 Brussels sprouts, 202
 Bulb onions, See: Onions
 Burning, of straw, 157
Bursaphelenchus xylophilus, 112
 Cadmium, concentrations of in soil, 93
 Canker, See: *Leptosphaeria maculans*
 Carbendazim, 106, 117–118
 on barley, 42
 on beans, 104, 105
 on cereals, 41
 Carbendazim plus maneb, 41
 Carbendazim + vinclozolin, 115
 Carbofuran, 61, 104
 Carbon dioxide responses, in wheat, 47
 Carbon metabolism, in potatoes, 126
 Carbosulfan, 55, 61–62
 2-carboxy-D-arabinitol-1-phosphate, 20–21, 127
 Carboxylation efficiency, in wheat, 49–50
 Carboxylesterase, 98
 Carrots, 176
 acetoxyhydroxyacid synthase from, 128–129
 Catalase mutant, of barley, 128
 Catmint, 100
 Cattle, at Rothamsted, 45
 See also: Livestock
 Cell Biology Programme, 21
 Cell division and expansion, in winter wheat leaves, 49
 Cell separation, enzymic techniques of, 49
 Cell Signalling and Recognition Programme, 133
 Cementstone lowlands, soil survey in, 194–195
 Centro Internacional de Agricultura Tropical, 143
 Cereal seed proteins, See: Proteins
 Cereals,
 aphids on, 26
 at Broom's barn, 50, 66–67
 at Rothamsted, 16, 41–43
 at Woburn, 41–43
 diseases of, 116–120
 fungicides on, 101–102, 117–118
 yields, 164–165
 See also: Barley; *Erysiphe graminis*; Maize; Oats;
 Take-all; Wheat
 'Cereals 86', 40
Ceutorhynchus assimilis, 29
Chaetomium, spp., 140
 Charcoal, effect on nematode hatching, 110–111
 Cheviot Hills, the, 194–195
 Chiltern dry valley soils, 163–164
 Chloramphenicol acetyl transferase, 131–132
 Chloridazon, 111
 Chlorophyll, in wheat leaves, 49
 Chlorothalonil, 43, 115
 Chlorsulfuron, damage to sugar beet caused by, 18, 54, 102–103
 Chocolate spot, of field beans, See: *Botrytis fabae*
 Chromosome stability, of regenerated potato plants, 130
 Chymotrypsin inhibitors, 131
 CIAT (Centro Internacional de Agricultura Tropical), 143
 Circular dichroism spectroscopy, 133
Cladosporium spp., 123
 on oilseed rape, 30
 Clay mineralogy, of Kenyan soils, 155
 Clay soils, cracking of, 161
 Cloning, of viruses, 121–122
 Clover,
 mycorrhiza on, 141, 144
 nitrogen fixation by, 154
 Cloves, Sumatra disease of, 122
 Coffee, nematodes on, 112
 Cold-induced sweetening, in potato, 126, 129
 Colombia, soil microbiology projects in, 143–144
 Commonwealth Mycological Institute, 51
 Computer models, See: Models
 Computer programs, for soil survey, 203–204
 See also: Models; names of individual programs
 Computers,
 for soil survey, 195, 200, 203–205, 210
 graphics, 205
 instrumentation, 71
 logging system for glasshouses, 135
 simulation of leaching with, 149–150
 See also: Microcomputers; Statistical computing
 Conference Hall, the, 13
 Connectivity density, soil, 162

INDEX

- CONSERVB, 160
 Consultancy services, offered by Soil Survey, 205–207
 Copper, in soils, 93, 154
 Cornish-Bowden's formula, 73
 Coulter counter, the, 49
 Cracking, in clay soils, 161–162
 Cranfield Institute of Technology, 14
 CRIES geographical information system, 203–204
 Crop experiments, statistical programs for, 73
 Crop residues, oxygen demand by, 158
 Crop rotation, for nematode control, 105
 Crop sequences, effect on barley yields, 25
 Crop suitability studies, 201–203
 Crops, alternative, 15
 Cross-resistance, 97
 Cushman-Barber model, 152
 Cycloate, 111
Cylindrocarpon destructans, 107
 Cyst nematodes, *See*: Nematodes
 Cytokinin gene, the, 133
- 'Dark earth', 164
 Dark regulation, of ribulose biphosphate carboxylation, 127
Dasineura brassicae (pod midges), 29, 90–91
 Databases, 14, 71, 86, 204, 210
 Datatrive, 71
 Degradation, of triazoles in soil 102
 Deltamethrin, housefly resistance to, 97
 Demeton-S-methyl, as an aphicide on sugar beet, 64–65
 Denitrification, nitrogen losses caused by, 148–149
 Department of Trade and Industry, 156
 Designs, statistical, 76
 Devernalizing, of sugar beet seed, 58
 Di-allate, effect on cyst nematode hatch, 111
 Diethyl mercuric phosphate (EMP), 58–59
 Diffraction, X-ray, of soils, 163
 Diffractometer alignment, instabilities in, 163
 Dimethoate, 104–105
 Diquat, 37
 Direct drilling,
 compared with ploughing, 159–160
 into stubble, 157
 Dispersal, of fungal spores, 20, 51–52
Ditylenchus, 19, 112
Ditylenchus dipsaci, 104, 113
 DNA,
 aphid, 99
 extraction from cyst nematodes, 112–113
 from beet cryptic virus, 121–122
 homology, 122
 sequences of genes, 127
 sequencing, 77
 transfer of, 130–132
 DNA probes,
 for nematodes, 19
 for Sym plasmids, 143
 Docking disorder, 54–56, 61–62
 Domestic waste disposal, airborne microorganisms associated with, 122–123
 Double ridges phase, in wheat, 51
 Drainage,
 effect on nitrogen use, 148–149
 in the Brimstone Experiment, 159–160
 land, 170
 to solve groundwater flow problem, 159
Drepanosiphum platanoides, 88
 Drought, response of winter wheat to, 152
 DSM, on sugar beet, 64–65
 Durum wheat, 133
- 'Earthquake' deep-tine cultivar, 37
 Earthworms, 93
 as indicators of heavy metal bioavailability, 92
 EEC Biomolecular Engineering Programme, 126
 'Eelworm wool', 113
 Efford Experimental Horticulture Station, 199
 Egg-yolk colouring, 74–75
- Eisenia foetida*, 93
 Elastin, 133
 Electrofusion,
 of potato protoplasts, 130
 production of somatic hybrids of potato by, 21
 Electrophoretic techniques, for nematode identification, 19
 Electroporation techniques, 130
 Electrostatic spraying systems, 104, 115
 See also: Spraying systems
 ELISA technique, the, 122
 BYV identification by, 30, 65–66, 119–120
 study of take-all with, 119
 to monitor acute paralysis virus in honeybees, 92
Elytrigia elongata, 132
Elytrigia pontica, 132
 EMP seed treatment, 58–59
 England and Wales, soil map of, 193
 Entomogenous fungi, for aphid control, 88–89
 Entomophthora, 56, 64
Entrophospora colombiana, 144
 Enzyme-linked immunosorbant assay.
 See: ELISA technique
 Enzymes,
 activity of in wheat leaves, 127
 in barley mutants, 126, 128
 in potato leaves, 127
 of amino acid biosynthesis, 128–129
 of ammonia assimilation, 129
 Epsom systems, 71, 74
 Ergosterol biosynthesis-inhibiting fungicides, 118
 Erosion,
 soil, 201, 208
 wind, 197
Erynia neoaphidis, 88–89
Erysiphe betae, 62–64
Erysiphe graminis (barley mildew), 26, 35, 36, 42
 on wheat, 36, 41
Escherichia coli, 123, 127
 Estimation, of variance, 76
 Ethernet, 72
 Exeter University, 209–210
 Exmoor, soil survey in, 209
 Expert system 'shell' for MLP, 79
 Eyespot, *See*: *Pseudocercospora herpotrichoides*
- Factors Limiting Yield experiments, 23–26, 42
 Farm Research Ltd., 75
 Farmers, consultancy services for, 15, 205–207
 Farmlink, *See*: Prestel Farmlink
 Farmyard manure, compared with sewage sludge, 17–18
 Fastidious prokaryotes, 122
 Feed Evaluation Unit Digestibility Program, 80
 Fenland, soils of, 198
 Fenpropimorph, 136
 Fenvalerate, 95
 Ferredoxin-glutamate synthase, 128
 Fertiliser Manufacturers' Association, 75
 Fertilizers,
 ¹⁵N-labelled, 148
 P and K, 151–152
 survey of fertilizer practice, 75
 water-soluble phosphate in, 154–155
 See also: Nitrogen fertilizers; Phosphate; Potassium
 Fibrous root system, of sugar beet, 60
 Field beans, *See*: Beans
 FIELD data entry program, 74, 80
 Field Drainage Experimental Unit, 199
 Field Experiments, 15, 23–37
 Field mice, in sugar beet fields, 54
 Financing, of research, 11–12
 'Finger prints', of potato cyst nematodes, 112–113
 Forecasting,
 of BYDV, 120
 of eyespot, 117
 Forestry, 155–156
 Forestry Commission, the, 155
 'Friends of Rothamsted', 15
 Friskney, soil survey in, 175
 Fungal carbohydrates, 142
 Fungal competition, 141

INDEX

- Fungal diseases,
 of cereals, 116–120
 of lupins, 116
 of sunflower, 115
 See also: Erysiphe graminis: Eyespot; Fusarium: Take-all
- Fungal spores, dispersal of, 20, 51–52
- Fungi,
 mycorrhizal, 140–144
 nematophagous, 105–107
 spore dispersal, 122
 wilt, 108–109
- Fungicides, 35, 106
 degradation of, in soil, 102
 effects on take-all, 101–102, 117–118
 on cereals, 117–118
 on wheat, 154
 resistance to, 117, 121
 See also: Names of individual chemicals used as fungicides
- Furathiocarb, 61–62
- Fusarium* spp., 118
 in straw decomposition, 140
- Fusarium avenaceum*, 115–116
- Fusarium oxysporum*, 107
- 'Future with Rothamsted', 14
- Gaeumannomyces graminis* var. *tritici*,
 biological control of, 119
 effects of various fungicides on, 101–102
 See also: Take-all
- Gangrene, on potato, 120
- Gas chromatography/mass spectrography, 127
- Geescroft, 156
- Generalized linear models, 76–77
- Genes,
 CAT reporter genes, 131–132
 manipulation of, 126
 symbiotic, in *Rhizobium*, 142–143
 transfer of, 129–130
 See also: Mutants
- Genetic Manipulation, Advisory Committee on, 143
- Genstat, 21, 71, 77–79, 203–204
- GHOST computer program, 71
- Glasshouses, 13, 94, 135
- Gliadins, of wheat, 132–133
- Globodera pallida*, 105, 108–109, 112–113
- Globodera rostochiensis*, 36–37, 105, 108–111, 113–114
- Glomus* spp., 142
- Glomus caledonium*, 141
- Glomus clarum*, 141
- Glomus fasciculatum*, 141
- Glomus manihotis*, 141, 144
- Glomus mossae*, 141
- Glomus tenuis*, 141
- β -Glucuronidase, 133
- Glutamate oxaloacetate transaminase, 88
- Glutamate synthase, 128, 129
- Glutamine synthetase, 128, 129
- Gluten, structure of, 132–133
- Glutenins, 132–133
- Glycollate oxidase, 128
- Goethite, 163
- Grain growth, mathematical model of, 50
- Grain legumes, *See: Legumes*
- Granular inoculants, 145
- Grass,
 plastic, 92
 productivity of, 45
- Grasslands, mycorrhizal inoculation of clover in, 144
- Great Yarmouth, soil survey in, 197
- Grey mould, *See: Botrytis cinerea*
- Ground pine, 99–100
- Groundwater flow, 158–159
- Gwent, soil survey in, 207
- Hamamelose bisphosphate, 20–21
- Harpalus rufipes*, 90
- Hatching, of cyst nematodes,
 effect of charcoal on, 110–111
 effect of herbicides on, 111
- Haynaldia villosa*, 132
- Headlands, in beet fields, 59
- Heavy metals,
 earthworms as indicators of bioavailability of, 93
 in sewage sludge, 17
- Helminthosporium solani*, 121
- Hematite, 163
- Herbicides,
 effect of residues on sugar beet, 17–18
 effect on hatching of cyst nematodes, 111
 for sugar beet, 54, 94
 new, 21
 sulphonylurea and imidazolinone, 129
- Heterodera avenae*, 106–107
- Heterodera cruciferae*, 106–108, 110
- Heterodera goettingiana*, 106
- Heterodera schachtii* (beet cyst nematode), 56, 107, 110–111
- High molecular weight subunits, of glutenin, 132–133
- High-resolution isoelectric focusing of nematode proteins, 19
- High-speed photography, 52
- Home Grown Cereals Authority, the, 140
- Honeybees (*Apis mellifera*),
 acute paralysis virus in, 92
 pheromones of, 92–93
 queen recognition in, 92–93
 Varroa jacobsoni on, 19, 92
- Hordeins, of barley, 131–132
- Hordeum spontaneum*, plants regenerated from, 131
- Hormone composition, of regenerated potato plants, 130
- Horticultural crops, suitability of soils for, 170
- Host-endophyte relationships, in mycorrhiza, 140–141
- Housefly (*Musca domestica*),
 knock-down resistance in, 96–99
- Humber warplands, soil survey in, 208
- Hydraulic conductivity, of soil, 158–160, 161, 208, 210
- Hymexazol, on sugar beet, 58–59
- ICI Agviser, 14
- ICRISAT (International Crops Research Institute for the Semi Arid Tropics), 143
- IEF, 112
- Imidazolinone herbicides, 129
- Immunoassay, for resistance-conferring enzyme in *Myzus persicae*, 19
 monitoring of insecticide resistance by, 98–99
- Immunospecific electron microscopy, 30, 120
- 'Infectivity Index', for barley yellow dwarf virus, 120
- Inhibitor of CO₂ assimilation, 20
- Inoculants, granular, 145
- Inoculation, crop, 143–144
- Insect database, 71
- Insect traps, 85–88
- Insecticidal amides, 96–97
- Insecticides,
 aphid resistance to, 19, 96, 98–99, 116, 121
 combination with pheromones, 101
 database, 71
 effect on BYDV, 42
 housefly resistance to, 96–97
 molecular structure of, 94–96
 relationship between molecular structure and insecticidal activity, 94–95
- Institut National de la Recherche Agronomique, 87
- Institute of Arable Crops Research (IACR), 11, 12
- Institute of Horticultural Research, 211
- Institute of Hydrology, 205
- Institute of Terrestrial Ecology, 155, 199
- Integrated management programmes, for nematode-infested soils, 105
- Intercropping research, 80
- Interparticle bonding, 160–161
- Invertase, in mycorrhizal roots, 142
- Ion trap effect, *See: Translocation*
- Iprodione, 115
- IPSS, 70
- Iron oxides, removal of from soil, 163
- Iron rich soils, 163

INDEX

- Irrigation,
 of sugar-beet, 55
 of winter wheat, 47
ISEM, 30, 120
Iso-electric focusing, 112
Isoleucine, 128
- JANET, 70
- Kdr*, *See*: Knock down resistance
KDS solution, 49
Kent, soil survey in, 198
Kenyan soils, potassium in, 155
Klebsiella/Enterobacter spp., 123
Knock down resistance, in houseflies, 96–98
Knowsley Hall Moss, 196
- Lancashire, soil survey in, 198
Land drainage, 196
Land evaluation, 200–203
Land Information System, 193, 203–205, 207
Land IS, *See*: Land Information System
Land management, soil survey for, 196
Land restoration, 199
Landfill sites, airborne microorganisms at, 123
Lawes Agricultural Trust Committee, 12
Leaching,
 model of, 149–150
 nitrogen losses from, 16–17, 148–149, 151, 196, 199, 201
Lead, in soils, 93
Leaf blotch (*Rhynchosporium secalis*),
 on barley, 52, 117
 on wheat, 36
Leatherjackets, 54
Leeks, mycorrhiza on, 141–142
Legumes,
 diseases of, 115–116
 nematodes on, 105
 nitrogen fixation in, 142–143
Lenacil, 111
Lepidoptera, pheromones in, 99–100
Leptosphaeria maculans, 30
Lettuce, 202
Leucine, 128
Leverhulme Trust, the, 15
Library, database management in, 14, 15
Light leafspot, *See*: *Pyrenopeziza brassicae*
Light response curves, for wheat, 47
Liming, long term, 43
Lincolnshire, soil survey in, 201
Lipophilicity, of fungicides, 101–102
Liverpool, soil survey in, 196, 202
Livestock,
 at Broom's Barn, 67
 at Rothamsted, 45
 statistical analysis for, 74–75
Loess-like sediments, 164
Long Ashton Research Station, 11, 18, 20
Long Term Liming experiments, 43
Longidorus spp., 54, 61
Low molecular weight subunits, of glutenin, 133
Lucerne, nematodes on, 104–105
Lucerne vein-yellowing virus, 116
Lumbricus terrestris, 93
Lupins, 40, 44
 fungal invasion of, 116
 inoculation with rhizobia, 144, 145
 pests of, 91
Lycopodium spp., spores of, 51
- Macrosiphum albifrons*, 91
Macrosiphum avenae, 120
Macrosiphum euphorbiae, 91
MAFF, 14, 20, 119, 193, 197–200, 203, 205, 211
 Harpden Laboratory, 56, 119
Maize, supply of N, P and K to roots, 151
Management practices, effect on organic matter in soil, 150
Mancozeb plus maneb, 43
Mangold fly, in sugar beet, 54
Mannitol, 49
Mannopine, 141
Maps, *See*: Soil maps
Market Weighton, 195
Markov-chain turbulent dispersion, 51–52
Martin Down National Nature Reserve, 207
Mathematical models, *See*: Models
Maximum Likelihood Program (MLP), 76, 79
Megoura viciae, sex pheromone of, 20, 100
Meligethes aeneus (pollen beetle), 29, 91
Meloidogyne spp., 112
Meloidogyne incognita, 106, 112
Metabolic inhibitors, effect of on nematodes, 113–114
Metals, heavy, 93
 effect on establishment and nitrogen fixation by white clover, 154
Metopolophium dirhodum, 34, 35, 72, 86, 88–90
Metribuzin, 111
Microcomputers, 71–72, 80, 203–204
Microlophium carnosum, 90
Micronutrients, in soils, 154
Microorganisms, airborne, 122–123
Microscope-slide collection, of nematodes, 112
Mildew, *See*: *Erysiphe graminis*
Millet, nitrogen fixation in, 143
Mineralogy, of soil clays, 163
Minster Agriculture Ltd., 207
Mobile crop shelters, 47, 152
Models, mathematical, 45
 for herbicide movement in soil, 18
 for transport of water and heat in soil, 160
 for turnover of organic matter in soils, 150–151
 of DNA sequences, 77
 of grain growth, 50
 of nitrate leaching, 149–150
 of P and K uptake, 151–152
 of photosynthesis, 50
 of resistance development in houseflies, 97–98
 of spread of mycorrhizal infection, 142
 splash droplet dispersal modelling, 51–52
 statistical, 77
 to predict badger density, 210
 winter wheat model, 20, 50–51
Moisture, measurement of by NMR spectrometry, 165
Mole and pipe drain system, 159
Molecular structure, of insecticides, 94–96
Molluscicide, 36
Monoclonal antibodies, 119–120, 122
Morphometric techniques, for identifying nematodes, 112
Mummy formation, by aphid parasitoids, 89–90
Musca domestica, *See*: Housefly
Mutants, in barley, 128–129
Mycorrhiza, vesicular arbuscular,
 comparison of strains, 141
 for tropical legumes, 143–144
 host-endophyte relationships, 142
 isozyme variation in, 141
 on leeks, 141
 susceptibility of roots to infection, 141
 transfer of opines to, 140–141
Myzus persicae, 55, 62, 64–65, 87, 91, 96
 insecticide resistance in, 19–20, 96, 98–99, 116, 121
- ¹⁵N, labelled fertilizer, 148
National Farmers' Union, 76
National Institute of Agricultural Botany, 58
National Peat Inventory, 198–199
National Soil Inventory, 204–211
National Soil Map, 210–211
National Vegetable Research Station, 18
Nature Conservancy Council, 207
Nebria brevicollis, 90
Nematicides, 104–105, 108–109
 for use on oilseed rape, 107–108
 See also: Aldicarb; Oxamyl
Nematodes,
 beet cyst, 54–55
 biochemical characterization of, 19, 112–113
 biological agents for control of, 105–107
 brassica cyst, 106–108
 control of, 104–108

INDEX

- Nematodes (*contd*)
 culturing of, 113
 cyst, 105–111
 effect of metabolic inhibitors on, 113–114
 egg parasitic fungus of, 105–106
 hatching of, 110–111
 identification of, 19
 microscopic slide collection of, 112
 morphological studies, 112
 on beans, 104
 on legumes, 105
 on lucerne, 104–105
 on oilseed rape, 107–108, 110
 on red clover, 105
 permeability of, 113
 potato cyst, 36–37, 105, 108–113
 root knot, 105–106, 112
 scanning electron microscope studies of, 112
 stem, 104–105, 113
 taxonomy of, 18–19, 111–113
 wilt fungi of, 108–109
 Nematophagous fungi, 105–107
Nematophthora gynophila, 107
Nepeta cataria, 100
 Nepetalactone, 100
 NERC Radiocarbon Laboratory, 150
 Net blotch, (*Pyrenophora teres*), on barley, 117
 New Plant Products Laboratories, 145
 Nickel, in soil, 154
Nicotiana tabacum, *See*: Tobacco
 Nitrate,
 effect of supply of on thylakoid composition in wheat,
 49–50
 leaching of, 16–17, 148–149, 151, 196, 199, 201
 uptake of, 126, 129
 Nitrification, 156
 Nitrogen,
 balance of, 148
 deep, recovery of by wheat, 146
 effect of drainage on use of, 148–149
 foliar, 148
 immobilization of, 149
 in oilseed rape plants, 148
 mineral, in soil, 149
 on winter wheat, 32–33
 uptake of, 152
See also: Nitrate
 Nitrogen fertilizers,
 comparative efficiency of, 73
 on sugar beet, 55
 on winter wheat, 150
 prediction of requirements, 48–49
See also: Fertilizers
 Nitrogen fixation, 17–18, 129, 140, 142–143, 154
 Nitrogen uptake, 126
 Nitrosomethylurea, 128
 NMR spectroscopy, 165
 Nodules, root, 17, 129
 Non-ester central group, 95
 Non-linear models, 76–77
 Norfolk, soil survey in, 198
 Norsk Hydro Fertilizers Ltd., 154–155
 North Kent marshes, soil survey of, 198
 Northumberland, soil survey in, 194, 208
 NPPL, 145
 Nuairimol, 101–102, 117–118
 Nuclear Magnetic Resonance, *See*: NMR
 Numerical Algorithms Group, 77–78
 Numerical density, soil, 162
 Nutrient fluxes,
 in acid upland soils, 155
 into wheat roots, 152
 Nutrient reserves, in acid upland soils, 155
 Nutritional chemistry, 74
 'Oat-onion' race, of stem nematode, 104, 112
 Oats,
 at Woburn, 43
 tonoplast from, 153
See also: Cereals
 ODA, *See*: Overseas Development Administration
 Oil, measurement of by NMR spectrometry, 165
 Oilseed rape,
 aphids on, 29
 at Rothamsted, 16, 43
 diseases of, 30
 DNA studies with, 131
 dry matter growth, 27–28
 factors limiting yield, 26–31
 foliar nutrients for, 29
 fungicides on, 27, 30
 growth and development, 26–27
 herbicide on, 26
 insect pests on, 29
 microflora of leaves and pods, 30
 nematicide trials with, 107–108
 nematodes on, 29
 nitrogen in plant sap, 28–29
 nitrogen in plants, 28
 nitrogen in soil, 28
 oil content of seed and oil yield, 147, 158
 seed and oil yield, 27–28
 spore dispersal in, 20
 straw disposal before drilling of, 44, 157–158
 viruses of, 115
 yeasts on, 30
 yields, 47–48, 147
 Onions,
 cultivation of seedbed for, 161
 pseudomonads in rhizosphere of, 140
 soil suitability map for, 201–202
 Opines, transfer of, 140–141
Opomyza spp., 34, 35
 Organic matter, turnover of in soil, 150
 Orientation behaviour, of pea moths, 92
 Overseas Development Administration, 80, 143
 Oxamyl,
 on oilseed rape, 107–108
 on potatoes, 36–37, 105
 on sugar beet, 61–62
 Oxybutyrate, 128
 Oxygen demand, for straw, 158

Paecilomyces lilacinus, 107
 Parasitoids, of aphids, 89–90
Paratrachodorus spp., 54, 61
 Park Grass, 156
 Particle size analyser, the, 208
 Patatin, 131, 133
 Patent application, for *Rhizobium inoculum*, 145
Pathogenesis related proteins, *See*: PR proteins
 Pea moth,
 monitoring of, 91–92
 orientation behaviour of males, 92
 Pea seed-borne mosaic virus, 115–116
 Peas,
 aphids on, 115
 nitrogen fixation in, 142–143
 viruses of, 115–116
 vining, moth monitoring in, 91–92
 Peat, *See*: National Peat Inventory
 Peat,
 analysis of, 210–211
 wastage rate of, 198
 Pebulate, 111
Pegomya betae, *See*: Mangold fly
 Penconazole, 101–102, 118
Penicillium spp., 123
 Permeability characteristics, of stem nematodes, 113
 Permethrin, 98
Peronospora parasitica (downy mildew), on oilseed rape, 30
 Pesticides,
 aphid resistance to, 19, 96, 98–99, 116, 121
 distribution of, in plants and soil, 101–103
 to control Docking disorder, 55
See also: Aphicides; Fungicides; Herbicides; Insecticides and Nematicides
 Pests, of sugar beet, 54–55, 62
 pH gradient formation, in oat tonoplast, 153

INDEX

- pH, soil, 150–151, 153, 156
 changes in, 16–17
 effect on lupins, 144
 See also: Soil acidity
- Phaseolus vulgaris* (French bean),
 granular inoculants for, 145
 nitrogen fixation in, 129, 143
- Pheromones, 94
 alarm, 101
 from *Dasineura brassicae*, 90
 in insecticide sprays, 101
 in lepidoptera, 99–100
 queen, 92–93
 sex, in aphids, 19, 100
- Phialophora* sp., 118–119
Phialophora graminicola, 118–119
- Phloem, transport of pesticides in, 101
- Phoma betae*, control of, 58
- Phoma* leaf spot, on oilseed rape, 30
- Phorodon humuli*, 88
- Phosphate,
 rock, 143–144
 water-soluble, in fertilizers, 154–155
- Phosphofructokinase, 126, 129
- Phosphoglycolate phosphatase, 128
- Phosphorus,
 concentrations of in crops, 152–153
 uptake of, 151–152
- Photorespiration, 126
- Photorespiratory mutants, of barley, 128–129
- Photosynthesis,
 efficiency of, in wheat, 46–47
 model of, 50–51
- Pigs, space allowances for, 75
- Pine wilt nematode, 112
- Plant Breeding Institute, the, 20, 121
- Plant cells, counting and sizing of, 49
- Plant clinic, for sugar beet, 56
- Plastic grass, for pea moth experiments, 92
- Ploughing, compared with direct drilling, 159–160
- Pod midge, See: *Dasineura brassicae*
- Pollen beetle, See: *Meligethes aeneus*
- Pollution, of aquifers, 206–207
- Polygodial, 19, 99, 101
- Polymyxa graminis*, 119
- Population genetics, of aphids, 88
- Potassium,
 balance of, in long-term experiments, 155–156
 in Kenyan soils, 155
 uptake of, 151–152
- Potassium dextran sulphate, 49
- Potato cyst nematodes, 105, 108–111
- Potato leafroll virus, 21, 121
- Potato root diffusate, hatching of nematode eggs in, 110–111
- Potato virus Y, 121
 aphid vectors of, 87
- Potatoes,
 at Rothamsted and Woburn, 44
 carbon dioxide assimilation in, 20–21
 carbon metabolism in, 126–127
 cold-induced sweetening in, 126, 129
 comparison of cultivars, 44
 Désirée, 44
 diseases of, 120–121
 eelworm-resistant, 44, 105
 gangrene on, 120
 intensive production, 36–37
 nematodes on, 105, 108–111
 patatin genes of, 133
 phosphate on, 154–155
 production of somatic hybrids, 21, 130
 regeneration from protoplasts, 130
 seed, 121
 storage proteins of, 131
 tuber diseases of, 37
 viruses of, 87, 121
- Powdery mildew, See: *Erysiphe graminis* or *Erysiphe betae*
- PP 969, 101, 118
- PR (pathogenesis related)-proteins, 18, 133–134
- Pratylenchus* spp., 29
- Precipitation Composition Monitoring Network, 16, 156
- Predators, of aphids, 86, 90
- Prestel Farmlink, 14, 86–87
- Prochloraz, 115, 117–118
 on barley, 42
 on cereals, 41
 on potatoes, 36
- Programs, See: Computer programs; Statistical programming
- Prokaryotes, fastidious, 122
- Prolamin storage proteins, See: Proteins
- Propiconazole, 41, 115
- Proteins,
 cereal grain, 131
 from potato, 131
 PR, 18, 133–134
- Proton transport in oat tonoplasts, 153
- Protoplasts, regeneration from, 129–130
- Pseudocercospora herpotrichoides*, (eyespot), 26, 35
 on barley, 42
 on wheat, 33, 41, 116–117
- Pseudomonads, in the rhizosphere, 140
- Pseudomonas* spp., 123
- Pseudomonas solanacearum*, 122
- Psylliodes chrysocephala*, on oilseed rape, 29
- Pterostichus* spp., 90
- Purdue Agronomy Farm, 151–152
- Pwllpeiran EHF, 199
- Pygmy beetle, in sugar beet, 54
- Pyrenopeziza brassicae*, on oilseed rape, dispersal of spores,
 19–20, 51
- Pyrenophora teres* (net blotch on barley), 117
- Pyrethroids, synthetic, 94–95
 insect resistance, 96–98
 non-ester, 95
 PP321, 115–116
 structure-activity relationships, 94
- Queen honeybees, recognition of, 92–93
- Quinacrine, 153
- Rabbits, survey of, 199
- 'Radar Taxonomy' to detect airborne insects, 87–88
- Radiocarbon dating, of soils, 150
- Raindrops, penetration of in crop canopies, 52
- Rainfall, 156, 185
 See also: Weather
- Rape, See: Oilseed rape
- Red clover, nematodes on, 105
- Regeneration, of arable crop plants from culture, 129–130
- Remote sensing, for soil studies, 164–165
- Representative soil sampling, 75
- RESCU, 69–72
- Research support, 13
- Residues, pyrethroid, housefly resistance to, 97
- Resistance, to insecticides, 96–98
 genetic basis of, 99
 monitoring of by immunoassay, 98–99
- Respiratory diseases, 123
- Rhizobium* spp.,
 genetics of, 142
 in Colombian project, 143–144
 inoculation methods, 144–145
 nodulation on lupins, 144
 on clover, 144
- Rhizobium leguminosarum*, 142–143
- Rhizobium meliloti*, 142–143
- Rhizoctonia cerealis*, 26
- Rhizoctonia solani*, (steam canker), on potatoes, 120–121
- 'Rhizomania', of sugar beet, 56
- Rhizosphere, pseudomonads, of, 140
- Rhopalosiphum padi*, 26, 86–89, 120
- Rhynchosporium secalis*, (leaf blotch), 26
 dispersal of spores, 52, 122
- β -ribbon, 134
- Ribulose biphosphate carboxylase, 20, 50, 126–128
- Rice, nematodes on, 112
- Ricinus communis*, pesticide movement in phloem of, 101
- Ring infiltrometers, 159
- RNA, messenger, 128

INDEX

- Rock phosphate, 143–144
 Root growth,
 in sugar beet, 60–61
 of potatoes, effect of nematodes on, 108–109
 Root knot nematodes, *See*: Nematodes
 Roots,
 maize, supply of N, P and K to, 151
 observation tubes, 47, 152
 susceptibility of to infection, 141
 wheat, growth of, 151–152
 Rotary atomiser, 101
 Rothamsted,
 barley at, 42, 43
 cattle at, 45
 farm report, 41–45
 future of, 11–12
 triticale and rye at, 43
 weather at, 41, 324
 wheat at, 41–42
 Rothamsted archive, 15
 Rothamsted Farming Service, 14
 Rothamsted General Survey Program, 79–80
 Rothamsted Insect Survey, 14, 72, 85
 Cereal Aphid Monitoring Scheme, 86–88
 'Roundup', *See*: Glyphosate
 Routine analysis, 73
 'Royal 350', 106
 RuBP carboxylase, 20
 Rye, 42, 43, 118, 132

 Saline soils, survey of, 200
 Salt affected soils, 197
 Saltmarsh creek systems, 197
 Saxmundham,
 potassium experiment at, 155
 wheat at, 154
 SBREC, *See*: Sugar Beet Research and Education Committee
 Scanning electron microscope, 112, 182
 Scientex systems, 70
Sclerotinia sclerotiorum, 30, 115
 Scottish Crops Research Institute, 21
 Screening methods, for selection of barley mutants, 129
 SDS-PAGE, 99
Secale, 132
 Secalins, of rye, 132
 Seed advancement studies, for sugar-beet, 57–58
 Seedbeds, cultivation and physical properties of, 161
 Seed Rates and Sowing Methods experiments, 43
 Seed treatment, of sugar beet, 57–58
 Seed weevil, *See*: *Ceutorhynchus assimilis*
 Seedling emergence, effect of temperature on, 161–162
Septoria spp., on winter wheat, 33, 35, 41
Septoria nodorum, 35
Septoria tritici, 35
Serratia spp., 123
 Sewage sludge, compared with farmyard manure, 17–18
 Sex attractants, *See*: Pheromones
 Sharp eyespot, *See*: *Rhizoctonia cerealis*
 Shear modulus, of soil, 160–161
 β -sheets, 134
 Shelters, *See*: Mobile crop shelters
 Shrinkage forces, in clay soils, 161
 Silver scurf, of potatoes, 121
 Simulation models, *See*: Models
Sitobion avenae, 26, 34, 35, 72, 86, 89–90, 120
 virus from, 89
Sitobion fragariae, 88
Sitodiplosis mosellana, 34
Sitona spp.,
 on lupins, 91
 on lucerne, 105
 Sleaford, soil survey in, 202
 Slugs, 37
 Slurry inoculation techniques, 144–145
 Software, appraisal of, 204
 Soil acidity, 16–17, 198–199
 See also: pH
 Soil analysis, 165
 Soil biomass, 150–151
 Soil contamination, 16–17
 Soil erosion, 201, 208
 Soil mapping, 194–198, 210
 for land evaluation, 200–203
 Soil mineralogy, 163
 Soil moisture,
 deficits, 204–205
 in upland soils, 209–210
 Soil plasticity and shrinkage, 210
 Soil salinity, 201
 Soil sampling, 165
 Soil structure, 159–163
 Soil suitability,
 for badger setts, 210
 for various crops, 201–202
 Soil Survey and Land Resource Centre, 14
 Soil Survey Information System, 203
 Soil Survey, of England and Wales, 14, 193–198
 Soil Survey, of Scotland, 203, 205
 Soil surveys,
 Alnwick and Rothbury, 194–195
 Boston and Spalding, 196–197
 Cementstone lowlands, 194–195
 Cheviot Hill, 194–195
 Exmoor, 209
 Fenland, 197
 Friskney, 201
 Great Yarmouth, 197
 Gwent, 207
 Humber warplands, 208, 209
 Kent, 163, 198
 Lancashire, 198
 Lincolnshire, 201
 Liverpool, 196, 202
 Market Weighton, 195
 Norfolk, 198
 North Kent, 197, 200
 Northamptonshire, 163
 Northumberland, 194, 208
 Sleaford, 202
 Somerset, 199
 Stamford Bridge, 195
 Suffolk, 198
 Sussex, 164
 Soil water, 207–208, 210
 Soils,
 acidification of, 156
 actinomycetes in, 140
 adenylate energy charge measurements in, 150
 analysis of, 164
 biomass carbon in, 150–151
 copper and nickel in, 154
 hydraulic conductivity, 158–160, 208, 210
 hydrological classification of, 211
 iron-rich, 164
 man-made, 164
 pH of, 150–151, 153, 156
 plasticity of, 210
 potassium in, 155
 saline, 200
 radiocarbon dating of, 150
 salt affected, 197
 stability of, 160–161
 suitability of for horticultural crops, 196
 tilled, modelling transport of water and heat in, 160
 transport in, 158–159
 turnover of organic matter in, 150
 waterlogging of, 208
 Wisbech, 196–197
 X-ray analysis of, 208
Solanum brevidens, 130
 Somaclonal variation, in cereals, 131
 Somatic hybrids, of potato, 21, 130
 Somerset, soil survey in, 199
 Sorbitol dehydrogenase, 88
 Sorghum, nitrogen fixation in, 143
 Specific Field Survey, at Broom's Barn, 53–54, 56, 62–64
 Spectroscopy equipment, 94
 Spinach chloroplasts, 20–21

INDEX

- β -Spiral, 133
- Splash dispersal, of fungal spores, 51–52
- Spores, dispersal of, 19–20, 51–52, 122–123
- Sporobolomyces* spp., 30–31
- Spraying systems, 101
- Stability, soil, 160–161
- Stamford Bridge, soil survey in, 195
- Statistical analysis, 73
- Statistical computing, 77–80
- Statistical models, *See*: Models
- Statistical research, 21
- Statistical theory, 76–80
 - analysis and design, 76
 - routine analysis, 73
- Stem canker, *See*: *Rhizoctonia solani*
- Stem flea beetle, *See*: *Psylliodes chrysocephala*
- Stem nematodes, control of, 104–105
 - culturing of, 113
- Storage proteins, *See*: Proteins
- Strangles, in sugar beet, 56
- Straw,
 - burning of, 157
 - disposal of, 157–158
 - incorporation of, 15, 18, 33–36, 42, 44, 66, 156–158, 196, 201–202
 - toxin production and oxygen demand, 158
- Streptomyces*, 140
- Strontium isotope ratios, in loess, 164
- Stubble, incorporation of, 157
- Suction traps, 85–88
- Suffolk, soil survey in, 198
- Sugar beet,
 - aldicarb on, 55–56, 61–62, 64–66
 - aphids on, 55
 - at Broom's Barn, 53–67
 - bird grazing in, 54, 62
 - 'bolting' of, 53–54, 57
 - chlorsulphuron damage to, 102–103
 - cultivation techniques, 57
 - database, 71
 - devernalising of seed, 58
 - Docking disorder, 54–56, 61–62
 - effect of herbicide residues on, 18
 - fibrous root growth, 60–61
 - field mice in, 54
 - growth of, 53–56
 - headland zones in, 59
 - herbicides for, 17–18, 54–56
 - hymexazol on, 58–59
 - irrigation of, 55
 - mangold fly in, 54
 - nematodes on, 54–56, 61–62
 - nitrogen on, 55
 - nitrogen uptake by, 48
 - Nomo, 63
 - pesticides on, 55, 61–62
 - pests of, 54–55, 62
 - plant clinic for, 56
 - powdery mildew in, 62–64
 - prediction of N fertilizer requirements, 48–49
 - protoplast studies with, 130
 - seed advancement studies, 57–58
 - seed treatments, 58–59
 - SKM, 63
 - soil N supply, 48
 - soil pesticides for, 62
 - strangles in, 56
 - surveys, 75
 - variability of seedling growth, 59–60
 - viruses of, 55–56, 64–66, 121–122
 - weed beet, 54
 - weed control in, 54
 - wild beet, 63
 - yields, 48, 56
 - See also*: Beet cryptic virus; beet mild yellowing virus; Beet necrotic yellow vein virus; Beet western yellows virus; Beet yellows; Virus yellows
- Sugar beet factory, outbreak of asthma in, 123
- Sugar Beet Research and Education Committee, 11
- Sulphonylurea herbicides, 129
- Sulphur,
 - on oilseed rape, 29
- Sumatra disease, of cloves, 122
- Sunflowers, 44, 91
 - diseases of, 115
- Super-kdr*, 97
- SURFACE II computer program, 71, 203–204
- Survey of fertilizer practice, 75
- Surveys, statistical, 75–76
- Sym plasmids, 142–143
- Symbiotic plasmid, in rhizobia, 142–143
- Syneccoccus*, 127
- Synthetic pyrethroids, *See*: Pyrethroids
- Syrphids, 86
- Take-all on cereals, 101–102, 117–119
 - ELISA studies of, 119
 - on barley, 34
 - on wheat, 33, 34, 36, 140
 - on wheat, barley, rye and triticale, 118, 140
- Taxonomy, of nematodes, 18–19, 111–113
- Temperature, effect on seedling emergence, 161–162
- Tensile stresses, in clay soils, 161
- Terminal spikelet phase, in wheat, 50–51
- Thaumatococcus, 134
- Thaumatococcus danielli*, 134
- Thiobendazole, 104–105, 121
- Thiodicarb, 104–105
- Thiofanox, 61–62
- Thiram,
 - for seed treatment of sugar beet, 58
- Threonine, 131
- Thylakoid composition, in wheat, 49–50
- Tillage, 160–163
- Tissue cultures, wheat, 130–131
- Tissue water, for expressing phosphorus concentrations in crops, 152–153
- Tobacco, 49
 - hordein genes from, 132
 - PR proteins from, 18, 133–134
 - virus diseases of, 134
- Tobacco mosaic virus, 134
- Tonoplast, oat, onion transport across the, 153
- Topology of soil structure, 162
- Toxic metals, *See*: Heavy metals
- Toxin production, by straw, 158
- Traps, insect, 85–88
- Trehalose, in spores of *Glomus*, spp., 142
- Triadimenol, ('Baytan'), 25, 26, 42, 117–118, 147
- Tri-allate, 111
- Triazoles, degradation of in soil, 102
- Trichoderma* spp., 140
- Trichodorus* spp., 61
- Trifluoromethyl compounds, 95
- Trifolium repens*, *See*: Clover
- Trimethylsilyl derivatives, 127
- Triticale, 43, 118
- Triticum-Aegilops* group, 132
- Tropical legumes, nitrogen fixation in, 143
- Tuber diseases, of potatoes, 37, 131–132
- Turbulence, effect on spore deposition, 51
- β -turns, 133
- Ultrathin polyacrylamide gels, 112
- UNIP, 11
- Unit of Insect Neurophysiology and Pharmacology (UINP), 11
- University of Birmingham, 97
- University of Lancaster, 129
- Urea,
 - on oilseed rape, 148
 - on winter wheat, 41, 147–148
- VA mycorrhiza, *See*: Mycorrhiza
- Valine, 128
- Variance, estimation of, 76
- Variance multiplier, the, 76
- Varroa jacobsoni* mites, infestation of honeybees with, 19, 92

INDEX

- Vectors, aphid, 19–20, 64–66, 86–87, 89, 116, 120–121
- Vegetables, soil suitability for, 176
- Vernolate, 111
- Verticillium* spp., interaction with nematodes, 108
- Verticillium chlamydosporium*, 105–107
- Vesicular arbuscular mycorrhiza, *See*: Mycorrhiza
- Vicia faba*, *See*: Beans
- Viewdata systems, 14, 149
- Virus yellows, 55, 64–66
- Viruses,
 - aphid transmission of, 64–66, 86–87, 89, 116, 120–121
 - cloning of, 121–122
 - of barley, 14, 15, 26, 42, 86–87, 89, 99, 119–120
 - of grain legumes, 115–116
 - of honeybees, 92
 - of oilseed rape, 115
 - of potatoes, 87, 121
 - of sugar beet, 55–56, 64–66, 121–122
 - of sunflower, 115
 - of tobacco, 134
- Viscometric analysis, 133
- Visitors, to Rothamsted, 45
- Warren Spring Laboratory, 156
- Waste, domestic, airborne microorganisms associated with, 122–123
- Waterlogging, of soils, 208
- Water-table, rise in, 159
- Weather, 16
 - at Broom's Barn, 54–55, 63, 326
 - at Rothamsted, 41, 324
 - at Woburn, 41, 325
- Weed beet, 54
- Weed control, *See*: Herbicides
- Weed Research Unit, 18
- Weevils, *See*: *Sitona* spp.
- Welsh Plant Breeding Station, 140
- West Germany, studies of CO₂ assimilation inhibitors in, 20–21
- Western blotting, 133–134
- Wheat,
 - after beans, 146
 - after oilseed rape or oats, 146
 - apical development, 50
 - at Rothamsted, 41–42, 153
 - at Saxmundham, 154
 - at Woburn, 41–42
 - Avalon, 33, 34, 41–42, 50, 147
 - comparison of cultivars, 41–42
 - development of winter wheat, 47
 - diseases of, 33, 35, 41, 116–119
 - droughting response in, 47
 - Durum, 133
 - effect of straw treatment on, 33–36
 - factors affecting take-all on, 117–118
 - foliar urea on, 147
 - Wheat (*contd*)
 - for breadmaking, 131
 - fungicides on, 117
 - grain quality, 153
 - grain yield, 33, 35
 - growth and development, 31–32
 - Hustler, 31
 - leaf area index, 46
 - leaf expansion and senescence, 46, 49
 - light interception and growth, 46
 - Longbow, 41
 - mathematical models for, 50–51
 - Mission, 33–34
 - nitrate N in shoots, 32, 49–50
 - nitrogen content of, 32
 - nitrogen on, 32–33, 46, 115, 146
 - nutrient uptake by, 42, 151–152
 - on Broadbalk, 148, 153–154
 - pests of, 34–35
 - photosynthesis in, 20, 46–47
 - recovery of deep N from, 147, 149
 - regeneration from embryos, 131
 - root growth of, 151
 - RuBP carboxylase in, 20
 - sowing date, 31, 47, 117–118, 146
 - take-all on, 140
 - thylakoid composition, 49–50
 - tissue culture with, 130–131
 - turgor of, 153
 - uptake of P and K by, 151–152
 - volunteers in, 34–36
 - winter, simulation model for, 20
 - yield variations, 146–147
- White clover, *See*: Clover
- Whitefly, insecticide-resistance in, 96
- Wilt fungi, on nematodes, 108–109
- Wind erosion, 197
- Wind tunnel experiments, with fungal spores, 51
- Winter Rain Acceptance Potential map, 211
- Wisbech soils, 196–197
- Woburn,
 - barley at, 42
 - oats at, 43
 - triticale and rye at, 43
 - weather at, 41, 325
- Woburn Ley Arable Experiment, 43
- Word processing systems, 72
- Worms, *See*: Earthworms
- Wound-hormones, from tobacco, 134
- X-ray diffraction, 163
- Yields, of cereal crops, variations in, 164–165
- Zea mays*, *See*: Maize
- Zinc, in soils, 93