


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1939-1947 Volume 1



[Full Table of Content](#)

BF/1 Ley and Arable Rotations

Rothamsted Research

Rothamsted Research (1948) *BF/1 Ley and Arable Rotations ; Yields Of The Field Experiments 1939-1947 Volume 1*, pp 139 - 156 - DOI: <https://doi.org/10.23637/ERADOC-1-145>

Bf/1.1

LEY AND ARABLE ROTATIONS EXPERIMENT

Woburn, Stackyard, Series D (begun in 1938)

The purpose of the experiment is to test the value of a three year ley, three years of lucerne and an arable rotation with a one year ley, as means of building up soil fertility, in comparison with a rotation without leys. The effects of these crop sequences are measured by the yields of two following crops of potatoes and barley, which may be termed the indicator crops. Each rotation therefore has five courses. The rotations compared are:-

- | | | |
|--|---|------------------|
| (1) Three year ley | } | Potatoes, barley |
| (2) Three years of lucerne | | |
| (3) Potatoes, wheat, one year ley [†] | | |
| (4) Potatoes, wheat, kale | | |

There are five series, one for each course of the five year rotation, so that all courses of every rotation are represented every year. Each series has eight main plots, on four of which the same rotation continues throughout the experiment. On the other four plots, ley and arable rotations alternate.

Each main plot is divided into two sub-plots, one of which receives dung at the rate of 15 tons per acre applied to the indicator crop of potatoes only. The same sub-plots receive dung throughout the experiment. All plots are liberally manured with inorganic fertilizers.

Details are as given in the 1938 Report pp. 135-137, except that owing to the unsatisfactory crops obtained on the kale plots in the years 1938-44 it was decided to substitute sugar beet for kale as from 1945.

Owing to an error in the chain used, the sub-plot area has been given previously as 0.0390 acre. The correct value is 0.0403 acre. Consequently the yields given in the Station Report for 1938 should be multiplied by 0.968. The correct values for 1938 are included in this Report.

[†] The one year ley will be referred to as "hay", to distinguish from the three year ley. The geological term "series" is used to denote the area under each crop in a rotation experiment. However, in this experiment the word "block" is used with the same meaning.

Crop Notes

Bf/1.2

First three years of each Rotation

Previous crop - Barley

Rotation 1. Ley

Grass Mixture

			lb.per acre				lb.per acre
Perennial Ryegrass			14	Wild White Clover			2
Cocksfoot			8	Italian Ryegrass (1941			10
Late Flowering Red Clover			4	and onwards only)			
First year	Block	Sown	First year Grazed by sheep	Second year Grazed by sheep	Third year Grazed by sheep		
1938	3	May 20	Aug. 3 - Sept.14 2 grazings = 16 days	Apr. 13 - Oct. 17 9 grazings = 108 days	Apr. 27 - Oct. 16 4 grazings = 55 days		
1939	5	May 4	Aug. 16 - Oct.20 3 grazings = 28 days	Apr. 17 - Oct. 25 5 grazings = 119 days	May 5 - Oct. 26 4 grazings = 94 days		
1940	4	May 6	Aug. 26 - Nov. 2 2 grazings = 30 days	May 5 - Oct. 18 4 grazings = 65 days	May 27 - Sept. 19 4 grazings = 38 days		
1941	2	May 14	No grazing ¹	May 19 - Sept. 14 4 grazings = 46 days	Aug. 31 - Oct. 1 3 grazings = 17 days ²		
1942	1	May 15	Aug. 24 - Sept.8 1 grazing, on half plots	Sept.8 ³ - Oct. 20 3 grazings = 21 days	June 21 ³ - Oct. 27 4 grazings = 46 days		
1943	3	Apr.28	Oct. 20 1 grazing ⁴	July 12 - Nov. 5 4 grazings = 44 days	May 26 - Sept. 29 4 grazings = 70 days		
1944	5	May 8	July 28 - Nov.13 4 grazings = 34 days	June 11 - Oct. 28 4 grazings = 62 days	May 9 - Nov. 19 6 grazings = 95 days		
1945	4	May 7	Aug. 10 - Oct.15 2 grazings = 41 days	May 25 - Nov. 3 5 grazings = 85 days	May 21 - Oct. 19 4 grazings = 48 days		
1946	2	May 1	Aug. 15 - Nov.10 3 grazings = 24 days	May 5 - Oct. 15 4 grazings = 51 days			
1947	1	May 1	Oct. 3 - 11 1 grazing = 9 days				

1. Owing to an unfavourable season, and because the wrong quantity of manure was applied.

2. Prior to the grazings there was one cut of hay on June 22.

3. The sheep were put on late owing to war conditions.

4. There was one cut, on July 15, to get rid of annual weeds.

Ley and Arable Rotations Experiment

Bf/1.3

Rotation 2. Lucerne

Variety: Provence 1939-1944, Grim 1945, Argentine 1946.

First year	Block	First year			Second year			Third year		
		Sown	1st cut	2nd cut	1st cut	2nd cut	3rd cut	1st cut	2nd cut	3rd cut
1938	3	May 20	Sept. 14	-	July 6	Aug. 18	Nov. 13	July 10	Sept. 4	Dec. 22
1939	5	May 4	Aug. 19	Nov. 13	July 10	Sept. 4	-	June 17	Aug. 12	Dec. 22
1940	4	May 6 [†]	Sept. 4	-	June 24	Aug. 12	Dec. 22	June 26	Sept. 16	-
1941	2	May 14	Aug. 12	-	June 26	Sept. 16	-	June 7	Aug. 31	-
1942	1	May 15	Sept. 16	-	June 7	Aug. 31	-	June 6	Aug. 8	-
1943	3	May 6	-	-	June 6	Sept. 4	-	June 8	Aug. 13	Nov. 12
1944	5	May 9	Sept. 12	-	June 8	Aug. 13	Nov. 12	June 25	Sept. 16	Dec. 10
1945	4	May 7	Aug. 13	Nov. 12	June 26	Sept. 16	-	June 11	July 31	Oct. 3
1946	2	May 1	Sept. 16	-	June 26	July 31	-			
1947	1	May 7	Oct. 3	-						

[†]Bad patches reseeded June 11.

Rotations 3 and 4. First year - Potatoes, second year - Wheat, third year -
 Hay (Rot.3) and Kale or Sugar Beet (Rot.4).

Varieties:

Potatoes - Majestic

Wheat - Red Standard

Grass mixture { 16 lb. Italian Ryegrass and 10 lb. Broad Red Clover, 1940-44.
 24 lb. " " " 12 lb. " " " 1945.
 24 lb. " " " 12 lb. Montgomery Red Clover, 1946.

Kale - Thousand Head

Sugar Beet- Kleinwanzleben E.

First year	Block	1st year		Second year		Third year			
		Potatoes	Wheat	Potatoes	Wheat	Hay (Rot.3)	Kale (Rot.4)		
		Sown	Harvest- ed	Sown	Harvest- ed	1st cut	2nd cut	Sown	Harvest- ed
1938	3	Apr. 23	Sept. 22	31.10.38	Aug. 14	27.4.39	June 20	May 6	Dec. 30
1939	5	Apr. 25	Sept. 12	2.11.39	Aug. 12	3.5.40	June 17	Apr. 29	Dec. 16
1940	4	Apr. 26	Sept. 20	16.10.40	Aug. 14	5.5.41	June 25	Apr. 22	Dec. 29
1941	2	Apr. 24	Oct. 15	24.3.42 [†]	Sept. 15	20.5.42	1 cut, date unknown	Crop failed	
1942	1	Apr. 21	Oct. 5	(Eaten by rats)		16.4.43	June 6	Sept. 12	May 9 [†] 7.2.45
1943	3	May 13	Sept. 22	11.10.43	Aug. 10	9.5.44	June 8	Aug. 13	Sugar beet May 3 Nov. 26
1944	5	Apr. 28	Sept. 20	May 10 [†]	Aug. 10	10.5.45	June 24	Sept. 16	May 2 Oct. 12
1945	4	Apr. 27	Oct. 2	2.10.45	Aug. 22	19.5.46	June 11	July 31	May 2 Oct. 17
1946	2	Apr. 26	Oct. 8	6.11.46	Aug. 6				
1947	1	May 12	Oct. 10						

[†]Second sowing, first sowing failed.

Bf/1.4

Indicator Crops - Potatoes and Barley

Fourth and fifth years of rotations

Varieties: Potatoes - Majestic; Barley - Plumage Archer

Year	Block	Potatoes			Block	Barley		
			Sown	Harvested			Sown	Harvested
1938	4	Prior to rotations	Apr. 22	Sept. 30	5	Mar. 9	Mar. 19	Aug. 25
1939	2		Apr. 24	Sept. 20	4		Mar. 2	Aug. 30
1940	1		Apr. 12	Sept. 25	2	Prior to rotations	Mar. 21	Aug. 30
1941	3	Fourth year of Cycle 1	Apr. 18	Nov. 7	1		Mar. 17	Aug. 27
1942	5		Apr. 17	Oct. 9	3	Fifth year of Cycle 1	Apr. 13	Aug. 19
1943	4		Apr. 14	Sept. 23	5		Mar. 4	Aug. 25
1944	2	rotations	Apr. 27	Oct. 2	4		Mar. 14	Aug. 30
1945	1		Apr. 26	Oct. 11	2	rotations	Mar. 2	Aug. 10
1946	3		Apr. 29	Oct. 6	1		Mar. 20	Aug. 23
1947	5	Fifth year of Cycle 2	Apr. 12	Oct. 2	3	Fifth year of Cycle 2	Apr. 17	Aug. 12

Rotation 1. Ley

Sheep-days of grazing per acre

First Cycle

Block 3			Block 5			Block 4		
1938	1939	1940	1939	1940	1941	1940	1941	1942
596	3667	2103	1135	1898	2062	645	1347	1344
Block 2			Block 1					
1941	1942	1943	1942	1943	1944			
None	1833	453	721	429	1050			

Second Cycle

Block 3			Block 5			Block 4		
1943	1944	1945	1944	1945	1946	1945	1946	1947
143	955	1910	764	1695	3101	1146	2787	1840
Block 2			Block 1					
1946	1947		1947					
811	1840		387					

Bf/1.5

Ley and Arable Rotations ExperimentRotation 2. Lucerne

Yields obtained during first three years of each rotation

Hay (85% dry matter), tons per acre

First Cycle

First Block First year					Second year				Third year			
year												
Crops: 1st 2nd Total					1st	2nd	3rd	Total	1st	2nd	3rd	Total
1938	3	0.61	-	0.61	0.81	0.54	0.14	1.49	1.86	0.78	-	2.64
1939	5	0.34	0.08	0.42	1.36	0.73	-	2.09	1.48	1.26	0.12	2.87
1940	4	1.05	-	1.05	1.51	0.97	0.11	2.59	2.03	0.83	-	2.86
1941	2	0.39	-	0.39	2.05	0.53	-	2.58	1.67	0.64	-	2.31
1942	1	0.32	-	0.32	1.29	0.77	-	2.06	1.96	1.58	-	3.54

Second Cycle

First year		Block		First year		Second year				Third year			
year	Block	1st	2nd	Total	1st	2nd	3rd	Total	1st	2nd	3rd	Total	
1943	3												
No dung				-	1.58	0.86	-	2.44	1.84	1.36	0.10	3.30	
Dung		Not cut											
(1941)				-	1.48	0.87	-	2.35	1.76	1.10	0.06	2.92	
Mean				-	1.53	0.86	-	2.39	1.80	1.23	0.08	3.11	
Increase				-	-0.10	0.01	-	-0.09	-0.08	-0.26	-0.04	-0.38	
Previous rotation:													
Lucerne				-	1.42	0.77	-	2.19	1.68	1.22	0.09	2.99	
Arable				-	1.64	0.96	-	2.60	1.92	1.23	0.07	3.22	
1944	5												
No dung		0.94	-	0.94	1.43	1.24	0.20	2.87	2.26	2.08	0.04	4.38	
Dung													
(1942)		1.00	-	1.00	1.50	1.28	0.24	3.02	2.54	1.90	0.10	4.54	
Mean		0.97	-	0.97	1.46	1.26	0.22	2.94	2.40	1.99	0.07	4.46	
Increase		0.06	-	0.06	0.07	0.04	0.04	0.15	0.28	-0.18	0.06	0.16	
Previous rotation:													
Lucerne		1.08	-	1.08	1.87	1.38	0.26	3.51	2.28	2.04	0.06	4.38	
Arable		0.85	-	0.85	1.06	1.14	0.18	2.38	2.52	1.94	0.08	4.54	
1945	4												
No dung		0.74	0.05	0.79	1.44	1.18	-	2.62	1.96	0.77	0.06	2.78	
Dung													
(1943)		0.70	0.04	0.74	1.76	1.25	-	3.01	2.04	1.02	0.04	3.10	
Mean		0.72	0.04	0.76	1.60	1.22	-	2.82	2.00	0.89	0.05	2.94	
Increase		-0.04	-0.01	-0.05	0.32	0.07	-	0.39	0.08	0.26	-0.02	0.32	
Previous rotation:													
Lucerne		0.84	0.04	0.88	1.76	1.20	-	2.96	2.12	0.96	0.05	3.13	
Arable		0.60	0.06	0.66	1.44	1.24	-	2.68	1.87	0.83	0.06	2.75	

Lucerne Hay, tons per acre

Bf/1.6

First year		Second Cycle (continued)								Third year			
year	Block	First year			Second year					Third year			
1946	2	1st	2nd	Total	1st	2nd	3rd	Total		1st	2nd	3rd	Total
No dung		0.53	-	0.53	0.64	0.25	-	0.89					
Dung (1944)		0.51	-	0.51	0.72	0.34	-	1.06					
Mean		0.52	-	0.52	0.68	0.29	-	0.97					
Increase		-0.02	-	-0.02	0.08	0.09	-	0.17					
Previous rotation:													
Lucerne		0.62	-	0.62	0.48	0.31	-	0.79					
Arable		0.42	-	0.42	0.88	0.28	-	1.16					
1947	1												
No dung		0.10	-	0.10									
Dung (1945)		0.07	-	0.07									
Mean		0.09	-	0.09									
Increase		-0.03	-	-0.03									
Previous rotation:													
Lucerne		0.09	-	0.09									
Arable		0.08	-	0.08									

Bf/1.7

Ley and Arable Rotations ExperimentRotations 3 and 4First year - Potatoes, total tubers in tons per acre; percentage ware

	Total tubers	% ware	Total tubers	% ware	Total tubers	% ware	Total tubers	% ware
	<u>1938 - Block 3</u>		<u>1939 - Block 5</u>		<u>1940 - Block 4</u>		<u>1941 - Block 2</u>	
No dung					9.71	87.0	12.06	82.3
Dung [‡]					11.50	89.1	12.19	80.6
Mean	12.77	92.2	11.13	85.4	10.61	88.0	12.12	81.4
Increase	-	-	-	-	1.79	2.1	0.13	-1.7
	(Second cycle)							
	<u>1942 - Block 1</u>		<u>1943 - Block 3</u>		<u>1944 - Block 5</u>		<u>1945 - Block 4</u>	
No dung	9.24	75.8	7.76	75.7	12.18	86.0	11.71	86.4
Dung [‡]	9.59	75.5	9.53	80.7	13.33	86.0	13.28	88.9
Mean	9.41	75.6	8.64	78.2	12.75	86.0	12.50	87.6
Increase	0.35	-0.3	1.77	5.0	1.15	0.0	1.57	2.5
Previous rotation:								
Ley			10.48	82.6	12.54	86.8	11.66	88.6
Lucerne			8.28	76.8	13.26	86.1	13.82	87.6
Arable								
with hay			8.74	82.4	12.75	85.1	12.56	89.5
Arable								
with kale			7.08	70.9	12.46	86.2	11.94	85.2
	<u>1946 - Block 2</u>		<u>1947 - Block 1</u>					
No dung	8.04	87.2	6.11	91.9				
Dung [‡]	9.13	87.6	6.24	90.4				
Mean	8.58	87.4	6.18	91.2				
Increase	1.09	0.4	0.13	-1.5				
Previous rotation:								
Ley	10.21	89.2	6.90	91.6				
Lucerne	8.69	89.2	6.67	92.0				
Arable								
with hay	7.32	86.8	5.32	91.0				
Arable								
with kale	8.12	84.3	5.81	90.1				

[‡]Dung was applied two years previously, e.g. in 1938 on Block 4.

Bf/1.8

Rotations 3 and 4Second year - Wheat, grain and straw in cwt. per acre

Grain Straw			Grain Straw		Grain Straw		Grain Straw	
			First Cycle					
<u>1939 - Block 3</u>			<u>1940 - Block 5</u>		<u>1941 - Block 4</u>		<u>1942 - Block 2</u>	
No dung [‡]					8.7	14.3	Crop complete failure	
Dung					9.5	16.2		
Mean	12.9	22.5	15.2	24.2	9.1	15.2		
Increase	-	-	-	-	0.8	1.9		
<u>1943 - Block 1</u>								
Crop eaten by rats			Second cycle					
<u>1944 - Block 3</u>			<u>1945 - Block 5</u>		<u>1946 - Block 4</u>		<u>1947 - Block 2</u>	
No dung [‡]	9.1	23.3	13.7	30.2	10.8	18.0	7.7	14.8
Dung	11.3	27.8	14.0	25.8	12.6	24.2	8.8	14.8
Mean	10.2	25.6	13.8	28.0	11.7	21.1	8.2	14.8
Increase	2.2	4.5	0.3	-4.4	1.8	6.2	1.1	0.0
Previous rotation:								
Ley	14.1	32.1	15.2	33.4	12.1	21.5	9.6	18.4
Lucerne	10.6	24.3	15.0	26.0	12.7	21.9	8.6	13.5
Arable with hay	11.2	27.6	11.0	22.2	8.6	14.2	5.5	10.5
Arable with kale	5.0	18.1	14.2	30.4	13.3	26.8	9.3	16.8

[‡] The dung was applied three years previously, e.g. in 1938 on block 4, etc.

Bf/1.9

Ley and Arable Rotations ExperimentRotation 3Third year - Hay, yield (85% dry matter) in tons per acre

	First Crop	Second Crop	Total	First Crop	Second Crop	Total	First Crop	Second Crop	Total
	<u>1940 - Block 3</u>			<u>1941 - Block 5</u>					
	0.78	-	0.78	1.31	0.33	1.64			
	<u>1942 - Block 4</u>			<u>1943 - Block 2</u>			<u>1944 - Block 1</u>		
No dung	1.85	0.22	2.07	1.04	-	1.04	1.02	0.37	1.38
Dung [†]	2.10	0.21	2.31	1.12	-	1.12	1.02	0.34	1.36
Mean	1.98	0.21	2.19	1.08	-	1.08	1.02	0.35	1.37
Increase	0.25	-0.01	0.24	0.08	-	0.08	-	-0.03	-0.02
				Second cycle					
	<u>1945 - Block 3</u>			<u>1946 - Block 5</u>			<u>1947 - Block 4</u>		
No dung	1.32	0.33	1.65	2.64	1.12	3.76	1.76	0.32	2.07
Dung [†]	1.62	0.39	2.01	2.80	1.16	3.96	1.89	0.23	2.12
Mean	1.47	0.36	1.83	2.72	1.14	3.86	1.82	0.27	2.10
Increase	0.30	0.06	0.36	0.16	0.04	0.20	0.13	-0.09	0.05
Previous rotation:									
Ley	1.27	0.30	1.57				2.18	0.40	2.59
Lucerne				2.86	1.20	4.06			
Arable									
with hay	1.68	0.42	2.10	2.58	1.07	3.65	1.46	0.14	1.60

[†]Dung was applied four years previously, e.g. in 1938 on Block 4 etc.

Bf/1.10

Rotation 4Third year - Kale, in tons per acre, Cycle 1 or

Sugar Beet, clean beet and tops in tons per acre, total sugar in cwt. per acre and sugar percentage, Cycle 2.

Block	Cycle 1. Kale				
	1940 3	1941 5	1942 4	1943 2	1944 1
No dung			7.15	Crop	4.94
Dung [‡]			7.62	failed	4.27
Mean	7.34	9.35	7.38		4.60
Increase			0.47		-0.67

Cycle 2. Sugar Beet.

	1945 - Block 3				1946 - Block 5			
	Clean beet	Tops	Total Sugar	Sugar %	Clean beet	Tops	Total sugar	Sugar %
No dung	6.2	2.8	21.9	17.47	7.29	7.29	27.9	19.14
Dung [‡]	7.9	3.4	27.2	17.20	8.12	7.45	31.7	19.53
Mean	7.0	3.1	24.6	17.34	7.70	7.37	29.8	19.34
Increase	1.7	0.6	5.3	-0.27	0.83	0.16	3.8	0.39
Previous rotation:								
Ley					8.16	7.88	31.2	19.10
Lucerne	7.2	3.0	25.4	17.60				
Arable with kale	6.9	3.1	23.6	17.08	7.24	6.86	28.3	19.57

[‡]Dung was applied four years previously, e.g. in 1938 on Block 4, etc.

1947 - Block 4				
No dung	4.97	2.88	20.7	20.82
Dung	8.63	4.82	35.4	20.52
Mean	6.80	3.85	28.1	20.67
Increase	3.66	1.94	14.7	-0.30
Previous rotation:				
Ley				
Lucerne	7.42	4.21	30.9	20.82
Arable with kale	6.18	3.49	25.3	20.52

Bf/1.11

Ley and Arable Rotations Experiment

Yields of Indicator Crops

Potatoes - effect of dung in current year

Total tubers, tons per acre

Percentage ware

Prior to rotations

1938 - Block 4				1939 - Block 2				(1938)	(1939)
No dung	11.41			10.89					85.2
Dung	15.47			12.52					88.6
Mean	13.44			11.69				89.2	86.9
Increase	4.06 (± 0.32)			1.63 (± 0.11)					3.4 (± 1.45)
1940 - Block 1									
	After Hay	After Kale	Mean					After Hay	After Kale
No dung	8.23	$\pm 0.64^1$	7.49					82.0	$\pm 2.0^1$
Dung	9.83	7.85	8.84					82.4	79.5
Mean	± 0.59	9.02	7.30	8.16				± 1.70	82.2
Resp.	± 0.50	1.60	1.10	1.35				± 2.36	0.4
			± 0.36						2.9
									80.1
									1.7
									± 1.67

Fourth year of cycles

Previous crop rotation						Previous crop rotation					
Arable						Arable					
Lu- with						Lu- with					
Ley	cerne	Hay	Kale	Mean		Ley	cerne	Hay	Kale	Mean	
1941 - Block 3						1941 - Block 3					
No dung	15.19	11.15	11.82	9.35	11.88	87.6	84.1	83.4	82.2	84.3	
Dung	14.38	14.23	14.40	12.19	13.80	86.2	85.0	84.2	86.6	85.5	
Mean	± 0.41	14.79	12.69	13.11	10.76	± 1.32	86.9	84.6	83.8	84.4	84.9
Resp.	± 0.37	-0.80	3.08	2.58	2.84	± 1.27	-1.4	0.9	0.8	4.4	1.2
					± 0.18						± 0.64
1942 - Block 5						1942 - Block 5					
No dung	13.70	13.22	12.52	10.83	12.57	87.0	85.0	85.0	81.4	84.6	
Dung	14.66	15.40	14.75	13.14	14.49	87.4	86.1	87.2	84.2	86.2	
Mean	± 0.35	14.18	14.31	13.64	11.98	± 0.97	87.2	85.6	86.1	82.8	85.4
Resp.	± 0.26	9.96	2.18	2.23	2.31	± 1.27	0.4	1.1	2.2	2.8	1.6
					± 0.13						± 0.64

Standard errors (1) for comparisons other than vertical ones.

Bf/1.12

Potatoes - effect of dung in current year.

Fourth year of cycles (continued)

Total tubers, tons per acre						Percentage ware					
Previous crop rotation						Previous crop rotation					
Arable						Arable					
Lu- with						Lu- with					
Ley	cerne	Hay	Kale	Mean		Ley	cerne	Hay	Kale	Mean	
1943 - Block 4						±0.68 ¹					
No dung	8.84	9.76	8.08	7.43	8.53	80.4	79.8	76.6	71.4	77.0	
Dung	10.31	13.52	9.50	10.63	10.99	81.3	87.1	83.6	81.4	83.4	
Mean	±0.40	9.58	11.64	8.79	9.03	±1.14	80.8	83.4	80.1	76.4	80.2
Resp.	±1.11	1.47	3.76	1.42	3.20	±4.67	0.9	7.3	7.0	10.0	6.4
					±0.56						±2.34
1944 - Block 2						±0.61 ¹					
No dung	12.08	13.20	10.56	11.22	11.76	89.4	87.5	86.2	82.2	86.3	
Dung	13.04	14.64	11.76	12.24	12.92	89.4	89.0	88.1	85.5	88.0	
Mean	±0.57 ¹	12.56	13.92	11.16	11.73	±0.82	89.4	88.2	87.2	83.8	87.2
Resp.	±0.45	0.96	1.44	1.20	1.02	±0.76	0.0	1.5	1.9	3.3	1.7
					±0.22						±0.38
1945 - Block 1						±0.78 ¹					
No dung	13.28	12.96	12.46	11.06	12.44	87.0	86.8	84.7	85.0	85.9	
Dung	13.32	12.68	11.89	12.48	12.59	86.8	85.0	85.8	83.2	85.2	
Mean	±0.39	13.30	12.82	12.18	11.77	±0.71	86.9	85.9	85.2	84.1	85.6
Resp.	±1.35	0.04	-0.28	-0.57	1.42	±2.76	-0.2	-1.8	1.1	-1.8	-0.7
					±0.68						±1.38
1946 - Block 3						±0.92 ¹					
No dung	11.37	9.59	8.94	8.32	9.56	90.2	89.1	87.6	89.7	89.2	
Dung	13.28	11.50	11.93	8.88	11.40	90.6	92.3	90.8	93.2	91.7	
Mean	±0.86	12.32	10.54	10.44	8.60	±0.47	90.4	90.7	89.2	91.4	90.4
Resp.	±0.69	1.91	1.91	2.99	0.56	±0.46	0.4	3.2	3.2	3.5	2.5
					±0.35						±0.23
1947 - Block 5						±0.38 ¹					
No dung	8.42	8.74	6.28	8.03	7.87	93.3	92.8	92.4	93.2	92.9	
Dung	9.06	9.62	8.11	8.86	8.91	94.1	93.2	93.2	94.0	93.6	
Mean	±0.35	8.74	9.18	7.20	8.44	±0.53	93.7	93.0	92.8	93.6	93.3
Resp.	±0.28	0.64	0.88	1.83	0.83	±0.70	0.8	0.4	0.8	0.8	0.7
					±0.14						±0.35

Standard errors (1) for comparisons other than vertical ones.

In 1946 and 1947 read "Arable with sugar beet" for "Arable with kale".

Bf/1.13

Ley and Arable Rotations Experiment

Potatoes

Standard errors per plot

		Total tubers		% of mean	Percentage ware
		d.f.	tons per acre		
1938 - Block 4	Whole plot	7	0.68	5.08	
	Sub-plot	7	0.64	4.79	
1939 - Block 2	Whole plot	7	1.00	8.52	1.49
	Sub-plot	7	0.22	1.86	2.90
1940 - Block 1	Whole plot	6	1.18	14.5	3.40
	Sub-plot	6	0.72	8.75	3.34
<u>Fourth year of cycles</u>					
1941 - Block 3	Whole plot	4	0.57	4.47	1.87
	Sub-plot	4	0.37	2.86	1.27
1942 - Block 5	Whole plot	4	0.49	3.62	1.38
	Sub-plot	4	0.26	1.95	1.27
1943 - Block 4	Whole plot	4	0.57	5.82	1.61
	Sub-plot	4	1.11	11.3	4.67
1944 - Block 2	Whole plot	4	0.80	6.51	1.17
	Sub-plot	4	0.45	3.65	0.76
1945 - Block 1	Whole plot	4	0.55	4.40	1.00
	Sub-plot	4	1.35	10.8	2.76
1946 - Block 3	Whole plot	4	1.21	11.5	0.66
	Sub-plot	4	0.69	6.6	0.46
1947 - Block 5	Whole plot	4	0.50	6.0	0.75
	Sub-plot	4	0.28	3.3	0.70

Bf/1.14

Barley - residual effect of dung applied to potatoes in the previous year.

Grain, cwt. per acre.			Straw, cwt. per acre.			
<u>1938 - Block 5</u>		<u>1939 - Block 4</u>	(<u>1938</u>)	(<u>1939</u>)		
No dung		15.3		23.1		
Dung		16.2		28.6		
Mean	7.66	15.8	12.6	25.8		
Response		0.9 (± 0.22)		5.5 (± 1.08)		
<u>1940 - Block 2</u>						
No dung	6.4		7.9			
Dung	8.5		11.4			
Mean	7.5		9.7			
Response	2.1 (± 0.80)		3.5 (± 1.02)			
<u>1941 - Block 1</u>						
Crop previous to potatoes						
	Hay	Kale	Mean	Hay	Kale	Mean
	$\pm 1.16^1$			$\pm 1.28^1$		
No dung	7.0	10.6	8.8	10.0	13.2	11.6
Dung	7.6	9.7	8.6	10.1	14.2	12.2
Mean ± 0.87	7.3	10.1	8.7	± 1.03	10.1	13.7
Resp. ± 1.56	0.6	-0.9	-0.2	± 1.52	0.1	1.0
		± 1.10				± 1.07

Standard errors (1) for comparisons other than vertical ones

Bf/1.15

Ley and Arable Rotations Experiment

Barley - residual effect of dung applied to potatoes in previous year.

Grain, cwt. per acre

Straw, cwt. per acre

Fifth years of cycles

Crop previous to potatoes						Crop previous to potatoes						
	Ley	Lu- cerne	Hay	Arable with Kale	Mean		Ley	Lu- cerne	Hay	Arable with Kale	Mean	
<u>1942 - Block 3</u>						<u>±2.27¹</u>						
No dung	18.6	22.6	13.3	9.5	16.0		21.7	26.2	16.3	12.1	19.1	
Dung	21.8	21.3	18.1	17.8	19.8		25.0	25.7	21.7	20.7	23.3	
Mean	<u>±1.42</u>	20.2	21.9	15.7	13.7	17.9	<u>±1.82</u>	23.4	26.0	19.0	16.4	21.2
Resp.	<u>±3.55</u>	3.2	-1.3	4.8	8.3	3.8	<u>±3.31</u>	3.3	-0.5	5.4	8.6	4.2
					<u>±1.78</u>							<u>±1.66</u>
<u>1943 - Block 5</u>						<u>±2.96¹</u>						
No dung	13.2	14.9	14.0	22.7	16.2		23.8	24.1	20.7	34.7	25.8	
Dung	12.8	14.5	17.4	16.2	15.2		19.2	22.8	26.7	23.6	23.1	
Mean	<u>±2.28</u>	13.0	14.7	15.7	19.4	15.7	<u>±2.19</u>	21.5	23.4	23.7	29.2	24.4
Resp.	<u>±3.79</u>	-0.4	-0.4	3.4	-6.5	-1.0	<u>±5.05</u>	-4.6	-1.3	6.0	-11.1	-2.7
					<u>±1.90</u>							<u>±2.52</u>
<u>1944 - Block 4</u>						<u>±3.24¹</u>						
No dung	18.1	22.5	19.0	24.2	21.0		22.7	20.1	21.8	23.2	21.9	
Dung	15.7	19.7	23.0	17.4	18.9		19.2	23.5	29.2	20.8	23.2	
Mean	<u>±2.21</u>	16.9	21.1	21.0	20.8	20.0	<u>±2.78</u>	20.9	21.8	25.5	22.0	22.6
Resp.	<u>±4.76</u>	-2.4	-2.8	4.0	-6.8	-2.1	<u>±6.77</u>	-3.5	3.4	7.4	-2.4	1.3
					<u>±2.38</u>							<u>±3.38</u>
<u>1945 - Block 2</u>						<u>±2.07¹</u>						
No dung	13.2	17.6	11.6	13.7	14.0		15.3	18.9	11.9	14.8	15.2	
Dung	11.1	20.0	14.5	15.4	15.2		13.8	20.9	16.8	17.8	17.3	
Mean	<u>±1.17</u>	12.2	18.8	13.0	14.6	14.6		14.6	19.9	14.4	16.3	16.2
Resp.	<u>±3.43</u>	-2.1	2.4	2.9	1.7	1.2		-1.5	2.0	4.9	3.0	2.1
					<u>±1.72</u>							
<u>1946 - Block 1</u>						<u>±1.44¹</u>						
No dung	17.4	18.8	14.0	14.1	16.1		20.4	23.7	17.0	19.2	20.1	
Dung	16.4	16.4	15.6	15.7	16.0		18.5	20.1	19.6	19.8	19.5	
Mean	<u>±0.80</u>	16.9	17.6	14.8	14.9	16.0	<u>±0.44</u>	19.4	21.9	18.3	19.5	19.8
Resp.	<u>±2.40</u>	-1.0	-2.4	1.6	1.6	-0.1	<u>±3.48</u>	-1.9	-3.6	2.6	0.6	-0.6
					<u>±1.20</u>							<u>±1.74</u>

Standard errors (1) for comparisons other than vertical ones.

Bf/1.16

Barley - residual effect of dung applied to potatoes in the previous year.

Grain, cwt. per acre

Straw, cwt. per acre

Fifth years of cycles (continued)

Crop previous to potatoes						Crop previous to potatoes					
	Ley	Lu- cerne	Arable with		Mean		Ley	Lu- cerne	Arable with		Mean
			Hay	Sugar Beet					Hay	Sugar Beet	
1947 - Block 3			$\pm 1.21^1$								
No dung	15.5	12.5	12.3	10.4	12.7		15.8	15.4	13.3	14.9	14.8
Dung	18.7	16.5	15.6	12.1	15.7		21.0	20.3	18.6	17.3	19.3
Mean ± 0.99	17.1	14.5	14.0	11.2	14.2		18.4	17.8	16.0	16.1	17.1
Resp. ± 1.39	3.2	4.0	3.3	1.7	3.0		5.2	4.9	5.3	2.4	4.5
					± 0.69						

Standard errors (1) for comparisons other than vertical ones

X

Bf/1.17

Ley and Arable Rotations Experiment

Barley

Standard errors per plot

		Barley - Grain			Barley - Straw		
		d.f.	cwt. per acre	% of mean	d.f.	cwt. per acre	% of mean
1938 - Block 5	Whole plot	7	1.79	23.4	7	2.62	20.8
	Sub-plot	8	1.67	21.8	8	1.50	11.9
1939 - Block 4	Whole plot	7	1.55	9.85	7	1.29	4.98
	Sub-plot	6 [‡]	0.44	2.76	6 [‡]	2.17	8.39
1940 - Block 2	Whole plot	7	2.34	31.5	7	2.35	24.3
	Sub-plot	7	1.60	21.5	7	2.04	21.1
1941 - Block 1	Whole plot	6	1.74	20.0	6	2.06	17.4
	Sub-plot	6	2.21	25.4	6	2.15	18.2
<u>Fifth year of cycles</u>							
1942 - Block 3	Whole plot	4	2.01	11.2	4	2.57	12.1
	Sub-plot	4	3.55	19.9	4	3.31	15.6
1943 - Block 5	Whole plot	4	3.22	20.5	4	3.09	12.7
	Sub-plot	4	3.79	24.1	4	5.05	20.6
1944 - Block 4	Whole plot	4	3.12	15.6	4	3.93	17.4
	Sub-plot	4	4.76	23.9	4	6.77	30.0
1945 - Block 2	Whole plot	4	1.65	11.3			
	Sub-plot	4	3.43	23.4			
1946 - Block 3	Whole plot	4	1.13	7.0	4	0.62	3.15
	Sub-plot	4	2.40	15.0	4	3.48	17.6
1947 - Block 3	Whole plot	4	1.39	9.8			
	Sub-plot	4	1.39	9.8			

[‡] One missing sub-plot.

3.31

1911-1912

1912-1913

1913-1914

1914-1915

1915-1916

1916-1917

1917-1918

1918-1919

1919-1920

1920-1921

1921-1922

1922-1923

1923-1924

1924-1925

1925-1926

1926-1927

1927-1928

1928-1929

1929-1930

1930-1931

1931-1932

1932-1933

1933-1934

1934-1935

1935-1936

1936-1937

1937-1938

1938-1939

1939-1940

1940-1941

1941-1942

1942-1943

1943-1944

1944-1945

1945-1946

1946-1947

1947-1948

1948-1949

1949-1950

1950-1951

1951-1952

1952-1953

1953-1954

1954-1955

1955-1956

1956-1957

1957-1958

1958-1959

1959-1960

1960-1961

1961-1962

1962-1963

1963-1964

1964-1965

1965-1966

1966-1967

1967-1968

1968-1969

1969-1970

1970-1971

1971-1972

1972-1973

1973-1974

1974-1975

1975-1976

1976-1977

1977-1978

1978-1979

1979-1980

1980-1981

1981-1982

1982-1983

1983-1984

1984-1985

1985-1986