


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1953

[Full Table of Content](#)



53/A/4 Barnfield - Mangolds and Sugar Beet - Rothamsted

Rothamsted Research

Rothamsted Research (1954) *53/A/4 Barnfield - Mangolds and Sugar Beet - Rothamsted* ; Yields Of The Field Experiments 1953, pp 7 - 8 - DOI: <https://doi.org/10.23637/ERADOC-1-173>

MANGOLDS AND SUGAR BEET - BARNFIELD 1953

53/A/4.1

The 78th and 8th years

For history, details of treatments etc, see "Results of the Field Experiments 1939-47" Vol.I, Section A/5.

Cultivations, etc.: Dung applied: Jan 16. Ploughed: Jan 20.
Fertilizers applied: Mar 19. Seed drilled, mangolds - 9 lb per acre, sugar beet - 18 lb per acre: Apr 10. Sprayed with D.D.T. emulsion: May 11. Singling commenced: June 22. Top dressings applied: July 14. Lifted: mangolds - Oct 29, sugar beet - Nov 11. Varieties: mangolds - Yellow Globe, sugar beet - Klein E.

Erratum to "Results of the Field Experiments 1939-47" Vol.I, page A/5.1, 6th line up: dressing for plot 4(b) should read "PCa" not "NPCa".

Summary of Results

Strip	Cross Dressing				
	O	N	A	AC	C
Mangolds, Roots: tons per acre					
1	7.02	26.33	29.20	26.20	27.83
2	15.18	31.31	30.11	33.65	33.08
4	3.07	(a) 22.32 (b) 20.79*	17.85	20.74	26.26
5	2.33	19.18	12.96	13.61	21.61
6	2.43	17.75	14.93	24.72	25.46
7	1.94	21.05	19.42	27.83	27.83
8	1.19	15.13	10.28	10.53	17.81
9	19.69				
Mangolds, Leaves: tons per acre					
1	1.15	2.52	5.26	4.09	4.80
2	2.35	2.84	3.79	3.94	3.45
4	0.71	(a) 2.50 (b) 2.08*	2.94	2.72	2.84
5	0.64	1.91	2.45	2.89	3.01
6	0.69	1.74	1.96	3.47	2.74
7	0.66	2.10	2.84	4.28	3.33
8	0.71	2.08	2.40	3.43	3.79
9	2.25				
Mangolds, Plant number: thousands per acre					
1	14.4	18.0	16.9	15.9	17.8
2	18.7	18.2	18.6	17.3	17.1
4	15.7	(a) 19.5 (b) 20.7*	18.9	17.9	18.8
5	16.6	18.5	17.8	16.6	18.8
6	15.6	19.3	19.1	18.4	19.1
7	14.3	19.4	19.4	20.3	18.8
8	13.9	18.4	16.7	15.6	18.2
9	20.4				

* No nitrate of soda. Nitrogen applied as calcium and potassium nitrates.

53/A/4.2

Strip	Cross Dressing				
	O	N	A	AC	C
Sugar Beet, Roots: tons per acre					
1	7.28	18.24	18.67	18.32	19.18
2	7.71	15.24	13.02	15.76	17.13
4	2.46	(b) 12.33 [‡]	9.59	15.93	14.98
5	2.50	9.08	8.56	12.76	13.61
6	2.02	9.59	8.82	16.18	12.50
7	1.82	10.96	10.36	16.01	12.42
8	1.63	9.33	8.22	11.05	10.36
Sugar Beet, Tops: tons per acre					
1	3.03	8.61	11.50	10.28	8.91
2	3.72	7.24	7.19	8.56	7.29
4	1.08	(b) 5.19 [‡]	3.72	8.86	6.65
5	1.13	4.55	4.45	10.28	6.65
6	0.83	4.99	4.75	7.54	5.68
7	0.64	5.24	4.99	10.67	5.28
8	0.83	5.09	4.75	11.69	5.68
Sugar Beet, Plant number: thousands per acre					
1	18.6	21.5	20.4	19.8	20.2
2	21.4	21.6	22.1	20.6	19.3
4	20.6	(b) 21.8 [‡]	22.5	21.1	20.0
5	19.8	21.9	22.3	20.0	19.9
6	19.7	22.3	21.1	21.7	20.7
7	20.5	22.3	23.2	23.0	21.3
8	21.2	22.9	22.3	21.9	19.6
Sugar Beet, Sugar percentage					
1	18.00	16.91	17.45	17.22	17.66
2	17.37	17.37	17.02	16.88	17.43
4	19.13	(b) 18.06 [‡]	17.60	17.48	17.86
5	18.12	16.39	17.66	17.25	17.14
6	17.83	16.99	17.51	17.14	18.72
7	17.71	18.12	17.83	17.77	18.09
8	17.22	16.85	17.60	17.05	17.37

[‡] No nitrate of soda. Nitrogen applied as calcium and potassium nitrates.