


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1954

[Full Table of Content](#)



54/R/BA/1 Three-course Rotation

Rothamsted Research

Rothamsted Research (1955) *54/R/BA/1 Three-course Rotation* ; Yields Of The Field Experiments 1954, pp 13 - 19 - DOI: <https://doi.org/10.23637/ERADOC-1-184>

54/Ba/1.1

THREE COURSE ROTATION EXPERIMENT

3rd year of revised scheme

For details of treatments and rotation see "Results of the Field Experiments 1952", Section Ba/1.

Area of each plot: Potatoes (sub-plot) - 0.0092 acre;
Barley - 0.0200 acre; Sugar beet - 0.0204 acre.

Cultivations, etc.:

Potatoes. Straw applied, ploughed all plots: Dec 28, 1953.
Fertilizers applied: Apr 8, 1954. Ridged: Apr 9. Potatoes planted: Apr 12. Earthed up: July 6. Sprayed (low volume) with copper fungicide at 5 lb powder per acre: July 27. Sprayed (low volume) with copper fungicide at $\frac{1}{2}$ gallon paste per acre: Aug 23. Sprayed with 15% sulphuric acid: Sept 28. Lifted: Oct 2. Variety: Majestic.

Barley. Straw applied, ploughed all plots: Dec 28, 1953.
Ground chalk applied at 22 cwt per acre: Jan 5, 1954. Fertilizers applied, seed drilled at 3 bushels per acre: Mar 15. Harvested: Aug 26. Variety: Plumage Archer.

Sugar beet. Straw applied, ploughed all plots: Dec 28, 1953.
Fertilizers applied: Mar 29, 1954. Seed drilled at 18 lb per acre: Apr 5. Sprayed (at low volume) with D.D.T. emulsion at $\frac{1}{2}$ lb per acre: May 12. Singled: June 1. Sprayed again as above: June 24. Lifted: Nov 16. Variety: Klein E.

Treatment symbols

Ar Complete artificials only
St1 Straw ploughed in in autumn, artificials applied in spring
St2 Straw ploughed in in autumn, artificials applied half in autumn, half in spring
Ad Adco ploughed in in autumn with supplementary artificials
St $5\frac{1}{3}$ cwt cut straw in autumn
Nitrogen dressing: 0.2; 0.4; 0.6 cwt N as sulphate of ammonia
K₃ Muriate of potash equivalent to K₂O in straw
K 0.5 cwt K₂O as muriate of potash.

Potatoes

St1 St2

54/Ba/1.3

Treatments applied		Totatoes									
		1953	1954	0	0.4N	St + 0.2N	St + 0.6N	Ks	Ks + 0.4N		
1950	1951	1952 & 1954		-	-	-	-	-	-	-	-
Ar	Ar	0	0.4N	82.4	76.8	76.8	76.8	76.8	79.4		
	Ar	0	0.4N	78.8	72.3	76.8					
St1 St2	St1 St2	0	0.4N	85.2	82.8	81.7	83.0	82.2	78.5	82.4	
	St1 St2	0	0.4N	80.0	77.1	82.7	82.3	81.8	74.1	79.0	
Ad	Ad	St + 0.2N	St + 0.6N	81.7	79.9	83.0					
	Ad	Ks	Ks + 0.4N	82.0	84.0	79.4					
Ad	Ad	0	0	82.0	80.7	81.7	87.3	78.8	86.4	80.1	
	Ad	0.4N	0.4N	76.8	84.4						
Ad	Ad	St + 0.6N	St + 0.6N	80.3	82.7						
	Ad	Ks + 0.4N	Ks + 0.4N	84.9	86.5						

Percentage Ware

			Barley						
			54/Ba/1.4						
Treatments applied			1953	0	0.4N	St + 0.2N	St + 0.6N	K _s	K _s + 0.4N
1950	1951	1952 & 1954							
			Grain: cwt per acre						
	Ar	0	30.1						
		0.4N	29.9						
Ar		0	30.8						
		0.4N	30.5						
	St1 St2	0	24.3				30.5		28.3
		0.4N	34.7			31.4		34.3	
St1 St2		0	29.9						
		0.4N	30.7						
		St+0.2N	23.5						
		St+0.6N	33.0						
		K _s	28.5						
		K _s +0.4N	34.3						
	Ad	0	28.9				27.0		32.6
Ad		0.4N	32.0						
		St+0.6N	29.7						
		K _s +0.4N	35.3						
			Straw: cwt per acre						
	Ar	0	33.5						
		0.4N	41.8						
Ar		0	35.1						
		0.4N	40.2						
	St1 St2	0	27.6				42.0		32.8
		0.4N	42.7			43.6		39.6	
St1 St2		0	43.8						
		0.4N	34.3						
		St+0.2N	26.5						
		St+0.6N	44.6						
		K _s	31.8						
		K _s +0.4N	44.1						
	Ad	0	33.5				30.9		34.9
Ad		0.4N	43.2						
		St+0.6N	37.7						
		K _s +0.4N	43.9						

54/Ba/1.5

			Sugar Beet				
Treatments applied 1953			0	0.4N	St + 0.2N	St + 0.6N	K _s + 0.4N
1950	1951	1952 & 1954					
			Roots (washed): tons per acre				
Ar	Ar	0		7.90			
		0.4N	8.90				
	Ar	0		6.46			
		0.4N	9.42				
St1 St2	St1 St2	0		7.40		8.21	8.23
		0.4N	9.45		9.32	10.30	
	St1 St2	0		8.29			
		0.4N	9.93				
		St+ 0.2N		8.75			
		St+ 0.6N	9.78				
		K _s		8.29			
		K _s +0.4N	10.93				
Ad	Ad	0		7.77		6.66	8.07
		0.4N	8.95				
	Ad	St+ 0.6N	9.65				
		K _s +0.4N	8.34				

			Sugar Percentage				
Ar	Ar	0		17.00			
		0.4N	17.08				
	Ar	0		17.51			
		0.4N	17.25				
St1 St2	St1 St2	0		16.82		17.48	17.08
		0.4N	17.19		17.22	17.34	
	St1 St2	0		17.14			
		0.4N	17.08				
		St+ 0.2N		17.19			
		St+ 0.6N	17.16				
		K _s		16.88			
		K _s +0.4N	17.16				
Ad	Ad	0		16.85		17.14	17.44
		0.4N	16.93				
	Ad	St+ 0.6N	17.77				
		K _s +0.4N	17.14				

			Sugar Beet					54/Ba/1.6	
Treatments applied			1953	0	0.4N	St + 0.2N	St + 0.6N	K _s	K _s + 0.4N
1950	1951	1952 & 1954							
			Total sugar: cwt per acre						
	Ar	0	26.8						
		0.4N	30.4						
Ar		0	22.6						
		0.4N	32.5						
	St1 St2	0	24.9		28.7		28.1		
		0.4N	32.5	32.1		35.7			
St1 St2		0	28.4						
		0.4N	33.9						
		St + 0.2N	30.1						
		St + 0.6N	33.6						
		K _s	28.0						
		K _s + 0.4N	37.5						
	Ad	0	26.2		22.8		28.2		
		0.4N	30.3						
Ad		St + 0.6N	34.3						
		K _s + 0.4N	28.6						
			Tops: tons per acre						
	Ar	0	8.28						
		0.4N	8.90						
Ar		0	6.07						
		0.4N	10.14						
	St1 St2	0	6.70		7.14		7.46		
		0.4N	7.51	7.81		8.71			
St1 St2		0	9.62						
		0.4N	10.61						
		St + 0.2N	8.47						
		St + 0.6N	10.72						
		K _s	7.22						
		K _s + 0.4N	13.33						
	Ad	0	6.35		9.47		7.59		
		0.4N	9.76						
Ad		St + 0.6N	8.47						
		K _s + 0.4N	6.72						

			Sugar Beet					54/Ba/1.7
Treatments applied 1953			0	0.4N	St + 0.2N	St + 0.6N	K _s	K _s + 0.4N
1950	1951	1952 & 1954						
Plant number: thousands per acre								
Ar	Ar	0		27.1				
		0.4N	27.4					
		0		27.0				
		0.4N	27.0					
St1 St2	St1 St2	0		27.2		27.9		27.0
		0.4N	25.8		26.8		27.6	
		0		27.7				
		0.4N	26.7					
		St + 0.2N		26.6				
		St + 0.6N	27.4					
		K _s		27.1				
		K _s +0.4N	27.5					
Ad	Ad	0		26.3		27.6		26.6
		0.4N	26.5					
		St + 0.6N	26.2					
		K _s +0.4N	27.0					
Noxious nitrogen:mg per 100g.								
Ar	Ar	0		20.0				
		0.4N	15.0					
		0		15.0				
		0.4N	17.5					
St1 St2	St1 St2	0		15.0		20.0		15.0
		0.4N	15.0		15.0		15.0	
		0		20.0				
		0.4N	15.0					
		St + 0.2N		20.0				
		St + 0.6N	25.0					
		K _s		15.0				
		K _s + 0.4N	20.0					
Ad	Ad	0		15.0		15.0		15.0
		0.4N	20.0					
		St + 0.6N	15.0					
		K _s +0.4N	15.0					