


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1961

[Full Table of Content](#)



61/R/A/6 Hoosfield Exhaustion Land - Barley

Rothamsted Research

Rothamsted Research (1962) *61/R/A/6 Hoosfield Exhaustion Land - Barley* ; Yields Of The Field Experiments 1961, pp 16 - 16 - DOI: <https://doi.org/10.23637/ERADOC-1-182>

61/A/6

BARLEY - EXHAUSTION LAND HOOSFIELD 1961

For history, treatments etc., see "Details of the Classical and Long Term Experiments" 1956.

Basal dressing: 0.5 cwt N per acre as 'Nitro-Chalk'.

Cultivations, etc.: Sprayed with dalapon at 10 lb in 40 gallons per acre: Oct 12, 1960; and again at 5 lb in 40 gallons per acre: Nov 14. Ploughed: Dec 16. 'Nitro-Chalk' applied: Mar 29, 1961. Seed drilled at $2\frac{3}{4}$ bushels per acre: Apr 12. Sprayed with CMPP at 6 pints in 40 gallons per acre: May 19. Combine harvested: Aug 29. Variety: Plumage Archer.

Summary of Results

Barley

Yields (at 85% dry matter): cwt per acre

Plots not cross cropped in 1957 and 1958

Plot. Manuring to potatoes 1876 - 1901*	Grain	Straw
2 Unmanured after dung 1876 - 81	15.8	10.0
4 Dung	25.5	15.4
6 Nitrate of soda	15.6	10.0
8 Nitrate of soda and complete minerals	21.8	12.8
10 Complete minerals	23.6	12.2

Plots cross cropped in 1957 and 1958

Plot. Manuring to potatoes 1876 - 1901*	Grain	Straw
1 Unmanured	17.5	11.0
3 Dung	23.9	14.7
5 Ammonium salts	17.0	10.2
7 Ammonium salts and complete minerals	21.5	13.4
9 Superphosphate	22.4	13.2
Mean dry matter % as harvested (all plots):	86.3	89.9

*For certain changes see history.

Erratum: "Results of the Field Experiments" 1960 p. 60/A/6. In the Summary of Results delete the words 'and combine harvested in 1959' from both headings.