

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1965

[Full Table of Content](#)



65/R/C/22 N P K - Old Grass (Park Grass Microplots)

Rothamsted Research

Rothamsted Research (1966) *65/R/C/22 N P K - Old Grass (Park Grass Microplots)* ; Yields Of The Field Experiments 1965, pp 197 - 207 - DOI: <https://doi.org/10.23637/ERADOC-1-159>

65/c/22.1

PARK GRASS MICROPLOTS

(FGM 81 - 160)

Effect of NPK on old grass, plots 5/1 (unmanured 1898 - 1964, unlimed) and 5/2 (PK 1898 - 1964, unlimed), 1965.

Design: Each of plots 5/1 and 5/2 - single replicate of 2 x 4 x 4 in 2 blocks of 8 plots each, with 4 additional plots per block.

Area of each plot: 0.0045. Area harvested: 0.0021.

Treatments:-

2 x 4 x 4: All combinations of:-

1. N*: 200 (N1), 400 lb (N2) as 'Nitro-Chalk', in 6 equal dressings, one for each cut.
2. P: None (P0), 15 (P1), 30 (P2), 60 lb (P4) as superphosphate.
3. K: None (K0), 100 (K2), 200 (K4), 400 lb (K8) as potassium chloride.

Additional plots (per block): All combinations of:

1. N*: 200 (N1), 400 lb (N2) as 'Nitro-Chalk'.
2. K: 50 (K1), 300 lb (K6) as potassium chloride, all receiving P2.

*In 1965, 3 cuts were taken on plot 5/1 and 4 on plot 5/2, the first cut being taken on plots 5/2 on May 18. Following this cut 'Nitro-Chalk' was applied on both plots, so that in all 4 dressings of N were applied on each plot. The actual rates of N applied were 133 (N1) and 267 lb (N2).

Basal applications: Ground chalk, 92 cwt to plot 5/2, 102 cwt to plot 5/1.

Cultivations, etc.: Ground chalk applied: Feb 2, 1965. PK dressings applied: Feb 22. 'Nitro-Chalk' applied: Mar 9. Cut: May 18 (5/2 only), June 23, Aug 9, Oct 27. 'Nitro-Chalk' applied to all plots after every cut except the last.

Standard errors per plot, dry matter.

Plot 5/1. 1st cut: 3.48 or 13.5% (11 d.f.)
2nd cut: 1.64 or 13.0% (11 d.f.)
3rd cut: 2.45 or 13.3% (11 d.f.)
Total of 3 cuts: 6.10 or 10.7% (11 d.f.)

65/C/22.2

Standard errors per plot, dry matter.

Plot 5/2. 1st cut: 1.94 or 12.7% (11 d.f.)

2nd cut: 2.20 or 11.2% (11 d.f.)

3rd cut: 1.41 or 6.0% (11 d.f.)

4th cut: 1.12 or 5.5% (11 d.f.)

Total of 4 cuts: 4.68 or 5.9% (11 d.f.)

65/C/22.3

SUMMARY OF RESULTS

PLOT 5/1: DRY MATTER

1ST CUT

Excluding K1 and K6 plots

	P0	P1	P2	P4	Mean
Mean (± 1.23)	15.9	24.6	27.7	31.7	25.0
		(± 2.46)			(± 1.23)
K0	16.9	24.8	26.7	30.6	24.8
K2	16.2	25.3	31.3	31.3	26.0
K4	16.9	26.4	28.6	32.8	26.2
K8	13.9	22.0	24.3	32.0	23.0
		(± 1.74)			(± 0.87)
N1	15.5	21.7	23.3	27.2	21.9
N2	16.4	27.6	32.2	36.2	28.1
	K0	K2	K4	K8	
		(± 1.74)			
N1	21.2	23.5	22.5	20.5	
N2	28.3	28.5	29.9	25.6	

K1 and K6 plots

	K1	K6	Mean
		(± 2.46)	(± 1.74)
N1	24.4	22.8	23.6
N2	32.4	33.9	33.2
Mean (± 1.74)	28.4	28.4	28.4

General mean: 25.7

Mean D.M. %: 18.3

65/c/22.4

PLOT 5/1: DRY MATTER

2ND CUT

Excluding K1 and K6 plots

	P0	P1	P2	P4	Mean
Mean (± 0.58)	7.4	12.4	14.0	15.6	12.4
		(± 1.16)			(± 0.58)
K0	5.9	11.7	13.7	12.5	11.0
K2	8.5	11.8	14.3	15.9	12.6
K4	8.0	13.6	13.8	15.5	12.8
K8	7.2	12.6	14.2	18.3	13.1
		(± 0.82)			(± 0.41)
N1	7.5	11.5	12.0	13.1	11.0
N2	7.4	13.4	16.0	18.0	13.7
	K0	K2	K4	K8	

		(± 0.82)			
N1	9.6	11.3	11.0	12.1	
N2	12.3	13.9	14.5	14.1	

K1 and K6 plots

	K1	K6	Mean
	(± 1.16)		(± 0.82)
N1	9.8	12.9	11.4
N2	17.1	14.9	16.0

Mean (± 0.82)	13.4	13.9	13.7
---------------------	------	------	------

General mean: 12.6

Mean D.M. %: 19.5

65/C/22.5

PLOT 5/1: DRY MATTER

3RD CUT

Excluding K1 and K6 plots

	P0	P1	P2	P4	Mean
Mean (± 0.87)	12.3	17.5	20.2	21.9	18.0
		(± 1.73)			(± 0.87)
K0	12.0	16.6	17.7	18.9	16.3
K2	11.9	18.7	21.9	22.6	18.8
K4	11.5	17.4	20.2	23.9	18.2
K8	13.7	17.2	21.1	22.3	18.6
		(± 1.23)			(± 0.61)
N1	11.8	15.6	17.3	19.7	16.1
N2	12.7	19.4	23.1	24.2	19.9
	K0	K2	K4	K8	
		(± 1.23)			
N1	14.8	16.4	16.9	16.3	
N2	17.8	21.2	19.6	20.9	

K1 and K6 plots

	K1	K6	Mean
	(± 1.73)		(± 1.23)
N1	18.2	17.4	17.8
N2	19.8	25.5	22.6
Mean (± 1.23)	19.0	21.4	20.2

General mean: 18.4

Mean D.M. %: 24.5

65/C/22.6

PLOT 5/1: DRY MATTER

TOTAL OF 3 CUTS

Excluding K1 and K6 plots

	P0	P1	P2	P4	Mean
Mean (± 2.15)	35.6	54.6	62.0	69.2	55.3
		(± 4.31)			(± 2.15)
K0	34.8	53.2	58.2	62.1	52.0
K2	36.6	55.8	67.5	69.8	57.4
K4	36.4	57.4	62.6	72.3	57.2
K8	34.8	51.8	59.6	72.6	54.7
		(± 3.05)			(± 1.52)
N1	34.8	48.8	52.6	59.9	49.0
N2	36.5	60.3	71.3	78.4	61.6
	K0	K2	K4	K8	
		(± 3.05)			
N1	45.6	51.2	50.4	48.8	
N2	58.4	63.6	63.9	60.6	

K1 and K6 plots

	K1	K6	Mean
	(± 4.31)		(± 3.05)
N1	52.4	53.1	52.7
N2	69.2	74.3	71.8
Mean (± 3.05)	60.8	63.7	62.2

General mean: 56.7

Mean D.M. %: 20.8

65/c/22.7

PLOT 5/2: DRY MATTER

1ST CUT

Excluding K1 and K6 plots

	P0	P1	P2	P4	Mean
Mean (± 0.68)	15.7	14.3	16.2	15.1	15.3
		(± 1.37)			(± 0.68)
K0	15.5	13.2	18.8	13.7	15.3
K2	16.2	13.2	14.0	16.7	15.0
K4	15.0	16.7	16.5	15.8	16.0
K8	16.2	14.1	15.7	14.1	15.0
		(± 0.97)			(± 0.48)
N1	12.6	11.3	12.2	11.1	11.8
N2	18.9	17.3	20.3	19.1	18.9

	K0	K2	K4	K8
		(± 0.96)		
N1	12.0	12.4	11.6	11.1
N2	18.6	17.6	20.4	18.9

K1 and K6 plots

	K1	K6	Mean
		(± 1.37)	(± 0.97)
N1	11.2	13.6	12.4
N2	18.7	14.6	16.7
Mean (± 1.37)	15.0	14.1	14.5

General mean: 15.2

Mean D.M. %: 15.4

65/c/22.8

PLOT 5/2: DRY MATTER

2ND CUT

Excluding K1 and K6 plots

	P0	P1	P2	P4	Mean
Mean (± 0.78)	19.7	19.2	19.4	19.2	19.4
		(± 1.55)			(± 0.78)
K0	18.2	20.5	18.2	21.6	19.6
K2	19.9	18.7	20.9	18.4	19.5
K4	22.4	18.2	20.1	18.1	19.7
K8	18.3	19.3	18.4	18.7	18.7
		(± 1.10)			(± 0.55)
N1	18.9	16.3	18.4	16.5	17.5
N2	20.5	22.0	20.4	22.0	21.2
	K0	K2	K4	K8	
		(± 1.10)			
N1	16.7	17.6	19.0	16.8	
N2	22.6	21.4	20.5	20.5	

K1 and K6 plots

	K1	K6	Mean
	(± 1.55)		(± 1.10)
N1	19.1	18.8	18.9
N2	22.5	23.0	22.7
Mean (± 1.10)	20.8	20.9	20.8

General mean: 19.7

Mean D.M. %: 13.8

65/c/22.9

PLOT 5/2: DRY MATTER

3RD CUT

Excluding K1 and K6 plots

	P0	P1	P2	P4	Mean
Mean (± 0.50)	23.2	23.4	23.5	23.5	23.4
		(± 1.00)			(± 0.50)
K0	22.8	23.8	25.0	24.5	24.0
K2	22.4	23.6	25.4	23.2	23.7
K4	23.2	22.9	21.9	22.8	22.7
K8	24.4	23.1	21.9	23.6	23.2
		(± 0.70)			(± 0.35)
N1	20.0	20.6	21.2	20.6	20.6
N2	26.5	26.1	25.9	26.4	26.2
	K0	K2	K4	K8	

N1	21.8	21.8	19.6	19.2
N2	26.2	25.6	25.9	27.3
	(± 0.70)			

K1 and K6 plots

	K1	K6	Mean
	(± 1.00)		(± 0.70)
N1	19.7	21.7	20.7
N2	27.4	26.7	27.1
Mean (± 0.70)	23.6	24.2	23.9

General mean: 23.5

Mean D.M. %: 18.3

65/C/22.10

PLOT 5/2: DRY MATTER

4TH CUT

Excluding K1 and K6 plots

	P0	P1	P2	P4	Mean
Mean (± 0.40)	21.0	20.8	20.3	20.3	20.6
		(± 0.80)			(± 0.40)
K0	20.7	21.8	21.2	19.9	20.9
K2	20.7	19.4	20.6	20.0	20.2
K4	20.8	21.3	21.1	21.1	21.1
K8	21.7	20.6	18.2	20.0	20.2
		(± 0.56)			(± 0.28)
N1	19.3	18.2	18.9	17.8	18.5
N2	22.7	23.4	21.7	22.7	22.6

	K0	K2	K4	K8
		(± 0.56)		
N1	19.4	18.8	18.2	17.7
N2	22.5	21.5	23.9	22.6

K1 and K6 plots

	K1	K6	Mean
	(± 0.80)		(± 0.56)
N1	19.3	18.5	18.9
N2	23.0	23.0	23.0
Mean (± 0.56)	21.2	20.8	21.0

General mean: 20.6

Mean D.M. %: 21.1

65/C/22.11

PLOT 5/2: DRY MATTER

TOTAL OF 4 CUTS

Excluding K1 and K6 plots

	P0	P1	P2	P4	Mean
Mean (± 1.66)	79.6	77.6	79.5	78.1	78.7
		(± 3.31)			(± 1.66)
K0	77.3	79.3	83.2	79.8	79.9
K2	79.2	74.8	81.0	78.3	78.3
K4	81.4	79.1	79.6	77.9	79.5
K8	80.6	77.1	74.1	76.4	77.0
		(± 2.34)			(± 1.17)
N1	70.7	66.4	70.7	66.0	68.4
N2	88.5	88.7	88.3	90.2	88.9
	K0	K2	K4	K8	
		(± 2.34)			
N1	69.9	70.6	68.4	64.9	
N2	89.9	86.0	90.6	89.2	

K1 and K6 plots

	K1	K6	Mean
		(± 3.31)	(± 2.34)
N1	69.3	72.7	71.0
N2	91.7	87.2	89.5
Mean (± 2.34)	80.5	80.0	80.2

General mean: 79.0

Mean D.M. %: 17.2