

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1967

[Full Table of Content](#)



67/S/SB/A/10 Saxmundham - Rotation 2

Rothamsted Research

Rothamsted Research (1968) 67/S/SB/A/10 Saxmundham - Rotation 2 ; Yields Of The Field Experiments 1967, pp 37 - 38 - DOI: <https://doi.org/10.23637/ERADOC-1-157>

67/A/10.1

SAXMUNDHAM

ROTATION II 1967

(SB)

For history, treatments, rotations, etc. see Rothamsted Report for 1964, pp. 228 - 232 and 'Results' 66/A/11. For previous years' results see 'Results' 64/A/11, 65/A/11, 66/A/11.

Four strips, alternately of sugar beet and white turnips, were cross-drilled on each of the two blocks of the experiment. The plots were manured as in 1966.

Basal manuring: 1.2 cwt N, 2.0 cwt K₂O as 'Nitro-Chalk' and muriate of potash.

Area of each sub-plot: 0.0136. Area harvested: Sugar beet and turnips - 0.0045.

Cultivations, etc.: FYM applied: Sept 27, 1966. First half dressings of triple superphosphate applied: Sept 21. Ploughed: Sept 29 - Oct 27. Second half dressing of triple superphosphate and basal NK applied: Mar 8, 1967. Seed drilled (both crops): Mar 30. Sugar beet: Dusted against flea-beetle: May 13. Singled: May 15 - 30. Sprayed with demeton-s-methyl: June 12 and July 7. Lifted: Sept 28. Variety: Klein E. Turnips: Singled: May 1 - 10. Harvested: July 11. Variety: Green.

67/A/10.2

SUMMARY OF RESULTS

Plot	Treatment 1966 and 67	Roots (washed)	Sugar beet Sugar %	Total sugar	Tops	Turnips Roots
1	PO	8.30	15.7	26.2	5.32	2.22
2	PO	13.50	17.6	47.5	4.73	5.00
3	PO	16.88	17.6	59.4	4.95	6.84
4	D	19.55	17.2	67.2	6.48	7.71
5	DP1	19.51	17.3	67.3	6.56	8.13
6	P1	18.35	17.3	63.4	6.51	7.92
7	P2	18.61	17.3	64.4	5.83	7.88
8	PO	17.44	17.3	60.1	5.90	7.25
Mean		16.52	17.2	56.9	5.79	6.62