

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Numerical Results of the Field Experiments 1968

[Full Table of Content](#)



68/C/18 Organic Manuring Experiment

Rothamsted Research

Rothamsted Research (1970) *68/C/18 Organic Manuring Experiment* ; Numerical Results Of The Field Experiments 1968, pp 189 - 191 - DOI: <https://doi.org/10.23637/ERADOC-1-58>

68/c/24.4

DRY MATTER							
	O	A	P	S	M	L	Mean
TOTAL OF 2 CUTS							
	(±1.80)						(±0.81)
N1		11.6	14.5	17.4	17.9	22.9	16.9
N2		13.3	18.2	23.2	25.0	34.1	22.7
N3		17.3	26.1	27.0	39.9	43.1	30.7
Mean (±1.04)	11.1	14.0	19.6	22.5	27.6	33.4	21.4*

* General mean

Mean D.M. %: 25.6

68/c/24.3

SUMMARY OF RESULTS

DRY MATTER

	O	A	P	S	M	L	Mean
FOSTERS O AND E I							
1ST CUT							
				(± 1.62)			(± 0.72)
N1		4.7	6.8	9.4	9.7	14.1	8.9
N2		5.4	10.0	14.8	16.8	23.5	14.1
N3		9.3	16.7	18.6	28.9	30.1	20.7
Mean (± 0.94)	4.2	6.5	11.2	14.3	18.5	22.6	12.9*

2ND CUT

				(± 0.35)			(± 0.16)
N1		6.8	7.7	8.0	8.3	8.8	7.9
N2		7.8	8.2	8.3	8.1	10.6	8.6
N3		8.0	9.4	8.3	10.9	12.9	9.9
Mean (± 0.20)	6.9	7.6	8.4	8.2	9.1	10.8	8.5*

* General mean

Mean D.M. %: 1st cut: 25.1
2nd cut: 26.2

68/c/24.2

Standard errors per plot. Dry Matter:

Fosters O and E I (R):

1st cut: 2.81 or 21.8% (34 d.f.)

2nd cut: 0.61 or 7.2% (34 d.f.)

Total of 2 cuts: 3.12 or 14.6% (34 d.f.)

Stackyard B (W):

1st cut: 2.04 or 7.9% (34 d.f.)

2nd cut: 2.19 or 9.9% (34 d.f.)

3rd cut: 1.46 or 14.1% (34 d.f.)

Total of 3 cuts: 3.93 or 6.8% (34 d.f.)