

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Numerical Results of the Field Experiments 1968

[Full Table of Content](#)



68/C/43 Saxmundham N and Cutting - Grass

Rothamsted Research

Rothamsted Research (1970) *68/C/43 Saxmundham N and Cutting - Grass* ; Numerical Results Of The Field Experiments 1968, pp 289 - 290 - DOI: <https://doi.org/10.23637/ERADOC-1-58>

68/C/43.1

GRASS

(SAX/G/1)

N and cutting, Saxmundham Grove Plot 1968, the second year. For treatments etc. and for the previous year's results see 'Results' 67/C/47.

Design: 4 randomised blocks of 9 plots.

Area of each plot: 0.0018. Area harvested: 0.0012.

Treatments:- (N as 'Nitro-Chalk')

	Total N (cwt)	No. of N dressings	No. of cuts
1	0.0	0	3
2	1.0	2	3
3	2.0	2	3
4	3.0	2	3
5	4.0	2	3
6	2.0	4	5
7	4.0	4	5
8	2.0	2	5
9	4.0	2	5

Basal applications: 1.0 cwt P205, 2.0 cwt K20 as (0:10:20).

Cultivations, etc.: Basal PK applied: 29 Feb, 1968. N treatments applied: plots with 2 N dressings - 29 Feb, 28 May, plots with 4 N dressings: 29 Feb, 1 May, 28 May, 12 July. Cut plots with 3 cuts: 28 May, 16 Aug, 23 Oct, plots with 5 cuts: 1 May, 28 May, 12 July, 16 Aug, 23 Oct.

Standard error per plot. Dry matter:
Total of all cuts: 5.92 or 6.6% (24 d.f.)

68/c/43.2

SUMMARY OF RESULTS

DRY MATTER. TOTAL OF ALL CUTS

1	2	3	4	5	6	7	8	9	Mean
(±2.96)									
13.3	67.9	115.6	127.3	136.0	74.4	113.6	61.9	100.1	90.0

Mean D.M. %: 3 cut plots: 23.1
5 cut plots: 19.4