

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Numerical Results of the Field Experiments 1968

[Full Table of Content](#)



68/DA/11 Varieties and N - S. Wheat

Rothamsted Research

Rothamsted Research (1970) *68/DA/11 Varieties and N - S. Wheat* ; Numerical Results Of The Field Experiments 1968, pp 311 - 312 - DOI: <https://doi.org/10.23637/ERADOC-1-58>

68/Da/11.1

SPRING WHEAT

(FW 901)

Varieties and N - Little Hoos 1968.

Design: 4 randomised blocks of 5 plots, split into 3.

Area of each sub plot: 0.0100. Area harvested: 0.0054.

Treatments: All combinations of:-

Whole plots: 1. Varieties: Kloka (KL), Kolibri (KO), Maris
Ensign (ME), Rothwell Sprite (RS), Troll (TR).
Sub plots: 2. N: 0.5 (N1), 1.0 (N2), 1.5 (N3) cwt N as basal
NPK fertiliser plus 'Nitro-Chalk'.

Basal applications: 360 lb (15:15:15) combine drilled. Weedkillers:
Paraquat at 0.5 lb ion in 32 gals in winter, mecoprop/2,4-D
(Methoxone Extra at 6 pints in 32 gals).

Cultivations, etc.: Ploughed: 5 - 18 Sept, 1967. Paraquat applied:
4 Dec. Seed drilled at 160 lb: 14 Mar, 1968. 'Nitro-Chalk'
applied: 22 Mar. Mecoprop/2,4-D applied: 17 May. Combine
harvested: 4 Sept. Previous crops: Potatoes 1966, spring
wheat 1967.

Standard errors per plot.

Grain: Whole plot: 0.81 or 2.6% (12 d.f.)
Sub plot: 1.61 or 5.2% (30 d.f.)

68/Da/11.2

SUMMARY OF RESULTS

GRAIN

	KL	KD	ME	RS	TR	Mean
	(1) and (2)					(± 0.36)
N1	30.9	34.5	28.2	28.8	28.7	30.2
N2	31.5	41.7	28.7	28.9	31.0	32.4
N3	29.4	41.0	24.9	23.9	30.0	29.9
Mean (± 0.40)	30.6	39.1	27.3	27.2	29.9	30.8

(1) (± 0.77) For use in horizontal and diagonal comparisons only

(2) (± 0.81) For use in vertical and interaction comparisons only

Mean D.M. %: 76.6