

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Numerical Results of the Field Experiments 1968

[Full Table of Content](#)



68/DE/11 Post-planting Cultivations - Potatoes

Rothamsted Research

Rothamsted Research (1970) *68/DE/11 Post-planting Cultivations - Potatoes* ; Numerical Results Of The Field Experiments 1968, pp 361 - 362 - DOI: <https://doi.org/10.23637/ERADOC-1-58>

68/De/11.1

POTATOES

(RP 12/1)

Post-planting cultivations - Long Hoos I and II, 1968.

Design: 4 randomised blocks of 5 plots, split into 2.

Area of each sub plot: 0.0064. Area harvested: 0.0032.

Treatments: All combinations of:-

Whole plots:

1. Treatment of ridges (immediately after planting):
 - Undisturbed (O)
 - Grubbed (G)
 - Rolled (R)
 - Rolled and grubbed (RG)
 - Chain harrowed and grubbed (HG)

Sub plots:

2. Grubbing and rotary ridging (just before tops meet in rows): None (RO), grubbed and rotary ridged (RR).

Basal applications: 10 cwt (13:13:20). Weedkiller: Paraquat at 0.38 lb ion and linuron at 0.75 lb in 37 gals. Fungicide: Mancozeb at 1.2 lb in 37 gals on three occasions. Insecticide: Demeton-s-methyl at 3.5 oz (applied with mancozeb on one occasion).

Cultivations, etc.: Deep-tine cultivated twice: 2 Oct, 1967.
Ploughed: 4 - 23 Jan, 1968. Basal NPK applied: 14 Mar. Rotary cultivated: 2 Apr, Potatoes machine planted: 4 Apr. Treatments G, R, RG, HG applied: 6 Apr. Weedkiller applied: 3 May. 'RR' plots grubbed: 7 June. 'RR' plots rotary ridged: 10 June. Fungicide applied: 5 July. Fungicide and insecticide applied: 19 July. Fungicide applied: 5 Aug. Sprayed with undiluted BOV at 15 gals: 21 Aug. Lifted: 21 Oct. Variety: King Edward. Previous crops: Lucerne and cocksfoot 1966, fallow 1967.

Standard errors per plot.

Total tubers: Whole plot: 1.019 or 5.3% (12 d.f.)
Sub plot: 1.588 or 8.2% (15 d.f.)

68/De/11.2

SUMMARY OF RESULTS

	O	G	R	RG	HG	Mean
	TOTAL TUBERS					
	(1) and (2)					(± 0.355)
RO	18.66	18.96	19.96	19.40	18.69	19.13
RR	19.80	20.18	20.10	18.18	19.95	19.64
Mean (± 0.510)	19.23	19.57	20.03	18.79	19.32	19.39

- (1) (± 0.758) For use in horizontal and diagonal comparisons only
 (2) (± 0.794) For use in vertical and interaction comparisons only

	% WARE					
RO	95.7	94.8	95.0	95.2	95.4	95.2
RR	96.1	96.5	96.1	95.8	95.7	96.0
Mean	95.9	95.6	95.5	95.5	95.5	95.6