

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Numerical Results of the Field Experiments 1969

[Full Table of Content](#)



69/W/CS/29 - Forms of Magnesium - Potatoes

Rothamsted Research

Rothamsted Research (1970) *69/W/CS/29 - Forms of Magnesium - Potatoes* ; Numerical Results Of The Field Experiments 1969, pp 203 - 204 - DOI: <https://doi.org/10.23637/ERADOC-1-96>

FORMS OF MAGNESIUM

(69/W/CS/29)

Effect of forms of magnesium fertiliser on potatoes - Woburn
Stackyard C, 2nd year.

For details of treatments etc. and previous year's results
see 'Results' 68/C/35. Mg and limestone treatments are
cumulative.

Area of each plot: 0.0067. Area harvested: 0.0030.

Basal applications: 1120 lb (13:13:20). Weedkiller: Linuron
at 0.5 lb plus paraquat at 0.37 lb in 25 gals. Fungicide:
Mancozeb at 1.2 lb in 37 gals, on three occasions. Insecticide:
Demeton-s-methyl at 3.5 oz applied once with fungicide.

Cultivations, etc.: Ploughed: 7 Feb, 1969. Mg and limestone
treatments applied: 5 Mar. NPK applied: 11 Apr. Rotary
cultivated, potatoes planted: 17 Apr. Weedkiller applied:
15 May. Rotary ridged: 16 June. Fungicide plus insecticide
applied: 18 July. Fungicide applied: 6 Aug, 26 Aug. Lifted:
23 Sept. Variety: King Edward.

Standard error per plot.

Total tubers, tons: 1.310 or 11.8% (21 d.f.)

201

SUMMARY OF RESULTS

O	D2	E	C1	C2	DL	I2	EL	Mean
TOTAL TUBERS: TONS								
(±0.655)								
9.73	11.84	10.51	10.17	10.36	12.50	11.25	12.08	11.06
% WARE								
76.1	79.8	74.8	77.8	75.0	80.1	80.9	80.0	78.1