


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Numerical Results of the Field Experiments 1969

[Full Table of Content](#)



69/R/P/6 - Blight Reference Plots - Potatoes

Rothamsted Research

Rothamsted Research (1970) *69/R/P/6 - Blight Reference Plots - Potatoes* ; Numerical Results Of The Field Experiments 1969, pp 311 - 312 - DOI: <https://doi.org/10.23637/ERADOC-1-96>

POTATOES

(69/R/P/6)

Blight reference plots, Long Hoos V 1969.

Design: 4 randomised blocks of 3 plots.

Area of each plot: 0.0071. Area harvested: 0.0067.

Treatments: Fungicide spray:-

None

(O)

Sprayed with mancozeb at 1.2 lb in 37 gals on 3 occasions

(F)

Sprayed with mancozeb as above, plots used for sampling

(FS)

Basal applications: 10 cwt (13:13:20). Weedkiller: Paraquat at 0.375 lb ion plus linuron at 0.75 lb in 37 gals.

Cultivations, etc.: Ploughed: 23 Oct, 1968. Basal NPK applied:

14 Apr, 1969. Rotary cultivated, potatoes machine planted:

18 Apr. Weedkiller applied: 13 May. Grubbed: 18 June. Earthed

up: 27 June. Mancozeb applied: 16 July, 4 Aug, 21 Aug. Sprayed

with undiluted BOV at 15 gals: 5 Sept. Haulm destroyed mechanically:

17 Sept. Lifted: 24 Sept. Variety: King Edward. Previous crops:

Spring wheat 1967, oilseed rape 1968.

NOTE: No blighted tubers were found.

SUMMARY OF RESULTS

O	F	Mean
TOTAL TUBERS:TONS		
15.57	15.38	15.48
% WARE		
94.0	94.2	94.1