

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Numerical Results of the Field Experiments 1970

[Full Table of Content](#)



70/W/RN/14 Long Term Phosphate - Sugar Beet, Barley

Rothamsted Research

Rothamsted Research (1971) *70/W/RN/14 Long Term Phosphate - Sugar Beet, Barley* ; Numerical Results Of The Field Experiments 1970, pp 119 - 123 - **DOI:**
<https://doi.org/10.23637/ERADOC-1-59>

LONG TERM PHOSPHATE

(70/W/RN/14)

Residual and cumulative effects of superphosphate - Woburn Stackyard III 1970.

First year of revised scheme testing fresh P on two phases per annum of a three course rotation - sugar beet, barley, potatoes. Crops in 1970, sugar beet and barley.

For previous years' results, design, treatments etc., see 'Results' 68/B/8 and 69/W/RN/14.

Area of each sub-plot: 0.0167. Area harvested: Barley: 0.0111, sugar beet: Roots: 0.0051, tops: 0.0026.

Superphosphate treatments, to sub-plots:-

Sugar beet: None (0), 1.0 cwt P₂O₅ (P)

Barley: None (0), 0.5 cwt P₂O₅ (P).

Standard applications:-

Sugar beet: Manures: 465 lb muriate of potash (60% K₂O), 335 lb Epsom salts (16% MgO), 805 lb 'Nitro-Chalk' 21. Weedkiller: Phenmedipham (Betanal at 5 pts in 20 gals). Insecticide: Demeton-s-methyl at 3.5 fl oz in 25 gals.

Barley: Manures: 95 lb muriate of potash (60% K₂O), 640 lb 'Nitro-Chalk' 21. Weedkiller: Ioxynil at 7.5 oz and mecoprop at 22.5 oz in 25 gals.

Cultivations, etc.:

Sugar beet: Ploughed: 3 Sept, 1969. Reploughed: 14 Nov. P applied: 7 Apr, 1970. K and N applied: 15 Apr. Mg applied: 16 Apr. Power harrowed, seed drilled at 5 lb: 20 Apr. Weedkiller applied: 15 May. Partly redrilled because of poor germination: 22 May. Singled: 27 May, 2 June. Insecticide applied: 22 June. Lifted: 23 Oct. Variety: Klein E.

Barley: Ploughed: 13 Nov, 1969. K and N applied: 25 Mar, 1970. Power harrowed, seed drilled at 135 lb, P applied: 26 Mar. Weedkiller applied: 18 May. Combine harvested: 25 Aug. Variety: Julia.

NOTE: Soil samples were taken for P analyses before applying fresh P.

70/W/RN/14

Standard errors per plot:

Sugar beet: Roots (washed) tons:	Whole plot: 1.099 or 8.5% (10 d.f.)
	Sub plot: 1.091 or 8.4% (12 d.f.)
Total sugar, cwt:	Whole plot: 4.30 or 9.4% (10 d.f.)
	Sub plot: 4.32 or 9.5% (12 d.f.)
Tops, tons:	Whole plot: 1.569 or 11.4% (10 d.f.)
	Sub plot: 1.685 or 12.2% (12 d.f.)
Barley: Grain, cwt:	Whole plot: 5.12 or 21.8% (10 d.f.)
	Sub plot: 2.77 or 11.8% (12 d.f.)

70/W/RN/14

SUMMARY OF RESULTS

SUGAR BEET

	RO*	R1	R2	R4	R6	Mean
	ROOTS (WASHED): TONS					
	(1) and (2)	(3) and (4)				(±0.257)
O	11.97	11.78	13.75	13.82	12.94	12.70
P	13.13	12.78	12.50	15.03	12.17	13.12
Mean	12.55 (±0.449)	12.28	13.12 (±0.635)	14.43	12.55	12.91

(1) (±0.548) (3) (±0.775) For use in horizontal and diagonal comparisons only

(2) (±0.445) (4) (±0.630) For use in vertical and interaction comparisons only

SUGAR %

O	17.5	17.4	17.9	17.8	17.6	17.6
P	17.6	17.6	17.5	17.7	17.4	17.5
Mean	17.5	17.5	17.7	17.8	17.5	17.6

* Duplicated treatment

70/W/RN/14

SUGAR BEET

	RO*	R1	R2	R4	R6	Mean
TOTAL SUGAR: CWT						
	(1) and (2)	(3) and (4)				(±1.02)
O	41.8	40.9	49.2	49.2	45.7	44.8
P	46.3	45.0	43.7	53.3	42.4	46.1
Mean	44.0 (±1.76)	42.9	46.4 (±2.48)	51.2	44.0	45.4

(1) (±2.15) (3) (±3.04) For use in horizontal and diagonal comparisons only

(2) (±1.76) (4) (±2.49) For use in vertical and interaction comparisons only

TOPS: TONS

	(1) and (2)	(3) and (4)				(±0.397)
O	12.39	13.31	13.83	13.37	13.54	13.14
P	13.95	15.57	14.87	14.82	13.66	14.47
Mean	13.17 (±0.641)	14.44	14.35 (±0.906)	14.09	13.60	13.80

(1) (±0.804) (3) (±1.137) For use in horizontal and diagonal comparisons only

(2) (±0.688) (4) (±0.973) For use in vertical and interaction comparisons only

* Duplicated treatment

70/W/RN/14

BABLEY

	RO*	F1	R2	R4	R6	Mean
	GRAIN: CWT					
	(1) and (2)	(3) and (4)				(±0.65)
O	22.8	24.7	23.9	27.3	25.8	24.5
P	21.7	24.7	23.2	21.7	21.9	22.5
Mean	22.3 (±2.09)	24.7	23.5 (±2.95)	24.5	23.8	23.5

(1) (±2.24) (3) (±3.16) For use in horizontal and diagonal comparisons only
 (2) (±1.13) (4) (±1.60) For use in vertical and interaction comparisons only

STRAW: CWT

O	7.9	10.5	8.4	12.1	10.9	9.6
P	7.4	11.9	9.0	11.4	9.1	9.4
Mean	7.7	11.2	8.7	11.7	10.0	9.5

Mean D.M. %: Grain: 78.9
 Straw: 78.8

* Duplicated treatment