

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Numerical Results of the Field Experiments 1970

[Full Table of Content](#)



70/R/P/5 Potatoes Chitting, Spacing and Seed Size

Rothamsted Research

Rothamsted Research (1971) *70/R/P/5 Potatoes Chitting, Spacing and Seed Size ; Numerical Results Of The Field Experiments 1970*, pp 299 - 301 - DOI: <https://doi.org/10.23637/ERADOC-1-59>

POTATOES

(70/R/P/5)

Chitting, spacing and seed size, Long Hoos IV 1970.

Design: 2 randomised blocks of 4 plots split into 8.

Area of each sub-plot: N plots - 0.0029, W plots - 0.0037.

Area harvested: N plots - 0.0029, W plots - 0.0037.

Treatments: All combinations of:-

Whole plots: 1. Distance between rows: 28 inches (N), 36 inches (W).
2. Seed size: Large (L), small (S).

Sub-plots: 3. Chitting: Early (E), late (L).
4. Spacing of seed within the row:
Seed 12 (1), 16 (2), 20 (3), 24 (4) inches apart
within the row.

Basal applications: 10 cwt (13:13:20). Weedkiller: Linuron at 1 lb
in 39 gals. Fungicide: Mancozeb at 1.2 lb in 40 gals on 2 occasions.
Insecticide: Demeton-s-methyl at 3.5 oz applied with the first
mancozeb spray. Seed treatment: 1% benomyl dust at 10 lb dust per
ton of tubers.

Cultivations, etc.: Ploughed: 28 Oct, 1969. Basal NPK applied:
23 Apr, 1970. Plots rotary cultivated, potatoes hand planted:
4 May. Weedkiller applied: 23 May. Fungicide and insecticide
applied: 29 July. Fungicide applied: 14 Aug. Sprayed with
undiluted BOV at 15 gals: 16 Sept. Lifted: 29 Sept. Variety:
King Edward. Previous crops: Barley 1968, s.beans 1969.

NOTE: Emergence counts were made, and stem and plant counts made
prior to lifting but after burning off.

Standard error per sub-plot.

Total tubers, tons: 1.029 or 8.4% (24 d.f.)

70/R/P/5

SUMMARY OF RESULTS

TOTAL TUBERS: TONS

	1	2	3	4	Mean
	$(\pm 0.364)^*$				(± 0.236)
N	13.81	13.09	13.06	12.45	13.10
W	12.54	11.38	11.63	10.25	11.45
	$(\pm 0.364)^*$				(± 0.236)
L	13.99	12.65	13.03	12.18	12.96
S	12.37	11.81	11.67	10.52	11.59
	(± 0.364)				(± 0.182)
E	13.56	12.16	12.33	10.64	12.17
L	12.79	12.31	12.36	12.06	12.38
Mean (± 0.257)	13.18	12.23	12.35	11.35	12.28

	L	S	E	L
	(± 0.334)		$(\pm 0.257)^*$	
N	14.48	11.72	13.24	12.97
W	11.44	11.46	11.11	11.79
			$(\pm 0.257)^*$	
		L	13.01	12.92
		S	11.34	11.85

* For use in horizontal and interaction comparisons only

70/R/P/5

% WARE: 1.75 INCH

	1	2	3	4	Mean
N	86.0	89.3	89.2	91.5	89.0
W	85.5	88.7	91.2	91.1	89.1
L	82.0	87.3	87.7	89.4	86.6
S	89.4	90.7	92.8	93.2	91.5
E	86.3	90.6	89.5	91.3	89.4
L	85.2	87.4	90.9	91.3	88.7
Mean	85.7	89.0	90.2	91.3	89.1

	L	S	E	L
N	87.0	91.0	89.3	88.7
W	86.1	92.1	89.5	88.7
		L	87.2	85.9
		S	91.6	91.5