

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Numerical Results of the Field Experiments 1970

[Full Table of Content](#)



70/W/RN/4 Market Garden - Sugar Beet, Barley

Rothamsted Research

Rothamsted Research (1971) *70/W/RN/4 Market Garden - Sugar Beet, Barley ; Numerical Results Of The Field Experiments 1970*, pp 78 - 81 - DOI: <https://doi.org/10.23637/ERADOC-1-59>

MARKET GARDEN

(70/W/RN/4)

Residues of organic manures, P and K and effect of fresh P -
Lansome I 1970.

First year of revised scheme testing fresh P on two phases per annum
of a three course rotation - Sugar beet, barley, potatoes - crops
in 1970 sugar beet and barley.

For history, past treatments, etc., see 'Details' 1967 and 'Results'
68/B/4 and 69/W/RN/4.

Area of each plot for sugar beet: 0.0109. Area harvested:
Roots (washed): 0.0040.
Tops: 0.0016.
sub-plot for barley: 0.0055. Area harvested: 0.0018.

Superphosphate treatments (applied to whole plots with confounding
of certain two and three factor interactions):-

Series A: Sugar beet: None (0), 1.0 cwt P2O5 (P)

Series B: Barley: None (0), 0.5 cwt P2O5 (P).

Standard applications:-

Series A: Sugar beet: Manures: 20 cwt ground chalk. 480 lb muriate
of potash (60% K2O), 550 lb Epsom salts (16% MgO).
810 lb 'Nitro-Chalk' 21. Weedkiller: Phenmedipham
(Betanal at 5 pints in 20 gals). Insecticide:
Demeton-s-methyl at 3.5 fl oz in 25 gals.
Series B: Barley: Manures: 20 cwt ground chalk, 95 lb muriate of
potash (60% K2O), 265 lb 'Nitro-Chalk' 21.
Weedkiller: Ioxynil at 7.5 oz and mecoprop at
22.5 oz in 25 gals.

Cultivations, etc.:

Series A: Sugar beet: Ground chalk applied: 29 Sept, 1969. Ploughed:
13 Oct. K, Mg and N applied: 4 Apr, 1970. P applied: 7 Apr.
Power harrowed, seed drilled at 5 lb: 20 Apr. Weedkiller applied:
15 May. Singled: 27 May. Insecticide applied: 22 June. Lifted:
22 Oct. Variety: Klein E.

Series B: Barley: Ground chalk applied: 29 Sept, 1969. Ploughed:
13 Oct. K, N and P applied, power harrowed, seed drilled at
135 lb: 26 Mar, 1970. Weedkiller applied: 16 May. Combine
harvested: 13 Aug. Variety: Julia.

NOTE: Soil samples were taken in early spring, before applying fresh P.

70/W/RN/4

SUMMARY OF RESULTS

SERIES A

SUGAR BEET

Organic 1942-61* 1962-67		POKO		PlKl		P2K2	
		O	P	O	P	O	P
ROOTS (WASHED): TONS							
O	O			17.81	16.28	10.89	18.12
S1	O					17.35**	17.82**
S2	O					18.60**	17.32**
T1	O					17.50**	18.56**
T2	O					17.39**	18.06**
D1	D1	17.32	18.28	17.14	17.50		
D2	D2	19.28	19.53	19.28	20.10		
C1	D1	17.50	20.15	17.83	19.64		
C2	D2	19.75	21.44	18.48	21.00		
SUGAR %							
O	O			17.1	17.1	16.7	17.4
S1	O					17.7**	16.6**
S2	O					16.8**	17.4**
T1	O					17.4**	17.5**
T2	O					16.8**	17.3**
D1	D1	17.3	17.1	17.9	17.3		
D2	D2	17.5	17.4	18.0	17.1		
C1	D1	17.5	17.6	17.7	17.3		
C2	D2	17.1	17.3	17.8	17.2		

General mean: Roots (washed): 17.89
Sugar %: 17.3

* Last applied to Leeks 1961/62

** PlKl 1962-65

70/W/RN/4

SERIES A

SUGAR BEET

Organic		POK0		PlK1		P2K2	
1942-61*	1962-67	O	P	O	P	O	P

TOTAL SUGAR: CWT

O	O			61.0	55.8	36.4	63.3
S1	O					61.3**	59.3**
S2	O					62.4**	60.2**
T1	O					61.2**	64.8**
T2	O					58.6**	62.6**
D1	D1	59.8	62.4	61.5	60.4		
D2	D2	67.4	68.1	69.3	68.8		
C1	D1	61.3	70.9	62.9	67.9		
C2	D2	67.5	74.4	65.6	72.0		

TOPS: TONS

O	O			13.80	12.31	9.39	10.75
S1	O					15.61**	17.31**
S2	O					18.70**	15.75**
T1	O					15.24**	17.12**
T2	O					17.26**	16.22**
D1	D1	11.04	15.42	12.29	13.47		
D2	D2	12.64	12.57	12.64	14.38		
C1	D1	13.47	15.49	13.47	14.24		
C2	D2	15.35	14.86	13.54	12.92		

General mean: Total sugar: 61.8
Tops: 14.41

* Last applied to Leeks 1961/62
** PlK1 1962-65

70/W/RN/4

SERIES B

BARLEY

1942-61	Organic 1962-64	1966-67	POKO		P1K1		P2K2	
			O		P	O	P	O

GRAIN: CWT

O	O	O			37.0	37.1	40.0	37.6
O	O	PT				34.3	30.8	37.3
S1	O	O	36.3*	37.1*				
S2	O	O	32.1*	37.5*				
T1	O	O	42.2*	39.8*				
T2	O	O	30.0*	38.1*				
D1	D1	D1		35.0	36.9	41.3	31.0	
D1	D1	O	36.0	36.7	38.3	37.3		
D2	D2	D2		40.2	38.0	41.1	41.0	
D2	D2	O	45.5	36.4	39.3	42.1		
C1	D1	D1		38.3	42.3	43.1	44.8	
C2	D2	D2		35.0	36.6	37.4	41.4	

STRAW: CWT

O	O	O			20.2	16.1	20.7	18.2
O	O	PT				18.4	20.2	19.5
S1	O	O	20.4*	17.1*				
S2	O	O	15.2*	18.3*				
T1	O	O	22.9*	18.6*				
T2	O	O	18.0*	20.1*				
D1	D1	D1		18.7	17.7	18.9	16.3	
D1	D1	O	14.3	16.7	25.5	16.3		
D2	D2	D2		13.1	15.7	18.8	18.8	
D2	D2	O	27.2	12.7	19.7	21.0		
C1	D1	D1		18.6	20.5	23.1	22.7	
C2	D2	D2		18.2	17.9	20.4	22.3	

General mean: Grain: 37.9

Straw: 19.1

Mean D.M. %: Grain: 84.0

Straw: 78.4

* P1K1 1962-64