

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1972

[Full Table of Content](#)



72/R/CS/61 Fungicides - Old Grass

Rothamsted Research

Rothamsted Research (1973) *72/R/CS/61 Fungicides - Old Grass* ; Yields Of The Field Experiments 1972, pp 211 - 215 - DOI: <https://doi.org/10.23637/ERADOC-1-62>

72/R/CS/61

FUNGICIDES

Object: To study the effects of three fungicides on yield and pathogens of old grass - Road Piece.

Sponsors: D.B. Slope, E.W. Broom.

The second year, old grass.

For previous year see 71/R/CS/61(t).

Design: 3 randomised blocks of 4 plots, split into 2.

Whole plot dimensions: 5.49 x 7.32. Sub plot area harvested: 0.00074.

Treatments: All combinations of:-

Whole plots: 1. Fungicides (F): None (O), benomyl at 1.12 kg (B), carboxin at 1.12 kg (C), mancozeb at 1.12 kg (M).

Sub plots: 2. Nitrogen (N): 125 kg N in spring plus 75 kg after each cut except the last (2), 188 kg N in spring plus 113 kg N after each cut except the last (3).
All N was applied as NK compound (25:0:16).

The fungicides were each applied in 280 l on 2 occasions (26 June, 1972 and 16 Aug).

Basal applications: 500 kg (0:14:28) in winter.

Cultivations, etc.: PK applied: 15 Nov, 1971. NK applied: 13 Mar, 1972.

Cut 3 times: 23 May, 20 July, 14 Sept. NK applied after each cut except the last.

Standard errors per plot. Dry matter, tonnes/hectare:

1st cut:	Whole plot: 0.328 or 4.9% (6 d.f.)
	Sub plot: 0.406 or 6.1% (8 d.f.)
2nd cut:	Whole plot: 0.148 or 4.9% (6 d.f.)
	Sub plot: 0.188 or 6.2% (8 d.f.)
3rd cut:	Whole plot: 0.167 or 15.5% (6 d.f.)
	Sub plot: 0.126 or 11.8% (8 d.f.)
Total of 3 cuts:	Whole plot: 0.368 or 3.4% (6 d.f.)
	Sub plot: 0.519 or 4.8% (8 d.f.)

72/R/CS/61

TABLES OF MEANS

DRY MATTER: TONNES/HECTARE

1ST CUT

	N		Mean
	2	3	
F			
O	6.51	6.68	6.59
B	5.91	6.72	6.31
C	7.27	6.37	6.82
M	6.76	6.88	6.82
Mean	6.61	6.66	6.64

STANDARD ERRORS OF DIFFERENCES

	F	N	F N
Unless same levels of	0.268	0.166	0.356
F			0.331

Mean D.M. %: 17.7

72/R/CS/61

DRY MATTER: TONNES/HECTARE

2ND CUT

	N		
	2	3	Mean
F			
O	2.93	3.10	3.01
B	3.05	3.08	3.07
C	3.12	2.70	2.91
M	3.24	3.06	3.15
Mean	3.09	2.98	3.04

STANDARD ERRORS OF DIFFERENCES

	F	N	F N
Unless same levels of	0.121	0.077	0.162
F			0.153

Mean D.M. %: 22.9

72/R/CS/61

DRY MATTER: TONNES/HECTARE

3RD CUT

	N		
	2	3	Mean
F			
O	1.21	1.01	1.11
B	0.93	1.01	0.97
C	1.12	1.00	1.06
M	1.19	1.04	1.11
Mean	1.11	1.02	1.06

STANDARD ERRORS OF DIFFERENCES

	F	N	F N
	0.136	0.051	0.154
Unless same levels of F			0.103

Mean D.M. %: 23.7

72/R/CS/61

DRY MATTER: TONNES/HECTARE

TOTAL OF 3 CUTS

	N		
	2	3	Mean
F			
O	10.64	10.79	10.72
B	9.89	10.81	10.35
C	11.51	10.07	10.79
M	11.19	10.98	11.09
Mean	10.81	10.66	10.74

STANDARD ERRORS OF DIFFERENCES

	F	N	F N
Unless same levels of	0.301	0.212	0.424
F			0.424

Mean D.M. %: 21.4