

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1972

[Full Table of Content](#)



72/R/SN/2 Rotation II - Potatoes, Barley, Sugar Beet

Rothamsted Research

Rothamsted Research (1973) *72/R/SN/2 Rotation II - Potatoes, Barley, Sugar Beet ; Yields Of The Field Experiments 1972*, pp 45 - 51 - DOI: <https://doi.org/10.23637/ERADOC-1-62>

72/S/RN/2

ROTATION II

Object: To measure, by crop yields and soil analysis, the residual value of P applied as FYM or superphosphate in the periods 1899 - 1964 and 1965 - 1967 - Saxmundham.

Sponsors: G.E.G. Mattingly, A.E. Johnston.

The fourth year of revised scheme, potatoes, barley, sugar beet.

For previous years see 'Details' 1967, 68/A/10(t), 69/S/RN/2(t) and 70 - 71/S/RN/2.

Whole plot dimensions: 3.56 x 5.49. Sub plot area harvested:
Potatoes - 0.00078, sugar beet - 0.00100, barley - 0.00056.

Basal applications:

Potatoes: Manures as previously. Weedkiller: Linuron at 0.84 kg plus paraquat at 0.84 kg ion in 450 l. Fungicide: Mancozeb at 2.7 kg in 450 l on 4 occasions. Insecticide: Menazon ('Saphi-Col' at 0.7 l in 450 l) on 3 occasions.

Barley: Manures: 100 kg N and 64 kg K₂O as (25:0:16). Weedkiller: Dichlorprop plus MCPA ('Mephetol Plus') at 5.6 l in 450 l. Fungicide: Tridemorph 0.52 kg in 450 l.

Sugar beet: Manures as previously. Insecticide: DDT at 1.0 kg in 560 l. Menazon ('Saphi-Col' at 0.7 l in 450 l) on 4 occasions.

Seed: Potatoes: King Edward.

Barley: Julia sown at 170 kg (15 cm spacing between rows).

Sugar beet: Klein E rubbed and graded, sown at 6.7 kg.

Cultivations, etc.:

Potatoes: Ploughed: 29 Oct, 1971. Test P and basal NK applied, plots rotary cultivated, potatoes planted: 20 Apr, 1972. Weedkiller applied: 23 May. Insecticide and fungicide applied: 28 June, 11 July, 27 July. Fungicide applied: 16 Aug. Lifted: 21 Sept.

Barley: Ploughed: 29 Oct, 1971. Seed drilled, basal NK applied: 27 Mar, 1972. Weedkiller and fungicide applied: 16 May. Harvested by hand: 15 Aug.

72/S/RN/2

Sugar beet: Ploughed: 29 Oct, 1971. Test P and basal NK applied,
seed drilled: 6 Apr, 1972. Insecticides applied: DDT: 1 May,
menazon: 9 May, 28 June, 11 July, 27 July. Singled: 15 May.
Lifted: 26 Sept.

72/5/RN/2

TABLES OF MEANS

POTATOES

TOTAL TUBERS: TONNES/HECTARE

Plot	Treatment 1966 and 1967	1972				Mean
		P0*	P1	P2	P3	
1	P0	24.0	36.0	34.6	41.3	32.0
2	P0	36.3	44.2	43.6	43.3	40.7
3	P0	38.2	46.5	44.5	48.0	43.5
4	D	41.7	45.3	52.3	44.2	45.0
5	DP1	45.8	46.8	46.8	37.5	44.5
6	P1	42.4	44.2	49.7	44.2	44.6
7	P2	44.2	45.6	45.6	46.8	45.3
8	P0	40.8	39.8	45.9	49.7	43.4
Mean		39.2	43.8	45.4	44.4	42.4

SUGAR BEET

ROOTS (WASHED): TONNES/HECTARE

1	P0	14.4	27.4	33.8	32.9	24.6
2	P0	25.9	28.5	32.3	29.5	28.4
3	P0	33.6	32.7	33.3	33.8	33.4
4	D	35.2	36.3	38.5	38.4	36.7
5	DP1	35.4	37.5	41.3	37.6	37.4
6	P1	40.4	31.9	41.8	34.0	37.7
7	P2	39.0	42.1	33.2	39.7	38.6
8	P0	33.6	32.8	33.9	36.2	34.0
Mean		32.2	33.6	36.0	35.2	33.8

* Duplicated treatment

72/S/RN/2

SUGAR BEET

Plot	Treatment 1966 and 1967	1972				Mean
		PO*	P1	P2	P3	
		SUGAR %				
1	PO	15.8	16.6	16.7	16.6	16.3
2	PO	16.5	16.8	17.1	16.6	16.7
3	PO	16.7	16.8	16.5	17.1	16.8
4	D	16.9	17.4	16.5	16.8	16.9
5	DP1	17.0	17.2	17.0	16.9	17.0
6	P1	17.3	17.5	17.4	16.7	17.2
7	P2	17.2	17.2	17.1	17.2	17.2
8	PO	17.3	17.4	16.9	16.9	17.1
Mean		16.8	17.1	16.9	16.8	16.9

TOTAL SUGAR: TONNES/HECTARE

1	PO	2.26	4.55	5.63	5.45	4.03
2	PO	4.27	4.80	5.52	4.89	4.75
3	PO	5.61	5.49	5.49	5.78	5.60
4	D	5.96	6.30	6.37	6.45	6.21
5	DP1	6.02	6.45	7.01	6.35	6.37
6	P1	6.98	5.57	7.28	5.69	6.50
7	P2	6.72	7.22	5.67	6.81	6.63
8	PO	5.81	5.70	5.71	6.11	5.83
Mean		5.46	5.76	6.09	5.94	5.74

* Duplicated treatment

72/S/RN/2

SUGAR BEET

Plot	Treatment	1972				Mean
	1966 and 1967	P0*	P1	P2	P3	
TOPS: TONNES/HECTARE						
1	P0	18.8	35.5	40.0	34.8	29.6
2	P0	31.1	37.1	30.5	39.1	33.8
3	P0	37.1	40.0	37.3	35.5	37.4
4	D	43.2	35.5	38.2	42.0	40.4
5	DP1	35.3	41.8	46.8	42.0	40.2
6	P1	38.7	32.8	42.7	35.9	37.7
7	P2	38.9	38.7	38.2	35.0	37.9
8	P0	35.8	33.7	36.4	33.5	35.0
Mean		34.8	36.9	38.8	37.2	36.5

PLANT NUMBER: THOUSANDS/HECTARE						
1	P0	76.2	77.7	85.7	91.7	81.5
2	P0	92.2	77.7	75.7	74.7	82.5
3	P0	88.7	88.7	85.7	79.7	86.3
4	D	96.7	90.7	98.7	100.7	96.7
5	DP1	88.7	102.7	102.7	82.7	93.1
6	P1	109.1	90.7	104.6	88.7	100.5
7	P2	89.7	99.7	86.7	107.6	94.7
8	P0	94.7	91.7	83.7	79.7	88.9
Mean		92.0	89.9	90.4	88.2	90.5

* Duplicated treatment

72/S/RN/2

BARLEY AFTER POTATOES

Plot	Treatment	PO*	1971				Mean
	1966 and 1967		P1	P2	P3		
GRAIN: TONNES/HECTARE							
1	PO	3.34	6.01	6.46	6.09	5.05	
2	PO	5.56	6.03	6.68	6.32	6.03	
3	PO	6.00	5.36	5.66	6.02	5.81	
4	D	5.87	5.44	5.66	5.78	5.72	
5	DP1	6.04	5.32	5.69	5.60	5.74	
6	P1	5.33	6.20	5.84	5.83	5.70	
7	P2	5.39	5.32	5.48	5.58	5.43	
8	PO	5.54	5.57	5.69	5.64	5.60	
Mean		5.39	5.65	5.90	5.86	5.64	

STRAW: TONNES/HECTARE

1	PO	3.49	5.94	6.68	6.61	5.24
2	PO	5.88	7.08	7.24	6.93	6.60
3	PO	6.36	5.97	6.03	6.96	6.34
4	D	6.34	6.72	6.39	6.63	6.49
5	DP1	7.13	7.25	7.06	6.71	7.05
6	P1	7.34	6.81	7.26	7.21	7.19
7	P2	6.79	7.18	7.90	6.78	7.09
8	PO	6.91	6.60	7.34	7.07	6.97
Mean		6.28	6.69	6.99	6.86	6.62

Mean D.M. %: Grain: 82.5
Straw: 64.5

* Duplicated treatment

72/S/RW/2

BARLEY AFTER SUGAR BEET

Plot	Treatment	1971				Mean
	1966 and 1967	PO*	P1	P2	P3	
GRAIN: TONNES/HECTARE						
1	PO	3.44	4.37	5.51	5.34	4.42
2	PO	4.85	5.32	5.22	6.32	5.31
3	PO	5.67	5.51	5.94	5.58	5.67
4	D	5.73	6.08	5.25	5.55	5.67
5	DP1	6.06	6.18	5.62	5.42	5.87
6	P1	5.62	5.39	6.57	6.27	5.89
7	P2	5.52	5.95	6.17	5.95	5.82
8	PO	5.75	5.12	6.18	6.22	5.80
Mean		5.33	5.49	5.81	5.83	5.56
STRAW: TONNES/HECTARE						
1	PO	3.24	4.14	5.41	5.15	4.23
2	PO	4.63	5.10	5.05	6.13	5.11
3	PO	5.72	6.10	5.90	5.88	5.86
4	D	6.16	6.32	5.41	6.15	6.04
5	DP1	6.93	7.76	6.05	5.50	6.63
6	P1	6.65	5.23	6.75	7.25	6.50
7	P2	5.92	6.68	7.03	7.23	6.56
8	PO	6.10	5.46	6.52	6.52	6.14
Mean		5.67	5.85	6.01	6.23	5.89

Mean D.M. %: Grain: 81.7
Straw: 56.1

* Duplicated treatment