


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1973

[Full Table of Content](#)



73/R/WF/3 - Wheat and Fallow - Wheat

Rothamsted Research

Rothamsted Research (1974) *73/R/WF/3 - Wheat and Fallow - Wheat ; Yields Of The Field Experiments 1973*, pp 23 - 24 - DOI: <https://doi.org/10.23637/ERADOC-1-98>

73/R/WF/3

WHEAT AND FALLOW

Object: To study the effects of fallowing for one or three years on unmanured winter wheat - Hoosfield.

The 118th year, winter wheat.

For previous years see 'Details' 1967, 68/A/3(t), 69-72/R/WF/3.

Whole plot dimensions: 9.61 x 52.1. Area harvested: 0.01483.

Treatments: Phase of fallowing cycle (up to 1973):-

		PLOT
Plot 1	W F W F W F F F	-
Plot 2	F W F F F W F W	2/Fall11
Plot 3	F F W F W F W F	-
Plot 4	F W F W F F F W	4/Fall13
Plot 5	W F F F W F W F	-
Plot 6	F W F W F W F F	-
Plot 7	W F W F F F W F	-
Plot 8	F F F W F W F W	8/Fall11

W = wheat, F = fallow.

Basal applications: Weedkiller: Dicamba, mecoprop and MCPA ('Tetralex Plus' at 7.0 l in 220 l).

Seed: Cappelle, dressed with dieldrin, sown at 200 kg.

Cultivations, etc.: Ploughed: 11 Sept, 1972. Seed drilled: 18 Oct.

Weedkiller applied: 26 Apr, 1973. Combine harvested: 20 Aug.

Fallow plots: Ploughed 3 times: 11 Sept, 1972, 17 May, 1973 and 6 July.

73/R/WF/3

TABLES OF MEANS

GRAIN: TONNES/HECTARE

PLOT			
2/Fall11	8/Fall11	4/Fall13	Mean
2.56	2.20	2.88	2.55

STRAW: TONNES/HECTARE

1.93	1.34	1.87	1.71
------	------	------	------

Mean D.M. % Grain: 86.1
Straw: 88.3