


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1973

[Full Table of Content](#)



73/R/BN/7 - Barnfield - Beans, Potatoes, Sugar Beet

Rothamsted Research

Rothamsted Research (1974) 73/R/BN/7 - Barnfield - Beans, Potatoes, Sugar Beet ; Yields Of The Field Experiments 1973, pp 42 - 50 - DOI: <https://doi.org/10.23637/ERADOC-1-98>

73/R/BN/7

BARNFIELD

Object: Originally studied the effects of organic and inorganic manures on continuous roots. The experiment has been modified to study effects on a four-course rotation and continuous beans.

The sixth year of the new scheme, beans, potatoes and sugar beet.

For previous years see 'Details' 1967, 68/A/5(t), 69/R/BN/7, 70/R/BN/7(t), 71/R/BN/7(t) and 72/R/BN/7(t).

Plot dimensions and areas harvested:

Beans, Section 1 (half plot): 10.7 x 27.4 (Strips 1 and 8: 7.01 x 27.4).
Area harvested: 0.00878.

Potatoes and sugar beet (quarter plots): 4.27 x 28.5 (Strip 1: 2.74 x 28.5). Area harvested: Potatoes: 0.00390, sugar beet: 0.00098.

Treatments to sugar beet and potatoes (following the rotation potatoes, barley, sugar beet, spring wheat): All combinations of:-

Whole plots: 1. Fertilisers and organic manures:

MANURE

D	D
D P K	DPK
P K Na Mg	PKNaMg
P	P
P K	PK
P Na Mg	PNaMg
None	None
K Na Mg (to sugar beet only)	KNaMg

P: Superphosphate to supply 34 kg P

K: Sulphate of potash to supply 224 kg K

Na: Agricultural salt (sodium chloride) to supply 90 kg Na

Mg: Sulphate of magnesia to supply 22 kg Mg

D: Farmyard manure at 35 tonnes

Sub plots: 2. Nitrogen fertiliser (kg N) as 'Nitro-Chalk':

N

None	0
72	72
144	144
216	216

73/R/BN/7

and partial combinations (excluding treatment K Na Mg) with previous treatments:- 3. Forms of N: RESIDUAL

Nitrate of soda to supply 96 kg N	NS
Sulphate of ammonia to supply 96 kg N	SA
Sulphate of ammonia and castor meal each to supply 96 kg N	SA/C
Castor meal to supply 96 kg N	C

Castor meal last applied 1961, others until 1959.

Treatments to beans (grown continuously since 1967): All combinations of:

Whole plots: 1. Fertilisers and organic manures as for sugar beet and potatoes but excluding K Na Mg: MANURE

Sub plots: 2. Year of applying simazine: SIMAZINE

1.12 kg in 1972, none in 1973 (mechanically weeded)	1972
Mechanically weeded in 1972, 1.12 kg in 1973	1973

NOTE: For a fuller record of treatments see 'Details' etc.

Standard applications:

Spring beans: Insecticide: Demeton-s-methyl at 0.25 kg in 370 l.

Potatoes: Fungicide: Mancozeb at 1.3 kg in 370 l on two occasions.

Insecticide: Demeton-s-methyl at 0.25 kg in 370 l applied with the mancozeb on the first occasion.

Sugar beet: Insecticide: Demeton-s-methyl at 0.25 kg in 370 l.

Seed: Beans: Maris Bead, sown at 220 kg.

Potatoes: King Edward, Rothamsted, once grown, chitted seed.

Sugar beet: Klein E, sown at 7.8 kg.

Cultivations, etc.: Autumn fertilisers applied: 31 Oct, 1972. FYM applied: 6 Nov. Ploughed: 6-8 Nov.

Spring beans: Seed sown: 13 Mar, 1973. Weedkiller applied: 16 Mar.

Insecticide applied: 8 June.

Potatoes: N applied: 20 Mar, 1973. Plots rotary cultivated, potatoes machine planted: 2 Apr. Grubbed: 25 May. Strips 1 & 2 rotary ridged.

Strips 1 & 2 grubbed: 7 June. Strips 1 & 2 rotary ridged: 8 June.

Strips 4, 5, 6, 7 and 8 rotary ridged: 2 July. Fungicide and insecticide applied: 3 July. Fungicide applied: 24 July. Sprayed with undiluted BOV at 220 l: 20 Sept. Lifted: 15 Oct.

Sugar beet: N applied: 20 Mar, 1973. Seed sown: 22 Mar. Singled: 1-5 June. Insecticide applied: 11 June. Lifted: 13 Nov.

NOTE: At lifting many tubers were found to be affected by pink rot (*Phytophthora erythroseptica*) and these were not harvested. A more detailed examination on the P K Na Mg strip showed up to 27%, by weight, of diseased tubers.

73/R/BN/7

TABLES OF MEANS

BEANS

SIMAZINE

	1972	1973	Mean
GRAIN: TONNES/HECTARE			
MANURE			
D	2.26	2.71	2.49
DPK	2.98	3.10	3.04
PKNaMg	2.35	0.81	1.58
P	2.26	0.79	1.53
PK	2.06	0.53	1.29
PNaMg	2.22	0.76	1.49
None	1.64	0.47	1.05
Mean	2.25	1.31	1.78

STRAW: TONNES/HECTARE

MANURE			
D	4.58	2.05	3.32
DPK	4.60	1.93	3.26
PKNaMg	1.12	0.26	0.69
P	0.83	0.23	0.53
PK	0.92	0.14	0.53
PNaMg	0.97	0.28	0.62
None	0.57	0.34	0.46
Mean	1.94	0.75	1.34

Mean D.M. % Grain 83.1
Straw 92.6

73/R/BN/7
POTATOES
TOTAL TUBERS: TONNES/HECTARE

MANURE	N	RESIDUAL			
		NS	SA	SA/C	C
D	0	-	30.5	22.4	-
	72	34.0	-	-	51.9
	144	-	53.0	44.5	-
	216	47.8	-	-	33.4
DPK	0	36.4	-	-	24.8
	72	-	52.7	46.5	-
	144	53.3	-	-	44.1
	216	-	50.3	47.4	-
PKNaMg	0	-	9.8	11.7	-
	72	26.4	-	-	23.9
	144	-	21.2	20.4	-
	216	44.0	-	-	44.3
P	0	-	9.0	10.4	-
	72	21.3	-	-	21.1
	144	-	21.0	19.8	-
	216	28.9	-	-	29.8
PK	0	11.6	-	-	11.9
	72	-	17.0	20.2	-
	144	32.7	-	-	36.7
	216	-	31.4	29.7	-
PNaMg	0	12.3	-	-	16.6
	72	-	18.3	20.2	-
	144	31.8	-	-	32.3
	216	-	24.1	32.4	-
None	0	10.2	-	-	11.4
	72	-	10.5	10.0	-
	144	12.4	-	-	13.1
	216	-	10.9	13.5	-

73/R/BN/7

POTATOES

PERCENTAGE WARE: 3.81 CM (1.5 INCH) RIDDLE

MANURE	N	NS	SA	SA/C	C
D	0	-	91.7	89.7	-
	72	94.4	-	-	92.2
	144	-	95.7	92.7	-
	216	94.7	-	-	91.4
DPK	0	92.7	-	-	87.7
	72	-	96.7	93.7	-
	144	95.4	-	-	95.9
	216	-	94.2	93.1	-
PKNaMg	0	-	77.5	80.3	-
	72	85.2	-	-	83.4
	144	-	89.9	89.7	-
	216	93.7	-	-	96.6
P	0	-	83.8	81.7	-
	72	91.7	-	-	88.9
	144	-	89.6	85.3	-
	216	93.7	-	-	92.8
PK	0	85.8	-	-	88.2
	72	-	88.2	89.1	-
	144	94.8	-	-	94.6
	216	-	93.2	92.4	-
PNaMg	0	83.3	-	-	86.7
	72	-	85.4	83.7	-
	144	92.6	-	-	94.3
	216	-	85.9	91.8	-
None	0	81.7	-	-	76.6
	72	-	84.3	70.2	-
	144	84.5	-	-	76.9
	216	-	78.7	79.2	-

73/R/BN/7

SUGAR BEET

ROOTS WASHED: TONNES/HECTARE

MANURE	N	RESIDUAL			
		NS	SA	SA/C	C
D	0	29.1	-	-	32.0
	72	-	47.5	46.8	-
	144	51.1	-	-	46.6
	216	-	51.9	53.7	-
DPK	0	-	32.2	39.5	-
	72	50.9	-	-	44.8
	144	-	53.2	53.7	-
	216	52.0	-	-	53.7
PKNaMg	0	10.7	-	-	11.2
	72	-	22.3	24.7	-
	144	40.9	-	-	39.7
	216	-	50.7	52.0	-
P	0	12.9	-	-	12.9
	72	-	24.4	25.8	-
	144	37.6	-	-	38.3
	216	-	35.4	37.1	-
PK	0	-	8.7	12.3	-
	72	26.0	-	-	26.8
	144	-	40.2	45.9	-
	216	47.6	-	-	46.4
FNaMg	0	-	8.8	13.8	-
	72	24.8	-	-	27.8
	144	-	39.2	46.0	-
	216	47.2	-	-	43.7
None	0	-	7.2	13.9	-
	72	15.7	-	-	25.3
	144	-	30.4	32.2	-
	216	32.1	-	-	34.2
KNaMg	0		11.8		
	72		25.8		
	144		32.7		
	216		38.6		

73/R/BN/7

SUGAR BEET

SUGAR PERCENTAGE

MANURE	N	RESIDUAL			
		NS	SA	SA/C	C
D	0	17.1	-	-	17.3
	72	-	17.0	17.7	-
	144	17.1	-	-	17.6
	216	-	16.9	16.8	-
DPK	0	-	17.5	17.1	-
	72	17.8	-	-	17.3
	144	-	17.1	17.6	-
	216	16.5	-	-	17.2
PKNaMg	0	17.4	-	-	17.8
	72	-	18.2	17.7	-
	144	18.0	-	-	18.3
	216	-	18.4	18.1	-
P	0	17.3	-	-	17.4
	72	-	17.8	17.8	-
	144	17.3	-	-	17.6
	216	-	17.2	17.2	-
PK	0	-	17.9	17.6	-
	72	17.7	-	-	17.8
	144	-	18.5	18.3	-
	216	17.4	-	-	18.0
PNaMg	0	-	17.8	17.7	-
	72	17.5	-	-	17.4
	144	-	18.1	17.7	-
	216	17.2	-	-	16.9
None	0	-	17.5	17.5	-
	72	17.5	-	-	16.8
	144	-	18.0	17.6	-
	216	16.7	-	-	16.8
KNaMg	0		18.1		
	72		18.3		
	144		18.5		
	216		18.3		

73/R/BN/7

SUGAR BEET

TOTAL SUGAR: TONNES/HECTARE

MANURE	N	RESIDUAL			
		NS	SA	SA/C	C
D	0	4.98	-	-	5.53
	72	-	8.07	8.29	-
	144	8.70	-	-	8.20
	216	-	8.76	9.04	-
DPK	0	-	5.63	6.77	-
	72	9.08	-	-	7.74
	144	-	9.08	9.48	-
	216	8.58	-	-	9.23
PKNaMg	0	1.86	-	-	2.00
	72	-	4.07	4.38	-
	144	7.34	-	-	7.29
	216	-	9.32	9.41	-
P	0	2.23	-	-	2.25
	72	-	4.34	4.59	-
	144	6.49	-	-	6.76
	216	-	6.08	6.36	-
PK	0	-	1.56	2.18	-
	72	4.61	-	-	4.76
	144	-	7.45	8.42	-
	216	8.27	-	-	8.36
PNaMg	0	-	1.56	2.43	-
	72	4.34	-	-	4.82
	144	-	7.07	8.15	-
	216	8.13	-	-	7.36
None	0	-	1.26	2.44	-
	72	2.76	-	-	4.25
	144	-	5.47	5.67	-
	216	5.36	-	-	5.75
KNaMg	0		2.13		
	72		4.72		
	144		6.06		
	216		7.09		

73/R/BN/7

SUGAR BEET

TOPS: TONNES/HECTARE

MANURE	N	RESIDUAL			C
		NS	SA	SA/C ¹	
D	0	9.3	-	-	9.3
	72	-	19.5	12.1	-
	144	20.5	-	-	23.2
	216	-	18.6	21.4	-
DPK	0	-	7.7	11.2	-
	72	14.9	-	-	12.1
	144	-	17.7	12.1	-
	216	23.2	-	-	17.7
PKNaMg	0	2.4	-	-	3.6
	72	-	5.0	4.5	-
	144	10.2	-	-	7.4
	216	-	12.1	10.2	-
P	0	4.2	-	-	3.7
	72	-	6.8	7.0	-
	144	13.0	-	-	14.9
	216	-	14.9	24.2	-
PK	0	-	3.6	4.8	-
	72	6.5	-	-	5.6
	144	-	12.1	12.1	-
	216	19.5	-	-	13.0
PNaMg	0	-	3.2	4.4	-
	72	5.6	-	-	8.4
	144	-	11.2	17.7	-
	216	25.1	-	-	19.5
None	0	-	3.6	4.4	-
	72	5.6	-	-	10.6
	144	-	13.0	14.9	-
	216	26.0	-	-	18.6
KNaMg	0			6.8	
	72			12.1	
	144			8.9	
	216			9.3	