

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1976

[Full Table of Content](#)

76/R/BE/5 Aphids and Entomophthora - S. Beans

Rothamsted Research

Rothamsted Research (1977) *76/R/BE/5 Aphids and Entomophthora - S. Beans* ; Yields Of The Field Experiments 1976, pp 325 - 325 - DOI: <https://doi.org/10.23637/ERADOC-1-15>

76/R/BE/5

SPRING BEANS

APHIDS AND ENTOMOPHTHORA

Object: To study the effects of the fungus *Entomophthora* on aphid populations and yield of field beans - Little Hoos.

Sponsor: N. Wilding.

Design: 5 randomised blocks of 5 plots.

Whole plot dimensions: 9.14 x 9.22.

TREATMNT Treatments:

NONE None (3 plots/block)
 INSCDCDE Insecticide: Pirimicarb at 0.14 kg in 340 l on 22 June
 ENTAPHID *Entomophthora* spp. applied in live infected aphids on 17 June

NOTE: Two additional treatments were planned - application of maneb fungicide and of *E. virulenta* as resting spores. Because of exceptionally dry weather these were not applied.

Basal applications: Manures: Chalk at 7.5 t. FYM at 25 t. Weedkillers: Simazine at 1.1 kg in 220 l.

Seed: Minden, sown at 224 kg.

Cultivations, etc.: Chalk applied: 19 Sept, 1975. Heavy spring-tine cultivated: 14 Oct. FYM applied: 23 Oct. Ploughed: 28 Oct. Spring-tine cultivated: 27 Feb, 1976. Seed sown: 5 Mar. Weedkiller applied: 9 Mar. Mechanically weeded: 27 May. Combine harvested: 20 July. Previous crops: Winter wheat 1974, barley 1975.

NOTE: Seedling emergence counts were made. Aphid numbers and the proportion infected by *Entomophthora* spp. Were measured during June and July.

GRAIN TONNES/HECTARE

***** TABLES OF MEANS *****

TREATMNT	NONE	INSCDCDE	ENTAPHID	MEAN
	1.67	1.59	1.37	1.59

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	TREATMNT
SED	0.138 MIN REP 0.113 MAX-MIN
	TREATMNT
MAX-MIN	NONE V ANY OF REMAINDER
MIN-REP	ANY OF REMAINDER

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	18	0.219	13.7
GRAIN MEAN DM% 83.3	PLOT AREA HARVESTED	0.00244	
	325		