

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1977

[Full Table of Content](#)



---

### 77/R/WW/2 and 77/W/WW/2 Aqueous N and Nitrification Inhibitors - W. Wheat

#### Rothamsted Research

Rothamsted Research (1978) *77/R/WW/2 and 77/W/WW/2 Aqueous N and Nitrification Inhibitors - W. Wheat* ; Yields Of The Field Experiments 1977, pp 317 - 323 - DOI:  
<https://doi.org/10.23637/ERADOC-1-29>

77/R/WW/2 and 77/W/WW/2

# WINTER WHEAT

## AQUEOUS N AND NITRIFICATION INHIBITORS

Object: To study the effects of adding a range of nitrification inhibitors to aqueous urea and aqueous ammonia on the yield and nitrogen uptake of winter wheat - Rothamsted (R), Fosters West and Woburn (W) Horsepool.

Sponsors: F.V. Widdowson, J. Ashworth, A. Penny.

Design: 2 randomised blocks of 32 plots (Fosters West (R)). 2 randomised blocks of 37 plots (Horsepool (W)).

Whole plot dimensions: Fosters West (R) 4.27 x 10.7  
Horsepool (W) 4.27 x 13.7

Treatments: All combinations of:-

1. N FORM(1) Form of aqueous nitrogen:

|         |                       |
|---------|-----------------------|
| AMMONIA | Aqueous ammonia 26% N |
| UREA    | Aqueous urea 18% N    |

2. N RATE Rate of nitrogen (kg N):

70  
100

3. N TIME Time of applying aqueous nitrogen:

AUTUMN  
SPRING

4. NIT INHB Nitrification inhibitors added to aqueous nitrogen:

|          |                         |
|----------|-------------------------|
| NONE     | None                    |
| NITRAPYR | Nitrapyrin ('N-Serve')  |
| SOD TRI  | Sodium trithiocarbonate |

plus extra treatments given additional forms of nitrogen fertiliser in spring (kg N):-

N FORM(2)

|        |                                              |
|--------|----------------------------------------------|
| 0      | 0                                            |
| NC 60  | 60 As 'Nitro-Chalk'                          |
| NC 70  | 70 As 'Nitro-Chalk'                          |
| NC 80  | 80 As 'Nitro-Chalk'                          |
| NC 90  | 90 As 'Nitro-Chalk'                          |
| NC 100 | 100 As 'Nitro-Chalk'                         |
| NC 110 | 110 As 'Nitro-Chalk'                         |
| NC 120 | 120 As 'Nitro-Chalk' (Fosters West (R) only) |

and at Horsepool (W) only, in aqueous form:-

|          |                                                             |
|----------|-------------------------------------------------------------|
| AS 100   | 100 As ammonium sulphate                                    |
| AS 100NI | 100 As ammonium sulphate + nitrapyrin and carbon disulphide |
| AN 100   | 100 As ammonium nitrate                                     |
| AN 100NI | 100 As ammonium nitrate + nitrapyrin and carbon disulphide  |
| CN 100   | 100 As calcium nitrate                                      |
| CN 100NI | 100 As calcium nitrate + nitrapyrin and carbon disulphide   |

77/R/WW/2 and 77/W/WW/2

NOTES: (1) Nitrification inhibitor rates:

Fosters West(R): Aqueous N applied with nitrapyrin at 1.4 kg or with sodium trithiocarbonate at 39 kg in autumn and with nitrapyrin at 1.0 kg or with sodium trithiocarbonate at 23 kg in spring.

Horsepool (W): Aqueous N applied with nitrapyrin at 1.5 kg or with sodium trithiocarbonate at 38 kg in autumn and with nitrapyrin at 1.0 kg or with sodium trithiocarbonate at 23 kg to N FORM(1) and nitrapyrin at 1.0 kg plus carbon disulphide at 5.0 kg as an emulsion to appropriate treatments of N FORM(2) in spring.

- (2) Aqueous nitrogen was applied by injectors with tines spaced 30 cm apart, 10 cm deep.

Basal applications:

Fosters West (R): Manures: (0:20:20) at 310 kg, combine drilled. Weedkiller: Paraquat at 0.56 kg ion in 220 l, ioxynil at 0.53 kg plus mecoprop at 1.6 kg in 220 l. Insecticide: Pirimicarb at 0.14 kg in 280 l. Growth regulator: Chlormequat at 1.7 kg applied with weedkiller in spring.

Horsepool (W): Manures: (0:20:20) at 310 kg, combine drilled. Insecticide: Pirimicarb at 0.14 kg in 270 l.

Seed: Fosters West (R): Maris Huntsman, sown at 190 kg.

Horsepool (W): Maris Huntsman, sown at 180 kg.

Cultivations, etc.:-

Fosters West (R): Deep-tine cultivated twice: 25 Aug, 1976, 3 Sept. Aqueous N with inhibitors injected: 21, 25 Oct. Paraquat applied: 27 Oct. Heavy spring-tine cultivated: 20 Nov. Seed sown, spring-tine cultivated: 22 Nov. Aqueous N with inhibitors injected: 12-13 Apr, 1977. 'Nitro-Chalk' treatments applied: 2 May. Ioxynil plus mecoprop applied: 23 May. Insecticide applied: 15 July. Combine harvested: 8 Sept. Previous crops: Winter wheat and barley: 1975, winter oats 1976.

Horsepool (W): Deep-tine cultivated twice: 20 Aug, 1976, 23 Aug. Aqueous N with inhibitors injected: 12 Oct. Heavy-tine cultivated: 3 Nov. Seed sown: 4 Nov. Aqueous N with inhibitors injected: 14-15 Apr, 1977. 'Nitro-Chalk' treatments applied: 3 May. Insecticide applied: 11 July. Combine harvested: 9 Sept. Previous crops: Beans 1975, winter wheat 1976.

- NOTES: (1) Soil samples were taken at monthly intervals, November to July for measurement of N in the injected bands. N was measured in a cross section of the band at Rothamsted only.
- (2) Soil samples were taken at Woburn in selected plots to measure the amount of ammonium nitrate in the rhizosphere.
- (3) Plant top samples were taken at fortnightly intervals from April until G.S.10 and then head samples for measurements of nitrate N.
- (4) Flag leaf areas were measured several times during the growing season. Weights of the flag leaf and grain heads were also taken.
- (5) Assessments were made of 'Take-all' (*Gaeumannomyces graminis*) on roots in selected plots at Woburn.
- (6) At Woburn, waterlogging was noted at one side of the experiment and the effects of this were shown as a trend in yields. Yields presented have been adjusted for this trend.

77/R/WW/2 FOSTERS WEST(R)

GRAIN TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

| NIT INHB | NONE | NITRAPYR | SOD TRI | MEAN |
|----------|------|----------|---------|------|
| N TIME   |      |          |         |      |
| AUTUMN   | 4.85 | 5.27     | 5.15    | 5.09 |
| SPRING   | 5.39 | 5.64     | 5.56    | 5.53 |
| MEAN     | 5.12 | 5.45     | 5.36    | 5.31 |

| N FORM(1) | AMMONIA | UREA | MEAN |
|-----------|---------|------|------|
| N TIME    |         |      |      |
| AUTUMN    | 5.08    | 5.10 | 5.09 |
| SPRING    | 5.42    | 5.63 | 5.53 |
| MEAN      | 5.25    | 5.37 | 5.31 |

| N FORM(1) | AMMONIA | UREA | MEAN |
|-----------|---------|------|------|
| NIT INHB  |         |      |      |
| NONE      | 5.03    | 5.20 | 5.12 |
| NITRAPYR  | 5.44    | 5.46 | 5.45 |
| SOD TRI   | 5.28    | 5.44 | 5.36 |
| MEAN      | 5.25    | 5.37 | 5.31 |

| N RATE | 70   | 100  | MEAN |
|--------|------|------|------|
| N TIME |      |      |      |
| AUTUMN | 4.82 | 5.35 | 5.09 |
| SPRING | 5.27 | 5.78 | 5.53 |
| MEAN   | 5.05 | 5.57 | 5.31 |

| N RATE   | 70   | 100  | MEAN |
|----------|------|------|------|
| NIT INHB |      |      |      |
| NONE     | 4.83 | 5.41 | 5.12 |
| NITRAPYR | 5.26 | 5.65 | 5.45 |
| SOD TRI  | 5.06 | 5.65 | 5.36 |
| MEAN     | 5.05 | 5.57 | 5.31 |

| N RATE    | 70   | 100  | MEAN |
|-----------|------|------|------|
| N FORM(1) |      |      |      |
| AMMONIA   | 4.96 | 5.54 | 5.25 |
| UREA      | 5.14 | 5.60 | 5.37 |
| MEAN      | 5.05 | 5.57 | 5.31 |

| NIT INHB  | NONE    | NITRAPYR | SOD TRI | UREA | AMMONIA | UREA |
|-----------|---------|----------|---------|------|---------|------|
| N FORM(1) | AMMONIA | UREA     | AMMONIA | UREA | AMMONIA | UREA |
| N TIME    |         |          |         |      |         |      |
| AUTUMN    | 4.75    | 4.95     | 5.39    | 5.14 | 5.09    | 5.21 |
| SPRING    | 5.32    | 5.46     | 5.49    | 5.78 | 5.46    | 5.66 |

| NIT INHB | NONE | NITRAPYR | SOD TRI | UREA | AMMONIA | UREA |
|----------|------|----------|---------|------|---------|------|
| N RATE   | 70   | 100      | 70      | 100  | 70      | 100  |
| N TIME   |      |          |         |      |         |      |
| AUTUMN   | 4.57 | 5.13     | 5.11    | 5.43 | 4.80    | 5.51 |
| SPRING   | 5.08 | 5.69     | 5.41    | 5.86 | 5.33    | 5.79 |

77/R/WW/2 FOSTERS WEST (R)

GRAIN TONNES/HECTARE

## \*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

|           |         |      |      |      |
|-----------|---------|------|------|------|
| N FORM(1) | AMMONIA |      | UREA |      |
| N RATE    | 70      | 100  | 70   | 100  |
| N TIME    |         |      |      |      |
| AUTUMN    | 4.73    | 5.43 | 4.92 | 5.28 |
| SPRING    | 5.20    | 5.65 | 5.35 | 5.91 |

|           |         |      |      |      |
|-----------|---------|------|------|------|
| N FORM(1) | AMMONIA |      | UREA |      |
| N RATE    | 70      | 100  | 70   | 100  |
| NIT INHB  |         |      |      |      |
| NONE      | 4.77    | 5.29 | 4.88 | 5.52 |
| NITRAPYR  | 5.16    | 5.72 | 5.36 | 5.57 |
| SOD TRI   | 4.95    | 5.60 | 5.18 | 5.70 |

|           |          |      |      |      |
|-----------|----------|------|------|------|
| N FORM(1) | AMMONIA  |      | UREA |      |
| N RATE    | 70       | 100  | 70   | 100  |
| N TIME    | NIT INHB |      |      |      |
| AUTUMN    | NONE     | 4.44 | 5.06 | 4.70 |
|           | NITRAPYR | 5.16 | 5.62 | 5.05 |
|           | SOD TRI  | 4.58 | 5.61 | 5.03 |
| SPRING    | NONE     | 5.10 | 5.53 | 5.06 |
|           | NITRAPYR | 5.15 | 5.83 | 5.67 |
|           | SOD TRI  | 5.33 | 5.59 | 5.33 |

|           |      |       |       |       |       |        |        |        |      |
|-----------|------|-------|-------|-------|-------|--------|--------|--------|------|
| N FORM(2) | 0    | NC 60 | NC 70 | NC 80 | NC 90 | NC 100 | NC 110 | NC 120 | MEAN |
|           | 3.81 | 5.11  | 5.56  | 5.62  | 5.72  | 5.95   | 6.41   | 6.19   | 5.55 |

GRAND MEAN 5.37

## \*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

|       |           |        |          |           |
|-------|-----------|--------|----------|-----------|
| TABLE | N FORM(2) | N TIME | NIT INHB | N FORM(1) |
| SED   | 0.282     | 0.081  | 0.100    | 0.081     |

|       |        |                    |                     |                       |
|-------|--------|--------------------|---------------------|-----------------------|
| TABLE | N RATE | N TIME<br>NIT INHB | N TIME<br>N FORM(1) | NIT INHB<br>N FORM(1) |
| SED   | 0.081  | 0.141              | 0.115               | 0.141                 |

|       |                  |                    |                     |                                 |
|-------|------------------|--------------------|---------------------|---------------------------------|
| TABLE | N TIME<br>N RATE | NIT INHB<br>N RATE | N FORM(1)<br>N RATE | N TIME<br>NIT INHB<br>N FORM(1) |
| SED   | 0.115            | 0.141              | 0.115               | 0.199                           |

|       |                              |                               |                                 |                                           |
|-------|------------------------------|-------------------------------|---------------------------------|-------------------------------------------|
| TABLE | N TIME<br>NIT INHB<br>N RATE | N TIME<br>N FORM(1)<br>N RATE | NIT INHB<br>N FORM(1)<br>N RATE | N TIME<br>NIT INHB<br>N FORM(1)<br>N RATE |
| SED   | 0.199                        | 0.163                         | 0.199                           | 0.282                                     |

## \*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

|          |    |       |     |
|----------|----|-------|-----|
| STRATUM  | DF | SE    | CV% |
| BLOCK.WP | 31 | 0.282 | 5.2 |

GRAIN MEAN DM% 81.6 PLOT AREA HARVESTED 0.00325

77/W/WW/2 HORSEPOOL(W)

GRAIN TONNES/HECTARE

## \*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

|           |         |          |         |      |         |      |
|-----------|---------|----------|---------|------|---------|------|
| NIT INHB  | NONE    | NITRAPYR | SOD TRI | MEAN |         |      |
| N TIME    |         |          |         |      |         |      |
| AUTUMN    | 3.19    | 3.86     | 3.98    | 3.68 |         |      |
| SPRING    | 5.04    | 5.03     | 5.15    | 5.08 |         |      |
| MEAN      | 4.12    | 4.45     | 4.57    | 4.38 |         |      |
| N FORM(1) | AMMONIA | UREA     | MEAN    |      |         |      |
| N TIME    |         |          |         |      |         |      |
| AUTUMN    | 3.49    | 3.86     | 3.68    |      |         |      |
| SPRING    | 5.21    | 4.95     | 5.08    |      |         |      |
| MEAN      | 4.35    | 4.40     | 4.38    |      |         |      |
| N FORM(1) | AMMONIA | UREA     | MEAN    |      |         |      |
| NIT INHB  |         |          |         |      |         |      |
| NONE      | 4.14    | 4.10     | 4.12    |      |         |      |
| NITRAPYR  | 4.42    | 4.48     | 4.45    |      |         |      |
| SOD TRI   | 4.50    | 4.63     | 4.57    |      |         |      |
| MEAN      | 4.35    | 4.40     | 4.38    |      |         |      |
| N RATE    | 70      | 100      | MEAN    |      |         |      |
| N TIME    |         |          |         |      |         |      |
| AUTUMN    | 3.57    | 3.79     | 3.68    |      |         |      |
| SPRING    | 5.00    | 5.16     | 5.08    |      |         |      |
| MEAN      | 4.28    | 4.47     | 4.38    |      |         |      |
| N RATE    | 70      | 120      | MEAN    |      |         |      |
| NIT INHB  |         |          |         |      |         |      |
| NONE      | 4.12    | 4.11     | 4.12    |      |         |      |
| NITRAPYR  | 4.38    | 4.52     | 4.45    |      |         |      |
| SOD TRI   | 4.34    | 4.79     | 4.57    |      |         |      |
| MEAN      | 4.28    | 4.47     | 4.38    |      |         |      |
| N RATE    | 70      | 100      | MEAN    |      |         |      |
| N FORM(1) |         |          |         |      |         |      |
| AMMONIA   | 4.23    | 4.47     | 4.35    |      |         |      |
| UREA      | 4.33    | 4.47     | 4.40    |      |         |      |
| MEAN      | 4.28    | 4.47     | 4.38    |      |         |      |
| NIT INHB  | NONE    | NITRAPYR | SOD TRI |      |         |      |
| N FORM(1) | AMMONIA | UREA     | AMMONIA | UREA | AMMONIA | UREA |
| N TIME    |         |          |         |      |         |      |
| AUTUMN    | 3.11    | 3.27     | 3.68    | 4.05 | 3.69    | 4.26 |
| SPRING    | 5.16    | 4.93     | 5.16    | 4.91 | 5.30    | 5.00 |
| NIT INHB  | NONE    | NITRAPYR | SOD TRI |      |         |      |
| N RATE    | 70      | 100      | 70      | 100  | 70      | 100  |
| N TIME    |         |          |         |      |         |      |
| AUTUMN    | 3.19    | 3.18     | 3.94    | 3.79 | 3.56    | 4.39 |
| SPRING    | 5.05    | 5.04     | 4.82    | 5.24 | 5.12    | 5.19 |

77/W/WW/2 HORSEPOOL (W)

GRAIN TONNES/HECTARE

\*\*\*\*\* TABLES OF MEANS \*\*\*\*\*

|           |         |      |      |      |
|-----------|---------|------|------|------|
| N FORM(1) | AMMONIA |      | UREA |      |
| N RATE    | 70      | 100  | 70   | 100  |
| N TIME    |         |      |      |      |
| AUTUMN    | 3.39    | 3.59 | 3.74 | 3.98 |
| SPRING    | 5.07    | 5.35 | 4.93 | 4.97 |

|           |         |      |      |      |
|-----------|---------|------|------|------|
| N FORM(1) | AMMONIA |      | UREA |      |
| N RATE    | 70      | 100  | 70   | 100  |
| NIT INHB  |         |      |      |      |
| NONE      | 4.15    | 4.12 | 4.09 | 4.10 |
| NITRAPYR  | 4.36    | 4.48 | 4.40 | 4.55 |
| SOD TRI   | 4.18    | 4.82 | 4.50 | 4.77 |

|                 |         |      |      |      |
|-----------------|---------|------|------|------|
| N FORM(1)       | AMMONIA |      | UREA |      |
| N RATE          | 70      | 100  | 70   | 100  |
| N TIME NIT INHB |         |      |      |      |
| AUTUMN NONE     | 3.18    | 3.04 | 3.21 | 3.33 |
| NITRAPYR        | 3.79    | 3.57 | 4.09 | 4.00 |
| SOD TRI         | 3.21    | 4.17 | 3.91 | 4.61 |
| SPRING NONE     | 5.13    | 5.19 | 4.97 | 4.88 |
| NITRAPYR        | 4.93    | 5.38 | 4.71 | 5.10 |
| SOD TRI         | 5.14    | 5.47 | 5.09 | 4.92 |

|           |      |
|-----------|------|
| N FORM(2) |      |
| 0         | 3.39 |
| NC 60     | 4.25 |
| NC 70     | 4.73 |
| NC 80     | 5.13 |
| NC 90     | 4.93 |
| NC 100    | 5.25 |
| NC 110    | 4.45 |
| AS 100    | 5.63 |
| AS 100NI  | 5.71 |
| AN 100    | 5.08 |
| AN 100NI  | 5.42 |
| CN 100    | 4.46 |
| CN 100NI  | 4.44 |

MEAN 4.84

GRAND MEAN 4.54

77/W/WW/2 HORSEPOOL (W)

GRAIN TONNES/HECTARE

\*\*\*\*\* STANDARD ERRORS OF DIFFERENCES OF MEANS \*\*\*\*\*

| TABLE | N FORM(2) | N TIME | NIT INHB | N FORM(1) |
|-------|-----------|--------|----------|-----------|
| SED   | 0.610     | 0.175  | 0.213    | 0.174     |

| TABLE | N RATE | N TIME<br>NIT INHB | N TIME<br>N FORM(1) | NIT INHB<br>N FORM(1) |
|-------|--------|--------------------|---------------------|-----------------------|
| SED   | 0.175  | 0.303              | 0.249               | 0.303                 |

| TABLE | N TIME<br>N RATE | NIT INHB<br>N RATE | N FORM(1)<br>N RATE | N TIME<br>NIT INHB<br>N FORM(1) |
|-------|------------------|--------------------|---------------------|---------------------------------|
| SED   | 0.248            | 0.302              | 0.247               | 0.431                           |

| TABLE | N TIME<br>NIT INHB<br>N RATE | N TIME<br>N FORM(1)<br>N RATE | NIT INHB<br>N FORM(1)<br>N RATE | N TIME<br>NIT INHB<br>N FORM(1)<br>N RATE |
|-------|------------------------------|-------------------------------|---------------------------------|-------------------------------------------|
| SED   | 0.429                        | 0.350                         | 0.431                           | 0.610                                     |

\*\*\*\*\* STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION \*\*\*\*\*

| STRATUM  | DF | SE    | CV%  |
|----------|----|-------|------|
| BLOCK.WP | 35 | 0.602 | 13.3 |

GRAIN MEAN DM% 83.2

PLOT AREA HARVESTED 0.00279