


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1978

[Full Table of Content](#)



78/R/WW/4 Precision Sowing, Irrigation and N - W. Wheat

Rothamsted Research

Rothamsted Research (1979) *78/R/WW/4 Precision Sowing, Irrigation and N - W. Wheat ; Yields Of The Field Experiments 1978*, pp 348 - 353 - DOI: <https://doi.org/10.23637/ERADOC-1-30>

78/R/WW/4

WINTER WHEAT

PRECISION SOWING, IRRIGATION & N

Object: To study the effects of precision sowing, seed rates, irrigation and nitrogen fertiliser on the growth and yield of winter wheat - Gt. Field I & II.

Sponsors: G.N. Thorne, P.J. Welbank, F.V. Widdowson.

Design: Single replicate of 3 x 2 x 2 x 2 x 2 + 20 extra plots.

Whole plot dimensions: (1) ND, BND and HS: 4.27 x 15.2
(2) ST: 4.88 x 15.2

Treatments: All combinations of:-

1. DRL SPAC Drills and spacing between rows:

ST1	Stanhay precision drill, rows 10.5 cm apart
ND1	Nordsten drill, rows 10.5 cm apart
ND2	Nordsten drill, rows 21 cm apart
2. SEEDRATE Seed rates:

S1	Half standard (188 seeds per square metre, 115 kg)
S2	Standard (376 seeds per square metre, 230 kg)
3. IRRIGATN Irrigation:

NONE	None
FULL	Irrigated (total 102.2 mm). Whenever the soil moisture deficit exceeded 25 mm, irrigation was applied to reduce this to 12 mm.
4. EARLY N Nitrogen fertiliser as 'Nitro-Chalk 25' on 28 April (kg N):

EN3	90
EN5	150
5. LATE N Nitrogen fertiliser as 'Nitro-Chalk 25' on 24 May (kg N):

LNO	0
LN1	30

plus twenty additional plots:

EXTRA	Sown with the Nordsten drill, rows 10.5 cm apart, standard seed rate, not irrigated, with eight nitrogen rates, applied in April (kg N):
ND1S2EN0	0
ND1S2EN1	30
ND1S2EN2	60
ND1S2EN3	90
ND1S2EN4	120
ND1S2EN5	150
ND1S2EN6	180
ND1S2EN7	210

78/R/WW/4

Sown with Nordsten drill but with seed tubes disconnected to broadcast the seed, unirrigated, nitrogen applied on 28 April, all treatments duplicated:

BNDS1EN3	Half standard seed rate, 90 kg N
BNDS1EN5	Half standard seed rate, 150 kg N
BNDS2EN3	Standard seed rate, 90 kg N
BNDS2EN5	Standard seed rate, 150 kg N

Sown by hand at half standard seed rate in rows 10.5 cm apart, unirrigated, nitrogen applied on 28 April, all treatments duplicated:

HS1S1EN3	Half standard seed rate, 90 kg N
HS1S1EN5	Half standard seed rate, 150 kg N

NOTE: Irrigation treatments (mm water)

30 May, 1978	25.6
14 June	21.6
21 June	15.5
19 July	18.3
28 July	21.2

Total	102.2
-------	-------

Basal applications: Manures: (0:20:20) at 310 kg. Weedkillers: (1) Methabenzthiazuron 2.0 kg in 280 l, (2) Dicamba with mecoprop and MCPA ('Banlene Plus' at 4.9 l in 220 l). Growth regulator: Chlormequat at 1.4 kg in 220 l. Fungicide: Triadimefon at 0.13 kg in 220 l.

Seed: Maris Huntsman.

Cultivations, etc.:— Ploughed: 20 Oct, 1977. Heavy spring-tine cultivated, PK applied: 24 Oct. Rotary harrowed: 25 Oct. Seed sown: 27 Oct. Weedkiller (1) applied: 4 Nov. Rolled: 6 April, 1978. Weedkiller (2) and growth regulator (mix) applied: 10 May. Fungicide applied: 14 June. Combine harvested: 4 Sept. Previous crops: Barley 1976, beans 1977.

NOTE: Emergence counts were made in December. Measurements were made of shoot numbers, dry weight of tops and ears, leaf area, and nitrogen content four times during the season. Weekly measurements were made of stem nitrate (between late April and mid July), of soil moisture (between mid April and August) and on two occasions measurements were made of light intensity at ground level.

78/R/WW/4

GRAIN TONNES/HECTARE

***** TABLES OF MEANS *****

SEEDRATE	S1	S2	MEAN
DRL SPAC			
ST1	7.99	8.11	8.05
ND1	8.00	8.33	8.17
ND2	7.86	8.01	7.94
MEAN	7.95	8.15	8.05
IRRIGATN	NONE	FULL	MEAN
DRL SPAC			
ST1	8.16	7.94	8.05
ND1	8.27	8.06	8.17
ND2	8.09	7.78	7.94
MEAN	8.18	7.93	8.05
IRRIGATN	NONE	FULL	MEAN
SEEDRATE			
S1	8.00	7.91	7.95
S2	8.35	7.94	8.15
MEAN	8.18	7.93	8.05
EARLY N	EN3	EN5	MEAN
DRL SPAC			
ST1	7.81	8.29	8.05
ND1	7.96	8.38	8.17
ND2	7.55	8.32	7.94
MEAN	7.77	8.33	8.05
EARLY N	EN3	EN5	MEAN
SEEDRATE			
S1	7.70	8.21	7.95
S2	7.85	8.45	8.15
MEAN	7.77	8.33	8.05
EARLY N	EN3	EN5	MEAN
IRRIGATN			
NONE	7.88	8.47	8.18
FULL	7.67	8.18	7.93
MEAN	7.77	8.33	8.05
LATE N	LNO	LN1	MEAN
DRL SPAC			
ST1	7.81	8.29	8.05
ND1	8.03	8.30	8.17
ND2	7.80	8.07	7.94
MEAN	7.88	8.22	8.05

78/R/WW/4

GRAIN TONNES/HECTARE

***** TABLES OF MEANS *****

LATE N	LNO	LN1	MEAN	
SEEDRATE				
S1	7.80	8.10	7.95	
S2	7.95	8.34	8.15	
MEAN	7.88	8.22	8.05	
LATE N	LNO	LN1	MEAN	
IRRIGATN				
NONE	7.99	8.36	8.18	
FULL	7.77	8.08	7.93	
MEAN	7.88	8.22	8.05	
LATE N	LNO	LN1	MEAN	
EARLY N				
EN3	7.52	8.03	7.77	
EN5	8.24	8.42	8.33	
MEAN	7.88	8.22	8.05	
SEEDRATE	S1		S2	
IRRIGATN	NONE	FULL	NONE	FULL
DRL SPAC				
ST1	8.19	7.80	8.13	8.09
ND1	7.95	8.06	8.60	8.06
ND2	7.85	7.87	8.33	7.68
SEEDRATE	S1		S2	
EARLY N	EN3	EN5	EN3	EN5
DRL SPAC				
ST1	7.82	8.17	7.80	8.41
ND1	7.83	8.18	8.09	8.57
ND2	7.45	8.27	7.65	8.37
IRRIGATN	NONE		FULL	
EARLY N	EN3	EN5	EN3	EN5
DRL SPAC				
ST1	7.78	8.54	7.84	8.04
ND1	8.19	8.36	7.72	8.39
ND2	7.66	8.53	7.45	8.11
IRRIGATN	NONE		FULL	
EARLY N	EN3	EN5	EN3	EN5
SEEDRATE				
S1	7.72	8.27	7.68	8.14
S2	8.03	8.68	7.66	8.22
SEEDRATE	S1		S2	
LATE N	LNO	LN1	LNO	LN1
DRL SPAC				
ST1	7.71	8.27	7.90	8.31
ND1	7.88	8.13	8.18	8.47
ND2	7.82	7.91	7.78	8.24

78/R/WW/4

GRAIN TONNES/HECTARE

***** TABLES OF MEANS *****

IRRIGATN	NONE		FULL	
LATE N	LNO	LN1	LNO	LN1
DRL SPAC				
ST1	7.92	8.39	7.69	8.19
ND1	8.11	8.43	7.95	8.17
ND2	7.93	8.25	7.66	7.89
IRRIGATN	NONE		FULL	
LATE N	LNO	LN1	LNO	LN1
SEEDRATE				
S1	7.84	8.16	7.77	8.05
S2	8.14	8.57	7.77	8.12
EARLY N	EN3		EN5	
LATE N	LNO	LN1	LNO	LN1
DRL SPAC				
ST1	7.47	8.16	8.15	8.43
ND1	7.83	8.08	8.23	8.52
ND2	7.26	7.84	8.33	8.30
EARLY N	EN3		EN5	
LATE N	LNO	LN1	LNO	LN1
SEEDRATE				
S1	7.51	7.89	8.09	8.32
S2	7.52	8.17	8.38	8.52
EARLY N	EN3		EN5	
LATE N	LNO	LN1	LNO	LN1
IRRIGATN				
NONE	7.57	8.19	8.41	8.54
FULL	7.47	7.87	8.07	8.30
EXTRA				
ND1S2EN0	5.75			
ND1S2EN1	6.20			
ND1S2EN2	6.09			
ND1S2EN3	7.41			
ND1S2EN4	7.85			
ND1S2EN5	8.30			
ND1S2EN6	8.59			
ND1S2EN7	8.71			
BND1S1EN3	8.05			
BND1S1EN5	8.84			
BND2S1EN3	8.05			
BND2S1EN5	8.78			
HS1S1EN3	7.52			
HS1S1EN5	8.62			

78/R/WW/4

GRAIN TONNES/HECTARE

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	DRL SPAC	SEEDRATE	IRRIGATN	EARLY N
SED	0.155	0.127	0.127	0.127
TABLE	LATE N	DRL SPAC SEEDRATE	DRL SPAC IRRIGATN	SEEDRATE IRRIGATN
SED	0.127	0.220	0.220	0.179
TABLE	DRL SPAC EARLY N	SEEDRATE EARLY N	IRRIGATN EARLY N	DRL SPAC LATE N
SED	0.220	0.179	0.179	0.220
TABLE	SEEDRATE LATE N	IRRIGATN LATE N	EARLY N LATE N	DRL SPAC SEEDRATE IRRIGATN
SED	0.179	0.179	0.179	0.311
TABLE	DRL SPAC SEEDRATE EARLY N	DRL SPAC IRRIGATN EARLY N	SEEDRATE IRRIGATN EARLY N	DRL SPAC SEEDRATE LATE N
SED	0.311	0.311	0.254	0.311
TABLE	DRL SPAC IRRIGATN LATE N	SEEDRATE IRRIGATN LATE N	DRL SPAC EARLY N LATE N	SEEDRATE EARLY N LATE N
SED	0.311	0.254	0.311	0.254
TABLE	IRRIGATN EARLY N LATE N	EXTRA		
SED	0.254	0.621 MIN REP 0.538 MAX-MIN 0.439 MAX REP		

EXTRA
 MAX REP BNDS1EN3,BNDS1EN5,BNDS2EN3,BNDS2EN5,
 HS1S1EN3,HS1S1EN5
 MAX-MIN THOSE IN MAX REP V ANY OF REMAINDER
 MIN REP ANY OF REMAINDER

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
WP	17	0.439	5.5
MEAN DM%	83.2		
PLOT AREA HARVESTED	0.00195		