


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1978

[Full Table of Content](#)



78/R/B/5 Controlled Drop Application of Tridemorph - Barley

Rothamsted Research

Rothamsted Research (1979) *78/R/B/5 Controlled Drop Application of Tridemorph - Barley* ; Yields Of The Field Experiments 1978, pp 391 - 392 - DOI: <https://doi.org/10.23637/ERADOC-1-30>

78/R/B/5

SPRING BARLEY

CONTROLLED DROP APPLICATION OF TRIDEMORPH

Object: To compare controlled drop application with conventional spraying on the deposition of spray material, control of mildew and on the yield of spring barley - Gt. Knott III.

Sponsors: A.J. Arnold, P. Etheridge, F.T. Phillips.

Design: 3 randomised blocks of 10 plots.

Whole plot dimensions: 4.27 x 18.3.

Treatments: All combinations of:-

1. SPRAYER Sprayer and drop density:

CDA 1	Controlled drop application sprayer, standard drop density
CDA 2	Controlled drop application sprayer, twice standard drop density
HYDRAUL	Hydraulic sprayer
2. TRI RATE Rates of applying tridemorph (on 3 June, 1978):

1	Standard, 525 g
1/2	Half standard, 263 g
1/10	Tenth standard, 52.5 g

NONE plus one extra plot not sprayed

NOTES: (1) CDA sprayer applied tridemorph in 21 l.
(2) Hydraulic sprayer applied tridemorph in 337 l.

Basal applications: Manures: (20:14:14) at 440 kg, combine drilled. Weedkillers: Mecoprop plus bromoxynil and ioxynil ('Brittox' at 2.5 l in 220 l).

Seed: Wing, sown at 160 kg.

Cultivations, etc.: - Ploughed: 29 Nov, 1977. Spring-tine cultivated: 11 Mar, 1978. Spring-tine cultivated, seed sown: 15 Mar. Weedkillers applied: 19 May. Combine harvested: 25 Aug. Previous crops: Potatoes 1976, barley 1977.

NOTE: Observations were made on patterns of spray deposition using very small quantities of permethrin as a chemical marker.

78/R/B/5

GRAIN TONNES/HECTARE

***** TABLES OF MEANS *****

TRI RATE SPRAYER	1	1/2	1/10	MEAN
CDA 1	5.98	6.26	5.82	6.02
CDA 2	6.15	6.25	5.98	6.13
HYDRAUL	6.31	5.88	5.97	6.05
MEAN	6.15	6.13	5.92	6.07
NONE	5.62			

GRAND MEAN 6.02

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	SPRAYER	TRI RATE	SPRAYER TRI RATE & NONE
SED	0.128	0.128	0.221

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	18	0.247	4.1

GRAIN MEAN DM% 84.5

PLOT AREA HARVESTED 0.00390