

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1979

[Full Table of Content](#)



79/R/CS/200 and 79/W/CS/200 Factors Affecting Yield - Ryegrass, Clover, Lucerne

Rothamsted Research

Rothamsted Research (1980) *79/R/CS/200 and 79/W/CS/200 Factors Affecting Yield - Ryegrass, Clover, Lucerne* ; Yields Of The Field Experiments 1979, pp 177 - 193 - **DOI:**
<https://doi.org/10.23637/ERADOC-1-45>

79/R/CS/200 and 79/W/CS/200

FACTORS AFFECTING YIELD

Object: To study some of the factors limiting yield of grass, clover and lucerne - Rothamsted (R), Pastures and Woburn (W), Butt Furlong.

Sponsors: J.M. Day, I.F. Henderson, J.F. Jenkyn, A.E. Johnston, B.J. Legg, J. McEwen, R.T. Plumb, R.J. Roughley, A. Spaul, J.F. Witty.

The third year, ryegrass, white clover, lucerne.

For previous years see 77-78/R&W/CS/200.

Design: Single replicate of 2 plots split into 50.

Whole plot dimensions: Pastures (R): 23.8 x 24.5.
Butt Furlong (W): 22.3 x 24.5.

Treatments: Combinations of:-

Whole plots

- | | |
|-------------|--|
| 1. IRRIGATN | Irrigation: |
| NONE | None |
| FULL | Irrigated to reduce a soil moisture deficit of 25 mm to zero |

Sub plots

2. TREATMNT Treatments, combinations of:

Species:

Ryegrass, S.23, (RG)
Ryegrass, S.23 + Clover, Blanca (GB)
Ryegrass, S.23 + Clover, S.100 (GS)
Clover, Blanca (CL)
Lucerne, Vertus (LU)

Cutting frequencies:

Three times (3)
Six times (6)

Amounts of nitrogen fertiliser (kg N total per annum, applied as (25:0:16)):

0, 100, 200, 300, 400, 500, 600 (N0, N1, N2, N3, N4, N5, N6)

Times of applying nitrogen fertiliser:

Not applied (--), NO only
Divided equally between cuts (DE)
In spring only (SP)
Half in spring, half in summer (SS)

Control of pathogens:

None (-)
Controlled (C)

79/R/CS/200 and 79/W/CS/200

The following combinations are tested:

RG6N0---	GB3N0--- (duplicated)	CL3N0--- (duplicated)
RG6N1DE-	GB3N1DE-	CL3N2DE-
RG6N2DE-	GB3N2DE-	CL3N0--C
RG6N3DE-	GB3N3DE-	CL3N2DEC
RG6N4DE-	GB3N4DE-	
RG6N5DE-		LU3N0---
RG6N6DE-	GB3N0--C	LU3N0--C
	GB3N1DEC	
GB6N0---	GB3N2DEC	
GB6N1DE-	GB3N3DEC	
GB6N2DE-	GB3N4DEC	
GB6N3DE-		
GB6N4DE-	GB3N1SP- (duplicated)	
	GB3N1SS-	"
GS6N0---	GB3N2SS	"
GS6N1DE-		
GS6N2DE-	RG3N2DE-	"
GS6N3DE-	RG3N2DEC	"
GS6N4DE-		

- NOTES: (1) Pathogen control consisted of:- (1) Aldicarb at 10 kg applied in the spring except to LU which received phorate at 5.0 kg, (2) benomyl foliar spray at 0.56 kg + phorate at 5.0 kg, applied as granules, after each cut, (3) two additional benomyl foliar sprays at 0.56 kg in winter.
 (2) Irrigation was applied as follows (mm water):

Pastures (R)

8 June	12.5
20 June	25
4 July	25
11 July	25
3 Aug	20
29 Aug	12.5
19 Sept	25
Total	145

Butt Furlong (W)

12 June	12.5
22 June	25
25 June	25
5 July	25
11 July	25
18 July	25
25 July	25
3 Aug	12.5
16 Aug	12.5
6 Sept	25
10 Sept	12.5
Total	225

- (3) NO plots received 64 kg K2O, as muriate of potash, after the fourth cutting occasion.

79/R/CS/200 and 79/W/CS/200

Standard applications:

Pastures (R) All plots: Manures: (0:14:28) at 1070 kg. Weedkillers: Propyzamide at 0.7 kg in 700 l to CL and LU plots only. Dicamba with mecoprop and MCPA ('Banlene plus' at 4.9 kg) in 220 l to RG plots only. Dicamba with mecoprop and MCPA ('Tetralix plus' at 5.6 kg) in 170 l to RG plots only.

Butt Furlong (W) All plots: Manures: Magnesian limestone at 2.5 t, (0:14:28) at 1080 kg. Weedkillers: Propyzamide at 0.7 kg in 780 l to CL and LU plots only. Dicamba with mecoprop and MCPA ('Banlene plus' at 4.9 kg) in 220 l to RG plots only. Dicamba with mecoprop and MCPA ('Tetralix plus' at 5.6 kg) in 170 l to RG plots only.

Seed: S.23 Perennial ryegrass alone sown at 20 kg.
S.23 Perennial ryegrass sown at 10 kg either with Blanca white clover sown at 4 kg or with S.100 white clover at 4 kg.
Blanca white clover alone, sown at 4 kg.
Lucerne, Vertus sown at 10 kg, inoculated with Rhizobium.

Pastures (R) sown: 20 May, 1977.

Butt Furlong (W) sown: 23 May, 1977.

Cultivations, etc.:-

Pastures (R): Benomyl and phorate applied: 4 Oct, 1978. Propyzamide applied: 10 Oct. PK applied: 7 Nov. Benomyl applied: 9 Nov, 9 Jan, 1979. Aldicarb applied to all C plots except LU and phorate to C plots of LU: 2 Mar. Benomyl and phorate applied: 10 May, 5 June, 3 July, 31 July, 28 Aug, 25 Sept. NK applied six times: 23 Mar, 10 May, 5 June, 3 July, 31 July, 28 Aug. '6-cut' plots cut: 10 May, 5 June, 3 July, 31 July. '3-cut' plots cut: 5 June, 31 July, 25 Sept.

Butt Furlong (W): Benomyl, phorate and magnesian limestone applied: 27 Sept, 1978. Propyzamide applied: 10 Oct. Benomyl applied: 9 Nov. PK applied: 24 Nov. Benomyl applied: 10 Jan, 1979. Aldicarb applied to all C plots except LU and phorate to C plots of LU: 2 Mar. Benomyl and phorate applied: 15 May, 6 June, 5 July, 2 Aug, 29 Aug, 26 Sept. NK applied six times: 23 Mar, 15 May, 6 June, 5 July, 2 Aug, 29 Aug. '6-cut' plots cut: 15 May, 6 June, 4 July, 2 Aug, 29 Aug, 26 Sept. '3-cut' plots cut: 6 June, 2 Aug, 26 Sept.

NOTE: Assessments of pests and diseases were made during the season.
Nitrogen percentages of crop produce were measured.

79/R/CS/200 PASTURES (R)

1ST CUTTING OCCASION (10/5/79) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

IRRIGATN TREATMNT	NONE	FULL	MEAN
RG6N0---	0.00	0.00	0.00
RG6N1DE-	0.04	0.00	0.02
RG6N2DE-	0.05	0.07	0.06
RG6N3DE-	0.10	0.03	0.07
RG6N4DE-	0.18	0.10	0.14
RG6N5DE-	0.28	0.11	0.19
RG6N6DE-	0.37	0.21	0.29
GB6N0---	0.03	0.00	0.01
GB6N1DE-	0.42	0.00	0.21
GB6N2DE-	0.22	0.06	0.14
GB6N3DE-	0.32	0.08	0.20
GB6N4DE-	0.44	0.00	0.22
GS6N0---	0.08	0.01	0.05
GS6N1DE-	0.06	0.04	0.05
GS6N2DE-	0.23	0.05	0.14
GS6N3DE-	0.28	0.08	0.18
GS6N4DE-	0.21	0.24	0.23
MEAN	0.20	0.06	0.13

* USE STANDARD ERRORS ONLY TO COMPARE TREATMNT LEVELS
GB3N0---, GB3N1SP-, GB3N1SS-, GB3N2SS-, RG3N2DE-, RG3N2DEC,
CL3N0---, CL3N2DE-, CL3N0--C, CL3N2DEC, LU3N0---, LU3N0--C
AND WITHIN THE SAME LEVEL OF IRRIGATN.

1ST CUTTING OCCASION MEAN DM% 21.9

79/R/CS/200 PASTURES (R)

2ND CUTTING OCCASION (5/6/79) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

IRRIGATN TREATMNT	NONE	FULL	MEAN
RG6N0---	0.26	0.33	0.30
RG6N1DE-	0.91	0.73	0.82
RG6N2DE-	1.69	1.37	1.53
RG6N3DE-	2.51	1.86	2.19
RG6N4DE-	3.51	2.85	3.18
RG6N5DE-	3.64	3.56	3.60
RG6N6DE-	4.16	3.44	3.80
GB6N0---	2.54	1.93	2.24
GB6N1DE-	2.74	2.71	2.73
GB6N2DE-	2.98	2.81	2.90
GB6N3DE-	3.27	2.90	3.09
GB6N4DE-	3.63	2.92	3.27
GS6N0---	2.50	2.42	2.46
GS6N1DE-	2.94	2.73	2.83
GS6N2DE-	3.33	2.68	3.01
GS6N3DE-	3.83	3.18	3.50
GS6N4DE-	3.72	3.72	3.72
GB3N0---	2.62	1.39	2.01
GB3N1DE-	2.75	2.35	2.55
GB3N2DE-	2.54	2.10	2.32
GB3N3DE-	3.00	1.86	2.43
GB3N4DE-	2.90	2.56	2.73
GB3N0--C	2.63	2.82	2.72
GB3N1DEC	3.20	2.76	2.98
GB3N2DEC	2.86	2.22	2.54
GB3N3DEC	2.81	2.81	2.81
GB3N4DEC	3.11	2.09	2.60
GB3N1SP-	2.76	1.68	2.22
GB3N1SS-	2.88	2.00	2.44
GB3N2SS-	2.78	1.85	2.32
RG3N2DE-	2.00	1.61	1.80
RG3N2DEC	2.46	1.58	2.02
CL3N0---	2.17	2.20	2.18
CL3N2DE-	2.41	1.34	1.87
CL3N0--C	2.46	2.00	2.23
CL3N2DEC	2.34	2.07	2.20
LU3N0---	4.28	3.17	3.72
LU3N0--C	4.77	3.91	4.34
MEAN	2.84	2.27	2.55

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	TREATMNT*	TREATMNT* IRRIGATN
SED	0.245	0.346

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
WP.SP	24	0.346	13.6
2ND CUTTING OCCASION MEAN DM%	13.1		

79/R/CS/200 PASTURES (R)

3RD CUTTING OCCASION (3/7/79) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

IRRIGATN TREATMNT	NONE	FULL	MEAN
RG6N0---	0.42	0.56	0.49
RG6N1DE-	1.27	0.73	1.00
RG6N2DE-	2.10	1.60	1.85
RG6N3DE-	2.16	2.07	2.11
RG6N4DE-	2.14	2.66	2.40
RG6N5DE-	2.68	2.29	2.49
RG6N6DE-	2.02	2.22	2.12
GB6N0---	2.32	2.37	2.35
GB6N1DE-	2.35	2.23	2.29
GB6N2DE-	2.58	2.34	2.46
GB6N3DE-	2.50	2.45	2.48
GB6N4DE-	2.77	2.29	2.53
GS6N0---	2.27	2.25	2.26
GS6N1DE-	2.36	2.40	2.38
GS6N2DE-	2.26	2.29	2.27
GS6N3DE-	2.20	2.33	2.26
GS6N4DE-	2.32	2.42	2.37
MEAN	2.16	2.09	2.12

3RD CUTTING OCCASION MEAN DM% 16.6

79/R/CS/200 PASTURES (R)

4TH CUTTING OCCASION (31/7/79) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

IRRIGATN TREATMNT	NONE	FULL	MEAN
RG6N0---	0.10	0.08	0.09
RG6N1DE-	0.09	0.45	0.27
RG6N2DE-	0.40	1.58	0.99
RG6N3DE-	0.40	1.89	1.14
RG6N4DE-	0.64	2.79	1.71
RG6N5DE-	0.68	3.09	1.89
RG6N6DE-	0.91	3.53	2.22
GB6N0---	0.98	2.49	1.73
GB6N1DE-	0.60	2.02	1.31
GB6N2DE-	0.84	2.46	1.65
GB6N3DE-	1.24	2.39	1.82
GB6N4DE-	0.82	2.05	1.43
GS6N0---	0.07	2.28	1.18
GS6N1DE-	0.26	2.56	1.41
GS6N2DE-	0.91	2.53	1.72
GS6N3DE-	1.28	2.58	1.93
GS6N4DE-	1.03	2.69	1.86
GB3N0---	2.55	3.50	3.03
GB3N1DE-	2.17	3.25	2.71
GB3N2DE-	3.16	2.84	3.00
GB3N3DE-	2.45	3.46	2.95
GB3N4DE-	3.11	2.97	3.04
GB3N0--C	3.66	4.09	3.87
GB3N1DEC	3.47	2.98	3.22
GB3N2DEC	3.10	4.44	3.77
GB3N3DEC	3.41	3.91	3.66
GB3N4DEC	4.77	4.81	4.79
GB3N1SP-	2.90	3.79	3.35
GB3N1SS-	2.74	2.59	2.67
GB3N2SS-	3.06	2.86	2.96
RG3N2DE-	4.46	4.27	4.37
RG3N2DEC	4.85	5.43	5.14
CL3N0---	2.17	2.22	2.20
CL3N2DE-	2.77	2.85	2.81
CL3N0--C	2.93	3.76	3.35
CL3N2DEC	1.80	3.64	2.72
LU3N0---	5.47	5.04	5.25
LU3N0--C	5.74	5.78	5.76
MEAN	2.47	3.23	2.85

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	TREATMNT*	TREATMNT* IRRIGATN
SED	0.328	0.464

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
WP.SP	24	0.464	16.3

4TH CUTTING OCCASION MEAN DM% 22.3

79/R/CS/200 PASTURES (R)

5TH CUTTING OCCASION (28/8/79) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

IRRIGATN TREATMNT	NONE	FULL	MEAN
RG6N0---	0.15	0.13	0.14
RG6N1DE-	0.42	0.21	0.32
RG6N2DE-	1.19	1.13	1.16
RG6N3DE-	1.31	1.41	1.36
RG6N4DE-	1.77	1.83	1.80
RG6N5DE-	1.90	1.47	1.69
RG6N6DE-	1.84	2.14	1.99
GB6N0---	1.40	1.36	1.38
GB6N1DE-	1.46	1.55	1.50
GB6N2DE-	1.73	1.22	1.48
GB6N3DE-	1.45	1.69	1.57
GB6N4DE-	1.78	1.56	1.67
GS6N0---	1.24	1.46	1.35
GS6N1DE-	1.39	1.65	1.52
GS6N2DE-	1.57	1.41	1.49
GS6N3DE-	1.91	1.60	1.75
GS6N4DE-	1.89	1.77	1.83
MEAN	1.44	1.39	1.41

5TH CUTTING OCCASION MEAN DM% 15.3

79/R/CS/200 PASTURES (R)

6TH CUTTING OCCASION (25/9/79) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

IRRIGATN	NONE	FULL	MEAN
TREATMNT			
RG6N0---	0.00	0.12	0.06
RG6N1DE-	0.12	0.27	0.20
RG6N2DE-	0.39	0.83	0.61
RG6N3DE-	0.51	0.89	0.70
RG6N4DE-	0.68	1.42	1.05
RG6N5DE-	0.82	1.06	0.94
RG6N6DE-	0.60	0.92	0.76
GB6N0---	0.52	1.02	0.77
GB6N1DE-	0.47	1.13	0.80
GB6N2DE-	0.52	1.08	0.80
GB6N3DE-	0.65	1.12	0.89
GB6N4DE-	0.62	0.90	0.76
GS6N0---	0.52	0.85	0.68
GS6N1DE-	0.45	0.99	0.72
GS6N2DE-	0.62	1.04	0.83
GS6N3DE-	0.73	1.00	0.86
GS6N4DE-	0.73	1.28	1.00
GB3N0---	1.96	1.40	1.68
GB3N1DE-	1.33	1.51	1.42
GB3N2DE-	2.23	2.33	2.28
GB3N3DE-	1.53	2.61	2.07
GB3N4DE-	2.06	2.57	2.32
GB3N0--C	2.58	2.17	2.37
GB3N1DEC	2.56	2.59	2.57
GB3N2DEC	2.52	3.57	3.05
GB3N3DEC	2.43	3.57	3.00
GB3N4DEC	2.69	2.59	2.64
GB3N1SP-	1.80	1.42	1.61
GB3N1SS-	2.02	2.14	2.08
GB3N2SS-	2.39	2.39	2.39
RG3N2DE-	2.26	1.81	2.04
RG3N2DEC	1.60	2.09	1.85
CL3N0---	1.57	1.97	1.77
CL3N2DE-	1.53	1.66	1.60
CL3N0--C	2.40	1.95	2.18
CL3N2DEC	1.90	2.55	2.23
LU3N0---	3.07	3.41	3.24
LU3N0--C	3.48	3.56	3.52
MEAN	1.62	1.84	1.73

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	TREATMNT*	TREATMNT* IRRIGATN
SED	0.216	0.306

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
WP.SP	24	0.306	17.7

6TH CUTTING OCCASION MEAN DM% 16.6

79/R/CS/200 PASTURES (R)

TOTAL OF 6 CUTTING OCCASIONS DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

IRRIGATN TREATMNT	NONE	FULL	MEAN
RG6N0---	0.93	1.22	1.08
RG6N1DE-	2.85	2.39	2.62
RG6N2DE-	5.81	6.58	6.20
RG6N3DE-	6.98	8.16	7.57
RG6N4DE-	8.91	11.65	10.28
RG6N5DE-	10.00	11.58	10.79
RG6N6DE-	9.90	12.45	11.18
GB6N0---	7.78	9.18	8.48
GB6N1DE-	8.04	9.64	8.84
GB6N2DE-	8.88	9.97	9.42
GB6N3DE-	9.44	10.63	10.03
GB6N4DE-	10.06	9.72	9.89
GS6N0---	6.68	9.28	7.98
GS6N1DE-	7.47	10.37	8.92
GS6N2DE-	8.91	10.00	9.46
GS6N3DE-	10.22	10.76	10.49
GS6N4DE-	9.90	12.12	11.01
GB3N0---	7.13	6.30	6.71
GB3N1DE-	6.25	7.11	6.68
GB3N2DE-	7.93	7.27	7.60
GB3N3DE-	6.98	7.93	7.45
GB3N4DE-	8.07	8.11	8.09
GB3N0--C	8.86	9.08	8.97
GB3N1DEC	9.23	8.32	8.78
GB3N2DEC	8.48	10.23	9.36
GB3N3DEC	8.65	10.29	9.47
GB3N4DEC	10.58	9.48	10.03
GB3N1SP-	7.47	6.89	7.18
GB3N1SS-	7.64	6.73	7.19
GB3N2SS-	8.22	7.10	7.66
RG3N2DE-	8.72	7.70	8.21
RG3N2DEC	8.91	9.10	9.01
CL3N0---	5.91	6.39	6.15
CL3N2DE-	6.71	5.85	6.28
CL3N0--C	7.79	7.70	7.75
CL3N2DEC	6.04	8.25	7.15
LU3N0---	12.82	11.62	12.22
LU3N0--C	13.99	13.26	13.63
MEAN	8.21	8.55	8.38

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	TREATMNT*	TREATMNT* IRRIGATN

SED	0.560	0.791

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
WP.SP	24	0.791	9.4

TOTAL OF 6 CUTTING OCCASIONS MEAN DM% 14.3

SUB PLOT AREA HARVESTED 0.00038

79/W/CS/200 BUTT FURLONG (W)

1ST CUTTING OCCASION (15/5/79) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

IRRIGATN TREATMNT	NONE	FULL	MEAN
RG6N0---	0.00	0.16	0.08
RG6N1DE-	0.16	0.25	0.21
RG6N2DE-	0.38	0.24	0.31
RG6N3DE-	0.79	0.85	0.82
RG6N4DE-	1.56	0.69	1.12
RG6N5DE-	1.87	1.04	1.46
RG6N6DE-	1.97	1.07	1.52
GB6N0---	2.33	1.87	2.10
GB6N1DE-	2.23	1.80	2.02
GB6N2DE-	2.40	2.11	2.25
GB6N3DE-	2.90	2.27	2.59
GB6N4DE-	2.81	1.76	2.28
GS6N0---	1.03	1.31	1.17
GS6N1DE-	1.69	1.02	1.35
GS6N2DE-	1.45	1.41	1.43
GS6N3DE-	1.41	1.40	1.40
GS6N4DE-	2.14	1.69	1.91
MEAN	1.59	1.23	1.41

1ST CUTTING OCCASION MEAN DM% 19.7

79/W/CS/200 BUTT FURLONG (W)

2ND CUTTING OCCASION (6/6/79) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

IRRIGATN TREATMNT	NONE	FULL	MEAN
RG6N0---	0.14	0.44	0.29
RG6N1DE-	0.39	0.63	0.51
RG6N2DE-	1.18	0.85	1.02
RG6N3DE-	1.63	1.49	1.56
RG6N4DE-	2.50	2.14	2.32
RG6N5DE-	2.25	2.87	2.56
RG6N6DE-	2.56	2.33	2.44
GB6N0---	1.55	1.94	1.74
GB6N1DE-	1.73	1.85	1.79
GB6N2DE-	1.89	1.62	1.76
GB6N3DE-	2.00	2.04	2.02
GB6N4DE-	2.04	2.11	2.08
GS6N0---	1.16	1.60	1.38
GS6N1DE-	1.59	1.83	1.71
GS6N2DE-	1.89	2.14	2.01
GS6N3DE-	2.08	2.19	2.13
GS6N4DE-	2.14	2.49	2.31
GB3N0---	3.68	3.14	3.41
GB3N1DE-	3.62	3.61	3.62
GB3N2DE-	5.01	3.41	4.21
GB3N3DE-	5.44	3.57	4.51
GB3N4DE-	4.76	3.41	4.08
GB3N0--C	4.01	3.06	3.54
GB3N1DEC	4.09	4.16	4.13
GB3N2DEC	4.51	4.14	4.32
GB3N3DEC	6.02	4.05	5.04
GB3N4DEC	5.88	5.16	5.52
GB3N1SP-	4.72	3.27	3.99
GB3N1SS-	4.11	2.73	3.42
GB3N2SS-	4.42	3.17	3.79
RG3N2DE-	3.13	2.42	2.78
RG3N2DEC	2.56	3.29	2.93
CL3N0---	2.80	2.57	2.68
CL3N2DE-	2.79	2.60	2.69
CL3N0--C	2.35	2.33	2.34
CL3N2DEC	2.73	2.68	2.70
LU3N0---	5.63	4.44	5.04
LU3N0--C	4.06	4.22	4.14
MEAN	3.16	2.78	2.97

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	TREATMNT*	TREATMNT* IRRIGATN

SED	0.226	0.320

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
WP.SP	24	0.320	10.8

2ND CUTTING OCCASION MEAN DM% 14.3

79/W/CS/200 BUTT FURLONG (W)

3RD CUTTING OCCASION (4/7/79) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

IRRIGATN TREATMNT	NONE	FULL	MEAN
RG6N0---	0.31	0.31	0.31
RG6N1DE-	0.61	0.54	0.58
RG6N2DE-	1.82	1.35	1.59
RG6N3DE-	2.24	1.61	1.93
RG6N4DE-	2.52	2.51	2.52
RG6N5DE-	2.46	2.64	2.55
RG6N6DE-	1.77	2.41	2.09
GB6N0---	1.99	2.36	2.18
GB6N1DE-	2.13	2.30	2.22
GB6N2DE-	2.44	2.46	2.45
GB6N3DE-	2.61	2.40	2.50
GB6N4DE-	2.56	2.28	2.42
GS6N0---	1.20	1.89	1.54
GS6N1DE-	1.99	2.05	2.02
GS6N2DE-	2.10	1.97	2.03
GS6N3DE-	2.33	1.98	2.16
GS6N4DE-	2.37	2.65	2.51
MEAN	1.97	1.98	1.98

3RD CUTTING OCCASION MEAN DM% 19.1

79/W/CS/200 BUTT FURLONG (W)

4TH CUTTING OCCASION (2/8/79) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

IRRIGATN	NONE	FULL	MEAN
TREATMNT			
RG6N0---	0.13	0.18	0.15
RG6N1DE-	0.12	0.26	0.19
RG6N2DE-	0.27	0.80	0.53
RG6N3DE-	0.19	1.66	0.92
RG6N4DE-	0.10	2.19	1.15
RG6N5DE-	0.22	1.86	1.04
RG6N6DE-	0.19	2.25	1.22
GB6N0---	0.08	2.19	1.14
GB6N1DE-	0.08	1.94	1.01
GB6N2DE-	0.09	1.73	0.91
GB6N3DE-	0.15	2.20	1.17
GB6N4DE-	0.21	2.17	1.19
GS6N0---	0.09	1.79	0.94
GS6N1DE-	0.18	2.06	1.12
GS6N2DE-	0.18	1.83	1.00
GS6N3DE-	0.09	1.50	0.79
GS6N4DE-	0.18	1.99	1.08
GB3N0---	1.07	2.43	1.75
GB3N1DE-	1.61	2.56	2.09
GB3N2DE-	1.61	2.42	2.02
GB3N3DE-	1.85	2.77	2.31
GB3N4DE-	2.45	2.50	2.47
GB3N0--C	1.95	3.58	2.77
GB3N1DEC	2.61	3.52	3.07
GB3N2DEC	2.77	2.67	2.72
GB3N3DEC	2.12	3.75	2.94
GB3N4DEC	3.07	4.37	3.72
GB3N1SP-	1.28	2.04	1.66
GB3N1SS-	1.54	1.79	1.66
GB3N2SS-	1.67	2.52	2.09
RG3N2DE-	2.22	3.52	2.87
RG3N2DEC	3.23	4.93	4.08
CL3N0---	1.13	2.36	1.74
CL3N2DE-	1.11	2.05	1.58
CL3N0--C	1.31	2.30	1.80
CL3N2DEC	1.42	2.59	2.01
LU3N0---	4.12	4.88	4.50
LU3N0--C	4.75	5.02	4.88
MEAN	1.45	2.59	2.02

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	TREATMNT*	TREATMNT* IRRIGATN
SED	0.300	0.424

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
WP.SP	24	0.424	21.0
4TH CUTTING OCCASION MEAN DM%	23.2		

79/W/CS/200 PASTURES (R)

5TH CUTTING OCCASION (29/8/79) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

IRRIGATN TREATMNT	NONE	FULL	MEAN
RG6N0---	0.00	0.14	0.07
RG6N1DE-	0.30	0.29	0.30
RG6N2DE-	1.33	0.98	1.15
RG6N3DE-	1.02	1.76	1.39
RG6N4DE-	0.48	1.58	1.03
RG6N5DE-	0.25	1.75	1.00
RG6N6DE-	0.36	1.93	1.15
GB6N0---	0.90	1.61	1.26
GB6N1DE-	1.14	1.48	1.31
GB6N2DE-	1.09	1.78	1.44
GB6N3DE-	1.28	1.56	1.42
GB6N4DE-	1.24	1.38	1.31
GS6N0---	0.63	1.65	1.14
GS6N1DE-	0.82	1.53	1.17
GS6N2DE-	1.07	1.43	1.25
GS6N3DE-	0.90	1.48	1.19
GS6N4DE-	0.60	1.86	1.23
MEAN	0.79	1.42	1.11

5TH CUTTING OCCASION MEAN DM% 15.7

79/W/CS/200 BUTT FURLONG (W)

6TH CUTTING OCCASION (5/9/79) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

IRRIGATN TREATMNT	NONE	FULL	MEAN
RG6N0---	0.10	0.15	0.12
RG6N1DE-	0.27	0.45	0.36
RG6N2DE-	0.56	0.75	0.66
RG6N3DE-	0.60	1.37	0.99
RG6N4DE-	0.17	0.71	0.44
RG6N5DE-	0.12	1.72	0.92
RG6N6DE-	0.23	1.47	0.85
GB6N0---	0.43	1.07	0.75
GB6N1DE-	0.64	0.93	0.79
GB6N2DE-	0.49	1.14	0.82
GB6N3DE-	0.44	1.14	0.79
GB6N4DE-	0.93	1.02	0.97
GS6N0---	0.41	1.46	0.93
GS6N1DE-	0.33	1.11	0.72
GS6N2DE-	0.26	1.35	0.80
GS6N3DE-	0.30	1.32	0.81
GS6N4DE-	0.33	1.50	0.91
GB3N0---	1.12	1.46	1.29
GB3N1DE-	1.18	1.26	1.22
GB3N2DE-	1.32	1.31	1.31
GB3N3DE-	1.83	1.44	1.64
GB3N4DE-	2.05	1.50	1.78
GB3N0--C	2.27	2.33	2.30
GB3N1DEC	2.27	2.48	2.37
GB3N2DEC	2.83	2.67	2.75
GB3N3DEC	3.02	2.38	2.70
GB3N4DEC	3.08	2.61	2.84
GB3N1SP-	1.33	1.29	1.31
GB3N1SS-	1.43	1.20	1.31
GB3N2SS-	1.71	1.39	1.55
RG3N2DE-	2.73	2.53	2.63
RG3N2DEC	3.04	3.25	3.14
CL3N0---	1.25	1.35	1.30
CL3N2DE-	1.07	1.24	1.16
CL3N0--C	1.81	1.94	1.88
CL3N2DEC	1.73	2.14	1.94
LU3N0---	2.53	3.06	2.80
LU3N0--C	2.92	3.79	3.36
MEAN	1.44	1.72	1.58

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	TREATMNT*	TREATMNT* IRRIGATN
SED	0.185	0.262

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
WP.SP	24	0.262	16.6
6TH CUTTING OCCASION MEAN DM%	18.9		

79/W/CS/200 BUTT FURLONG (W)

TOTAL OF 6 CUTTING OCCASIONS DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

IRRIGATN	NONE	FULL	MEAN
TREATMNT			
RG6N0---	0.67	1.36	1.02
RG6N1DE-	1.86	2.42	2.14
RG6N2DE-	5.54	4.97	5.26
RG6N3DE-	6.46	8.74	7.60
RG6N4DE-	7.33	9.82	8.57
RG6N5DE-	7.18	11.87	9.52
RG6N6DE-	7.09	11.47	9.28
GB6N0---	7.28	11.05	9.17
GB6N1DE-	7.95	10.30	9.13
GB6N2DE-	8.39	10.85	9.62
GB6N3DE-	9.38	11.61	10.50
GB6N4DE-	9.80	10.72	10.26
GS6N0---	4.52	9.69	7.11
GS6N1DE-	6.59	9.59	8.09
GS6N2DE-	6.94	10.13	8.53
GS6N3DE-	7.11	9.87	8.49
GS6N4DE-	7.76	12.17	9.96
GB3N0---	5.87	7.04	6.45
GB3N1DE-	6.42	7.44	6.93
GB3N2DE-	7.94	7.14	7.54
GB3N3DE-	9.13	7.78	8.46
GB3N4DE-	9.27	7.40	8.33
GB3N0--C	8.23	8.98	8.60
GB3N1DEC	8.97	10.16	9.57
GB3N2DEC	10.12	9.47	9.79
GB3N3DEC	11.16	10.18	10.67
GB3N4DEC	12.03	12.14	12.09
GB3N1SP-	7.34	6.59	6.96
GB3N1SS-	7.07	5.71	6.39
GB3N2SS-	7.80	7.08	7.44
RG3N2DE-	8.08	8.47	8.27
RG3N2DEC	8.83	11.47	10.15
CL3N0---	5.18	6.27	5.73
CL3N2DE-	4.96	5.89	5.43
CL3N0--C	5.47	6.57	6.02
CL3N2DEC	5.88	7.41	6.65
LU3N0---	12.28	12.39	12.33
LU3N0--C	11.73	13.04	12.38
MEAN	7.52	8.66	8.09

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	TREATMNT*	TREATMNT* IRRIGATN
SED	0.563	0.796

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
WP.SP	24	0.796	9.8

TOTAL OF 6 CUTTING OCCASIONS MEAN DM% 15.4

SUBPLOT AREA HARVESTED 0.00038