

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1979

[Full Table of Content](#)



79/R/CS/232 Aqueous Urea and Nitrification Inhibitors - Ley

Rothamsted Research

Rothamsted Research (1980) *79/R/CS/232 Aqueous Urea and Nitrification Inhibitors - Ley* ; Yields Of The Field Experiments 1979, pp 228 - 230 - DOI: <https://doi.org/10.23637/ERADOC-1-45>

79/R/CS/232

AQUEOUS UREA AND NITRIFICATION INHIBITORS

Object: To study the residual effects of adding nitrification inhibitors to liquid fertilisers on the yield and nitrogen uptake of grass cut for silage - Rothamsted (R) Great Harpenden I.

Sponsors: J. Ashworth, A. Penny, M.V. Hewitt.

The second year, ley.

For previous year see 78/R/G/1.

Design: 2 randomised blocks of 28 plots.

Whole plot dimensions: 2.43 x 9.14.

Treatments (applied for the 1978 crop only, no fresh treatments applied for 1979): All combinations of:-

- | | |
|------------|--|
| 1. U T1 N | Rates of nitrogen fertiliser applied as aqueous urea as a single application, injection tines spaced 30 cm apart (kg N): |
| 2 | 250 |
| 3 | 375 |
| 2. N TIME | Times of applying aqueous urea: |
| AUTUMN | 25 Nov, 1977 |
| SPRING | 10 Mar, 1978 |
| 3. NI FORM | Forms of nitrification inhibitors added to aqueous urea: |
| NONE | None |
| NITRAPYR | Nitrapyrin |
| SOD TRI | Sodium trithiocarbonate |
| NIT CS | Nitrapyrin + carbon disulphide |

plus twelve extra treatments:

EXTRA

Aqueous urea, tines spaced 60 cm apart, no inhibitors:

- | | |
|---------|------------------------------|
| UT2 N2A | Supplying 250 kg N in autumn |
| UT2 N2S | Supplying 250 kg N in spring |
| UT2 N3A | Supplying 375 kg N in autumn |
| UT2 N3S | Supplying 375 kg N in spring |

79/R/CS/232

Aqueous urea + ammonium nitrate, tines spaced 30 cm apart,
supplying 375 kg N applied in spring

UATIN3SO No nitrification inhibitor
UATIN3ST Sodium trithiocarbonate
UATIN3SN Nitrapyrin
UATIN3SM Mixture of nitrapyrin and carbon disulphide

'Nitro-Chalk', dressing divided (kg N total):

NC N2 250
NC N3 375
NC N4 500
NONE None

Basal applications: Manures: (0:14:28) at 500 kg. N at 30 kg as 'Nitro-Chalk'.

Cultivations, etc.: Grass cut (no yields) 14 Nov, 1978. PK applied: 16 Nov.
N applied: 12 Apr, 1979. Grass cut: 4 June.

NOTE: Grass samples were assessed for N content.

1ST AND ONLY CUT (4/6/79) DRY MATTER TONNES/HECTARE

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	EXTRA	U T I N	N T I M E	N I F O R M
SED	0.270	0.095	0.095	0.135
TABLE	U T I N	U T I N	N T I M E	U T I N
	N T I M E	N I F O R M	N I F O R M	N T I M E
				N I F O R M & EXTRA
SED	0.135	0.191	0.191	0.270

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	27	0.270	12.4
PLOT AREA HARVESTED	0.00078		

79/R/CS/232

1ST AND ONLY CUT (4/6/79) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

N TIME U T1 N	AUTUMN	SPRING	MEAN		
2	1.81	2.00	1.91		
3	2.23	2.05	2.14		
MEAN	2.02	2.03	2.02		
NI FORM U T1 N	NONE	NITRAPYR	SOD TRI	NIT CS	MEAN
2	1.84	2.06	1.92	1.80	1.91
3	1.98	2.12	2.31	2.15	2.14
MEAN	1.91	2.09	2.11	1.98	2.02
NI FORM N TIME	NONE	NITRAPYR	SOD TRI	NIT CS	MEAN
AUTUMN	1.81	2.06	2.17	2.04	2.02
SPRING	2.02	2.12	2.06	1.91	2.03
MEAN	1.91	2.09	2.11	1.98	2.02
U T1 N	NI FORM N TIME	NONE	NITRAPYR	SOD TRI	NIT CS
2	AUTUMN	1.73	1.97	1.81	1.74
	SPRING	1.96	2.16	2.02	1.86
3	AUTUMN	1.89	2.16	2.53	2.34
	SPRING	2.07	2.08	2.09	1.96
EXTRA					
UT2 N2A	1.93				
UT2 N2S	1.85				
UT2 N3A	2.16				
UT2 N3S	2.29				
UATIN3SO	1.98				
UATIN3ST	1.90				
UATIN3SN	2.17				
UATIN3SM	2.66				
NC N2	3.11				
NC N3	2.86				
NC N4	3.83				
NONE	1.79				
MEAN	2.38				

GRAND MEAN 2.17