

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1985

[Full Table of Content](#)



85/R/P/4 Seed Health Progeny - Potatoes

Rothamsted Research

Rothamsted Research (1986) *85/R/P/4 Seed Health Progeny - Potatoes ; Yields Of The Field Experiments 1985*, pp 333 - 336 - DOI: <https://doi.org/10.23637/ERADOC-1-19>

85/R/P/4

plus two extra treatments:

XTR SCOT	Scottish AA seed varieties:
EDWARD	King Edward (duplicated)
PIPER	Maris Piper

NOTE: Basal pest and pathogen control in 1984 (other than to XTR SCOT for which it is not known) was phorate at 1.7 kg with the seed, fentin hydroxide at 0.28 kg with pirimicarb at 0.14 kg on 19 June, 3 July, 17 July and 30 July. The above rate of fentin hydroxide was applied in addition to HAULM D(84) LATER on 13 Aug and with pirimicarb at the above rate, on 28 Aug.

Basal applications: Manures: (0:18:36) at 690 kg. (10:10:15+4.5 Mg) at 1960 kg. Weedkillers: Linuron at 1.3 kg with paraquat at 0.50 kg ion in 200 l. Fungicides: Mancozeb at 1.4 kg in 200 l on four occasions, with the pirimicarb on the second and third occasions. Fentin hydroxide at 0.28 kg in 200 l on two occasions. Insecticides: Phorate at 1.7 kg. Pirimicarb at 0.14 kg on two occasions. Haulm desiccant: BOV at 170 l.

Cultivations, etc.: PK applied: 10 Oct, 1984. Ploughed: 19 Nov. NPK Mg applied: 4 Apr, 1985. Rotary harrowed: 17 Apr. Potatoes planted by hand, phorate applied: 18 Apr. Weedkillers applied: 16 May. Mancozeb applied: 20 June, 6 Aug. Mancozeb with pirimicarb applied: 4 July, 23 July. Fentin hydroxide applied: 21 Aug, 11 Sept. Haulm desiccant applied: 11 Oct. Lifted: 22 Oct. Previous crops: S. barley 1983, w. beans 1984.

NOTE: Viruses were assessed throughout the season. Tuber samples were taken at harvest to observe storage diseases.

85/R/P/4

TOTAL TUBERS TONNES/HECTARE

***** TABLES OF MEANS *****

PATHCONT(84) VARIETY	STANDARD	ENHANCED	FULL	MEAN
EDWARD	69.8	71.9	71.7	71.1
PIPER	74.1	76.5	76.6	75.8
MEAN	72.0	74.2	74.2	73.4

HAULM D(84) VARIETY	EARLY	LATER	MEAN
EDWARD	70.7	71.6	71.1
PIPER	76.5	75.0	75.8
MEAN	73.6	73.3	73.4

HAULM D(84) PATHCONT(84)	EARLY	LATER	MEAN
STANDARD	73.2	70.7	72.0
ENHANCED	73.2	75.2	74.2
FULL	74.3	74.0	74.2
MEAN	73.6	73.3	73.4

PATHCONT(84) HAULM D(84) VARIETY	STANDARD EARLY	ENHANCED LATER	ENHANCED EARLY	LATER	FULL EARLY	LATER
EDWARD	69.7	70.0	70.1	73.8	72.4	71.0
PIPER	76.8	71.4	76.4	76.7	76.2	77.0

XTR SCOT	EDWARD	PIPER	MEAN
	73.7	79.0	76.3

GRAND MEAN 74.2

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	XTR SCOT	VARIETY	PATHCONT(84)	HAULM D(84)
SED	1.68	0.97	1.19	0.97

TABLE	VARIETY PATHCONT(84)	VARIETY HAULM D(84)	PATHCONT(84) HAULM D(84)	VARIETY PATHCONT(84) HAULM D(84)
SED	1.68	1.37	1.68	2.38

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	47	3.36	4.5

85/R/P/4

PERCENTAGE WARE 4.44CM (1.75 INCH) RIDDLE

***** TABLES OF MEANS *****

PATHCONT(84)	STANDARD	ENHANCED	FULL	MEAN		
VARIETY						
EDWARD	80.6	81.9	83.8	82.1		
PIPER	78.6	79.6	83.0	80.4		
MEAN	79.6	80.7	83.4	81.3		
HAULM D(84)	EARLY	LATER	MEAN			
VARIETY						
EDWARD	80.0	84.2	82.1			
PIPER	78.5	82.3	80.4			
MEAN	79.3	83.2	81.3			
HAULM D(84)	EARLY	LATER	MEAN			
PATHCONT(84)						
STANDARD	78.2	81.1	79.6			
ENHANCED	78.4	83.0	80.7			
FULL	81.2	85.6	83.4			
MEAN	79.3	83.2	81.3			
PATHCONT(84)	STANDARD		ENHANCED		FULL	
HAULM D(84)	EARLY	LATER	EARLY	LATER	EARLY	LATER
VARIETY						
EDWARD	79.2	82.1	78.8	85.0	82.2	85.4
PIPER	77.2	80.1	78.1	81.1	80.3	85.8
XTR SCOT	EDWARD	PIPER	MEAN			
	86.5	86.9	86.7			
GRAND MEAN	82.6					
PLOT AREA HARVESTED	0.00229					