

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1986

[Full Table of Content](#)



86/R/RA/1 Factors Limiting Yield - W. Oilseed Rape

Rothamsted Research

Rothamsted Research (1987) *86/R/RA/1 Factors Limiting Yield - W. Oilseed Rape* ; Yields Of The Field Experiments 1986, pp 258 - 265 - DOI: <https://doi.org/10.23637/ERADOC-1-36>

86/R/RA/1

WINTER OILSEED RAPE

FACTORS LIMITING YIELD

Object: To study the effects of a range of factors on the incidence of pests and diseases and on the growth and yield of w. oilseed rape - Black Horse I.

Sponsors: C.J. Rawlinson, R.J. Darby, P.G.N. Digby, K. Evans, J.E. Leach, I.H. Williams, D.P. Yeoman.

Associate sponsors: P.B. Barraclough, J. Lacey, J.H. Stevenson, A.J. Thomasson, G.N. Thorne, A.H. Weir.

Design: A half replicate of $2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 2 + 2 \times 4$ + half replicates of $2 \times 2 \times 2 \times 2$ and $2 \times 2 \times 2 + 12$ extra plots

Whole plot dimensions: 3.0 x 20.0.

Treatments: Combinations of:-

- | | |
|--------------|---|
| 1. SOW DATE | Dates of sowing: |
| 20 AUG | 20 August, 1985 |
| 6 SEP | 6 September |
| 2. N RATE | Amounts of N fertilizer (kg N), as 'Nitro-Chalk',
in addition to a basal application of 50 kg N to
the seedbed: |
| 175 | |
| 275 | |
| 3. N DIVIS | Division of N fertilizer application: |
| SINGLE | All on 11 Mar, 1986 |
| DIVIDED | One third on 11 Mar, two thirds on 1 Apr |
| 4. GROWREG | Growth regulator: |
| NONE | None |
| 2-CHLORO | 2-chloroethylphosphonic acid applied at 0.48 kg in
220 l on 12 June, with a wetter ('Agris' at 0.10 l) |
| 5. INSECTCDE | Insecticides: |
| NONE | None |
| DE+TR | Deltamethrin at 7.5 g in 220 l on 12 Nov, 1985,
triazophos at 0.40 l in 220 l on 24 June, 1986 |

86/R/RA1

6. AUT FUNG Autumn fungicide:

NONE	None
PROCHLOR	Prochloraz at 0.50 kg in 220 l on 26 Nov, 1985

7. S FUNG Spring and summer fungicides:

NONE	None
PRO+IPR	Prochloraz at 0.50 kg in 220 l on 28 April, 1986, iprodione at 0.50 kg in 220 l on 23 June

plus combinations of the following (all given growth regulator, insecticides and fungicides as above):

1. SOWDAT N Dates of sowing:

20 AUG	20 August, 1985
6 SEP	6 September

2. N RATE N Amounts of N fertilizer (kg N), as 'Nitro-Chalk', in addition to a basal application of 50 kg N to the seedbed. Applied as a single dressing on 11 March, 1986:

0
125
225
325

plus combinations of the following (all given insecticides and fungicides as above, combinations chosen are those not provided by the main factorial):

1. SOWDAT P Dates of sowing:

20 AUG	20 August, 1985
6 SEP	6 September

2. N RATE P Amounts of N fertilizer (kg N), as 'Nitro-Chalk', in addition to a basal application of 50 kg N to the seedbed:

175
275

3. N DIV P Division of N fertilizer application:

SINGLE	All on 11 Mar, 1986
DIVIDED	One third on 11 Mar, two thirds on 1 Apr

4. GROREG P Growth regulator:

NONE	None
2-CHLORO	2-chloroethylphosphonic acid applied at 0.48 kg in 220 l on 12 June, 1986, with a wetter ('Agris' at 0.1 l)

86/R/RA/1

plus combinations of the following (all given N as N RATE 175, SINGLE, fungicides as above and oxamyl at 5 kg to the seedbed):

1. SODATE OX Dates of sowing:
 20 AUG 20 August, 1985
 6 SEP 6 September
2. GRORG OX Growth regulator:
 NONE None
 2-CHLORO 2-chloroethylphosphonic acid applied at 0.48 kg in 220 l on 12 June, with a wetter ('Agral' at 0.1 l)
3. INSCT OX Insecticides:
 NONE None
 DE+TR Deltamethrin at 7.5 g in 220 l on 12 Nov, 1985, triazophos at 0.40 l in 220 l on 24 June, 1986

plus two replicates of three treatments (all given N as N RATE 275, DIVIDED and insecticides and fungicides as above):

- | | |
|---------|---|
| FOL NUT | Foliar nutrients: |
| N | N at 3.2 kg (1.0 kg as ammonium nitrate, 2.2 kg as urea; solution applied at 12 l in 220 l on 30 Apr, 1986) |
| N+MIC | N (as above) plus micronutrients: Mg at 480 g, Mn at 162 g, Cu at 32.4 g, Fe at 3.6 g, B at 3.6 g, Zn at 1.68 g and Mo at 0.84 g applied (as 'BASF Foliar 36' at 12 l) in 220 l on 30 Apr |
| N+MIC+S | Extra N plus micronutrients (as above) plus sulphur at 8.0 kg (as 'Thiovit' at 10 kg) in 220 l on 12 Mar |

plus two extra treatments all given N as N RATE 275, DIVIDED and insecticides and fungicides as above:

- | | |
|----------|--|
| EXT GREG | |
| 20 AUG T | Sown 20 August, 1985, triapenthenol applied (as 'UK 244a' at 0.70 kg) in 220 l on 30 Apr, 1986 |
| 6 SEP T | Sown 6 September, 1985, triapenthenol applied (as 'UK 244a' at 0.70 kg) in 220 l on 30 Apr, 1986 |

plus two extra treatments:

- | | |
|----------|---|
| EXT NONE | |
| SE NONE | Sown 20 August, 1985, given none of the chemical treatments above |
| SL NONE | Sown 6 September, given none of the chemical treatments above |

Two additional plots were used for root studies, yields not taken.

86/R/RA/1

Basal applications: Manures: (0:24:24) at 200 kg. 'Nitro-Chalk' at 180 kg. Weedkillers: Fluazifop-P-butyl at 0.19 kg in 280 l with a wetting agent ('Agris' at 0.28 l). Clopyralid and propyzamide (as 'Matrikerb' at 1.6 kg) in 500 l. Desiccant: Diquat at 0.60 kg ion in 500 l with a wetting agent ('Agris' at 0.50 l).

Seed: Bienvenu, dressed gamma HCH, thiram and fenpropimorph, sown at 8.0 kg.

Cultivations, etc.: Rotary grubbed: 16 Aug, 1985. PK applied, basal N applied, spring-tine cultivated: 19 Aug. Fluazifop-P-butyl, with wetting agent, applied to SOW DATE 20 AUG: 26 Sept and to SOW DATE 6 SEP: 17 Oct. 'Matrikerb' applied: 30 Oct. Desiccant with wetting agent applied: 24 July, 1986. Combine harvested: 2 Aug. Previous crops: W. wheat 1984, w. barley 1985.

NOTE: Detailed observations were made during the season on diseases, pests, N in plants and soil, dry matter accumulation, leaf areas, light interception and lodging. Percentage of oil in grain was measured.

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

***** TABLES OF MEANS *****

N RATE	175	275	MEAN
SOW DATE			
20 AUG	3.55	3.83	3.69
6 SEPT	3.67	3.83	3.75
MEAN	3.61	3.83	3.72
N DIVIS	SINGLE	DIVIDED	MEAN
SOW DATE			
20 AUG	3.70	3.69	3.69
6 SEPT	3.70	3.81	3.75
MEAN	3.70	3.75	3.72
N DIVIS	SINGLE	DIVIDED	MEAN
N RATE			
175	3.62	3.60	3.61
275	3.77	3.90	3.83
MEAN	3.70	3.75	3.72
GROWREG	NONE	2-CHLORO	MEAN
SOW DATE			
20 AUG	3.69	3.69	3.69
6 SEPT	3.75	3.75	3.75
MEAN	3.72	3.72	3.72

86/R/RA/1

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

***** TABLES OF MEANS *****

GROWREG	NONE	2-CHLORO	MEAN
N RATE			
175	3.61	3.61	3.61
275	3.83	3.84	3.83
MEAN	3.72	3.72	3.72
GROWREG	NONE	2-CHLORO	MEAN
N DIVIS			
SINGLE	3.71	3.68	3.70
DIVIDED	3.73	3.77	3.75
MEAN	3.72	3.72	3.72
INSCDCDE	NONE	DE+TR	MEAN
SOW DATE			
20 AUG	3.70	3.69	3.69
6 SEPT	3.78	3.72	3.75
MEAN	3.74	3.71	3.72
INSCDCDE	NONE	DE+TR	MEAN
N RATE			
175	3.60	3.62	3.61
275	3.88	3.79	3.83
MEAN	3.74	3.71	3.72
INSCDCDE	NONE	DE+TR	MEAN
N DIVIS			
SINGLE	3.77	3.62	3.70
DIVIDED	3.71	3.79	3.75
MEAN	3.74	3.71	3.72
INSCDCDE	NONE	DE+TR	MEAN
GROWREG			
NONE	3.78	3.67	3.72
2-CHLORO	3.70	3.75	3.72
MEAN	3.74	3.71	3.72
AUT FUNG	NONE	PROCHLOR	MEAN
SOW DATE			
20 AUG	3.62	3.77	3.69
6 SEPT	3.72	3.78	3.75
MEAN	3.67	3.77	3.72
AUT FUNG	NONE	PROCHLOR	MEAN
N RATE			
175	3.52	3.70	3.61
275	3.82	3.85	3.83
MEAN	3.67	3.77	3.72

86/R/RA/1

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

***** TABLES OF MEANS *****

AUT FUNG	NONE	PROCHLOR	MEAN
N DIVIS			
SINGLE	3.60	3.79	3.70
DIVIDED	3.75	3.75	3.75
MEAN	3.67	3.77	3.72
AUT FUNG	NONE	PROCHLOR	MEAN
GROWREG			
NONE	3.69	3.76	3.72
2-CHLORO	3.66	3.79	3.72
MEAN	3.67	3.77	3.72
AUT FUNG	NONE	PROCHLOR	MEAN
INSC TCDE			
NONE	3.67	3.81	3.74
DE+TR	3.67	3.74	3.71
MEAN	3.67	3.77	3.72
S FUNG	NONE	PRO+IPR	MEAN
SOW DATE			
20 AUG	3.61	3.78	3.69
6 SEPT	3.65	3.85	3.75
MEAN	3.63	3.81	3.72
S FUNG	NONE	PRO+IPR	MEAN
N RATE			
175	3.52	3.70	3.61
275	3.74	3.93	3.83
MEAN	3.63	3.81	3.72
S FUNG	NONE	PRO+IPR	MEAN
N DIVIS			
SINGLE	3.53	3.86	3.70
DIVIDED	3.73	3.77	3.75
MEAN	3.63	3.81	3.72
S FUNG	NONE	PRO+IPR	MEAN
GROWREG			
NONE	3.60	3.84	3.72
2-CHLORO	3.66	3.79	3.72
MEAN	3.63	3.81	3.72
S FUNG	NONE	PRO+IPR	MEAN
INSC TCDE			
NONE	3.64	3.84	3.74
DE+TR	3.62	3.79	3.71
MEAN	3.63	3.81	3.72

86/R/RA/1

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

***** TABLES OF MEANS *****

S FUNG	NONE	PRO+IPR	MEAN		
AUT FUNG					
NONE	3.54	3.80	3.67		
PROCHLOR	3.72	3.83	3.77		
MEAN	3.63	3.81	3.72		
N RATE N	0	125	225	325	MEAN
SOWDAT N					
20 AUG	2.68	3.94	3.80	4.16	3.64
6 SEPT	1.94	3.69	4.06	3.79	3.37
MEAN	2.31	3.81	3.93	3.97	3.51
N RATE P	175	275	MEAN		
SOWDAT P					
20 AUG	3.86	3.91	3.88		
6 SEPT	3.75	3.73	3.74		
MEAN	3.81	3.82	3.81		
N DIV P	SINGLE	DIVIDED	MEAN		
SOWDAT P					
20 AUG	4.00	3.76	3.88		
6 SEPT	3.67	3.81	3.74		
MEAN	3.84	3.79	3.81		
N DIV P	SINGLE	DIVIDED	MEAN		
N RATE P					
175	3.90	3.71	3.81		
275	3.78	3.86	3.82		
MEAN	3.84	3.79	3.81		
GROREG P	NONE	2-CHLORO	MEAN		
SOWDAT P					
20 AUG	3.90	3.87	3.88		
6 SEPT	3.79	3.69	3.74		
MEAN	3.85	3.78	3.81		
GROREG P	NONE	2-CHLORO	MEAN		
N RATE P					
175	3.77	3.85	3.81		
275	3.92	3.71	3.82		
MEAN	3.85	3.78	3.81		
GROREG P	NONE	2-CHLORO	MEAN		
N DIV P					
SINGLE	3.96	3.72	3.84		
DIVIDED	3.74	3.84	3.79		
MEAN	3.85	3.78	3.81		

86/R/RA/1

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

***** TABLES OF MEANS

GRORG OX	NONE	2-CHLORO	MEAN
SODATE OX			
20 AUG	3.97	4.16	4.07
6 SEPT	3.64	3.83	3.73
MEAN	3.80	3.99	3.90

INSCT OX	NONE	DE+TR	MEAN
SODATE OX			
20 AUG	3.95	4.18	4.07
6 SEPT	3.61	3.85	3.73
MEAN	3.78	4.02	3.90

INSCT OX	NONE	DE+TR	MEAN
GRORG OX			
NONE	3.69	3.92	3.80
2-CHLORO	3.88	4.11	3.99
MEAN	3.78	4.02	3.90

FOL NUT	N	N+MIC	N+MIC+S	MEAN
	4.00	3.70	4.19	3.96

EXT GREG	20 AUG T	6 SEPT T	MEAN
	4.38	4.31	4.35

EXTR NON	SE NONE	SL NONE	MEAN
	2.34	1.83	2.09

GRAND MEAN 3.72

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

(NOT INCLUDING EXTRA PLOTS)
MARGIN OF TWO FACTOR TABLES 0.063
TWO FACTOR TABLES 0.089

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	32	0.252	6.8

GRAIN MEAN DM% 88.9

PLOT AREA HARVESTED 0.00294