

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1986

[Full Table of Content](#)



86/W/RN/4 Market Garden - Clover

Rothamsted Research

Rothamsted Research (1987) *86/W/RN/4 Market Garden - Clover* ; Yields Of The Field Experiments 1986, pp 57 - 66 - DOI: <https://doi.org/10.23637/ERADOC-1-36>

86/W/RN/4

MARKET GARDEN

Object: The experiment compared the effects of fertilizers and organic manures applied annually in the period 1942 to 1967, on market garden crops. Residual effects of the organic manures were studied in arable crops from 1968 to 1973. From 1974 until 1982 the site was maintained in grass without yields. A new sequence of cropping started in 1983 to study further the residual effects of the organic manures, particularly the availability of metals from sewage sludge - Woburn Lansome I.

Sponsor: S.P. McGrath.

The 45th year, clover.

For previous years see 'Details' 1967 & 1973, 74-80/W/RN/4 and 83-85/W/RN/4.

Design: 2 series each of 4 blocks of 10 plots split, systematically, into 2.

Whole plot dimensions: 8.15 x 5.18.

Treatments:

To Series A, first year white clover, all combinations of:-

Whole plots

- | | |
|-------------|---|
| 1. OM RESID | Residues of organic manures: |
| FYM | Farmyard manure until 1967 |
| SEWAGE | Sewage sludge until 1961 |
| SEW COM | Sewage sludge, composted with straw, until 1961 |
| VEG COM | Vegetable compost until 1962, then farmyard manure until 1967 |
| 2. OM RATE | Rates of organic manures (t per crop): |
| 25 | |
| 50 | |
| EXTRA | plus one extra treatment (duplicated): |
| NONE | No organic manures |

Sub plots

- | | |
|------------|---------------------------------------|
| 3. NPERCUT | Nitrogen (kg N) per cut, as 'Nitram': |
| 0 | |
| 100 | |

86/W/RN/4

To Series B, third year white clover, all combinations of:-

Whole plots

1. OM RESID Residues of organic manures:

 FYM Farmyard manure to whole plots until 1964, to half
 plots until 1967. Untreated half plots received a
 balancing dressing in 1974
 SEWAGE Sewage sludge until 1961
 SEW COM Sewage sludge, composted with straw, until 1961
 VEG COM Vegetable compost until 1962, then farmyard manure
 until 1965
2. OM RATE Rates of organic manures (t per crop):

 25
 50

 EXTRA plus one extra treatment (duplicated):

 PEAT Peat at 31 t per crop to half plots 1965 to 1967.
 Untreated half plots received a balancing dressing
 in 1974.

Sub plots

3. NPERCUT Nitrogen (kg N) per cut, as 'Nitram':

 0
 100

Basal applications:

Series A and B: Manures: K at 150 kg as muriate of potash.
Weedkillers: MCPA at 0.16 kg with MCPB at 1.12 kg in 240 l.

Seed: Blanca, white clover, sown at 17 kg to series A.

Cultivations, etc.:-

Series A: Ploughed: 19 Dec, 1985. K applied: 17 Apr, 1986. Heavy
spring-tine cultivated, N applied: 7 May. Spike harrowed with
crumbler attached, seed sown: 8 May. Weedkillers applied:
15 July. Cut 6 Oct.

Series B: K applied: 17 Apr, 1986. N applied: 17 Apr, 27 June.
Weedkillers applied: 5 May. Cut: 19 June, 6 Oct.

NOTE: Crop samples were taken at maturity and soil samples after harvest
for chemical analyses.

86/W/RN/4 WHITE CLOVER SERIES A

1ST AND ONLY CUT (6/10/86) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

OM RESID	FYM	SEWAGE	SEW COM	VEG COM	MEAN
OM RATE					
25	1.72	1.43	1.29	1.48	1.48
50	1.73	1.13	1.36	1.67	1.47
MEAN	1.72	1.28	1.32	1.58	1.48
NPERCUT	0	100	MEAN		
OM RATE					
25	1.49	1.47	1.48		
50	1.49	1.45	1.47		
MEAN	1.49	1.46	1.48		
NPERCUT	0	100	MEAN		
OM RESID					
FYM	1.65	1.79	1.72		
SEWAGE	1.32	1.24	1.28		
SEW COM	1.38	1.26	1.32		
VEG COM	1.60	1.55	1.58		
MEAN	1.49	1.46	1.48		
OM RATE	NPERCUT	0	100		
25	OM RESID				
	FYM	1.64	1.79		
	SEWAGE	1.62	1.24		
	SEW COM	1.24	1.34		
	VEG COM	1.46	1.50		
50	FYM	1.66	1.79		
	SEWAGE	1.03	1.23		
	SEW COM	1.53	1.18		
	VEG COM	1.74	1.61		
NONE	NPERCUT	0	100	MEAN	
		1.44	1.71	1.58	
GRAND MEAN	1.50				

86/W/RN/4 WHITE CLOVER SERIES A

1ST AND ONLY CUT (6/10/86) DRY MATTER TONNES/HECTARE

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	OM RESID	OM RATE	NPERCUT	OM RESID OM RATE
SED	0.137	0.097	0.104	0.194

TABLE	OM RESID NPERCUT	OM RATE NPERCUT	OM RESID OM RATE NPERCUT	NONENPER
SED	0.201	0.142	0.284	0.208

EXCEPT WHEN COMPARING MEANS WITH THE SAME LEVEL(S) OF:

OM RESID 0.208
OM RATE 0.147
OM RESID.OM RATE 0.294

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	28	0.275	18.4
BLOCK.WP.SP	31	0.415	27.8

1ST CUT MEAN DM% 15.1

SUB PLOT AREA HARVESTED 0.00047

86/W/RN/4 WHITE CLOVER SERIES B

1ST CUT (19/6/86) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

OM RESID	FYM	SEWAGE	SEW COM	VEG COM	MEAN
OM RATE					
25	3.11	2.86	2.78	2.85	2.90
50	2.68	2.78	2.62	2.83	2.73
MEAN	2.90	2.82	2.70	2.84	2.81
NPERCUT	0	100	MEAN		
OM RATE					
25	2.59	3.21	2.90		
50	2.29	3.16	2.73		
MEAN	2.44	3.19	2.81		
NPERCUT	0	100	MEAN		
OM RESID					
FYM	2.41	3.38	2.90		
SEWAGE	2.57	3.07	2.82		
SEW COM	2.36	3.03	2.70		
VEG COM	2.41	3.27	2.84		
MEAN	2.44	3.19	2.81		
OM RATE	NPERCUT	0	100		
25	OM RESID				
	FYM	2.63	3.60		
	SEWAGE	2.73	2.98		
	SEW COM	2.48	3.08		
	VEG COM	2.51	3.19		
50	FYM	2.19	3.16		
	SEWAGE	2.40	3.15		
	SEW COM	2.24	2.99		
	VEG COM	2.32	3.34		
PEAT	NPERCUT	0	100	MEAN	
		2.58	3.26	2.92	
GRAND MEAN	2.83				

86/W/RN/4 WHITE CLOVER SERIES B

1ST CUT (19/6/86) DRY MATTER TONNES/HECTARE

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	OM RESID	OM RATE	NPERCUT	OM RESID OM RATE
SED	0.242	0.171	0.115	0.342

TABLE	OM RESID NPERCUT	OM RATE NPERCUT	OM RESID OM RATE NPERCUT	PEATNPER
SED	0.291	0.206	0.412	0.231

EXCEPT WHEN COMPARING MEANS WITH THE SAME LEVEL(S) OF:

OM RESID 0.231
OM RATE 0.163
OM RESID.OM RATE 0.326

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	28	0.483	17.1
BLOCK.WP.SP	31	0.461	16.3

1ST CUT MEAN DM% 19.6

1ST CUT SUB PLOT AREA HARVESTED 0.00053

86/W/RN/4 WHITE CLOVER SERIES B

2ND CUT (6/10/86) DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

OM RESID	FYM	SEWAGE	SEW COM	VEG COM	MEAN
OM RATE					
25	1.73	1.67	1.60	1.57	1.64
50	1.74	1.57	1.44	1.66	1.60
MEAN	1.74	1.62	1.52	1.61	1.62
NPERCUT	0	100	MEAN		
OM RATE					
25	1.66	1.62	1.64		
50	1.58	1.62	1.60		
MEAN	1.62	1.62	1.62		
NPERCUT	0	100	MEAN		
OM RESID					
FYM	1.67	1.81	1.74		
SEWAGE	1.51	1.73	1.62		
SEW COM	1.60	1.44	1.52		
VEG COM	1.72	1.51	1.61		
MEAN	1.62	1.62	1.62		
OM RATE	NPERCUT	0	100		
25	OM RESID				
	FYM	1.71	1.76		
	SEWAGE	1.51	1.82		
	SEW COM	1.68	1.52		
	VEG COM	1.76	1.38		
50	FYM	1.63	1.86		
	SEWAGE	1.51	1.64		
	SEW COM	1.52	1.36		
	VEG COM	1.67	1.64		
PEAT	NPERCUT	0	100	MEAN	
		1.39	1.57	1.48	
GRAND MEAN	1.59				

86/W/RN/4 WHITE CLOVER SERIES B

2ND CUT (6/10/86) DRY MATTER TONNES/HECTARE

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	OM RESID	OM RATE	NPERCUT	OM RESID OM RATE
SED	0.109	0.077	0.086	0.154

TABLE	OM RESID NPERCUT	OM RATE NPERCUT	OM RESID OM RATE NPERCUT	PEATNPER
SED	0.164	0.116	0.231	0.172

EXCEPT WHEN COMPARING MEANS WITH THE SAME LEVEL(S) OF:

OM RESID	0.172
OM RATE	0.122
OM RESID.OM RATE	0.244

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	28	0.218	13.7
BLOCK.WP.SP	31	0.345	21.6

2ND CUT MEAN DM% 18.3

2ND CUT SUB PLOT AREA HARVESTED 0.00047

86/W/RN/4 WHITE CLOVER SERIES B

TOTAL OF 2 CUTS DRY MATTER TONNES/HECTARE

***** TABLES OF MEANS *****

OM RESID	FYM	SEWAGE	SEW COM	VEG COM	MEAN
OM RATE					
25	4.85	4.52	4.37	4.42	4.54
50	4.42	4.35	4.06	4.49	4.33
MEAN	4.63	4.44	4.22	4.45	4.43
NPERCUT	0	100	MEAN		
OM RATE					
25	4.25	4.83	4.54		
50	3.87	4.79	4.33		
MEAN	4.06	4.81	4.43		
NPERCUT	0	100	MEAN		
OM RESID					
FYM	4.08	5.19	4.63		
SEWAGE	4.07	4.80	4.44		
SEW COM	3.96	4.47	4.22		
VEG COM	4.13	4.77	4.45		
MEAN	4.06	4.81	4.43		
OM RATE	NPERCUT	0	100		
25	OM RESID				
	FYM	4.33	5.36		
	SEWAGE	4.24	4.80		
	SEW COM	4.16	4.59		
	VEG COM	4.27	4.56		
50	FYM	3.83	5.02		
	SEWAGE	3.91	4.79		
	SEW COM	3.77	4.35		
	VEG COM	3.99	4.99		
PEAT	NPERCUT	0	100	MEAN	
		3.97	4.83	4.40	
GRAND MEAN	4.43				

86/W/RN/4 WHITE CLOVER SERIES B

TOTAL OF 2 CUTS DRY MATTER TONNES/HECTARE

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	OM RESID	OM RATE	NPERCUT	OM RESID OM RATE
SED	0.270	0.191	0.142	0.382

TABLE	OM RESID NPERCUT	OM RATE NPERCUT	OM RESID OM RATE NPERCUT	PEATNPER
SED	0.336	0.238	0.475	0.283

EXCEPT WHEN COMPARING MEANS WITH THE SAME LEVEL(S) OF:

OM RESID	0.283
OM RATE	0.200
OM RESID.OM RATE	0.400

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	28	0.540	12.2
BLOCK.WP.SP	31	0.566	12.8

TOTAL OF 2 CUTS MEAN DM% 18.9