

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1987

[Full Table of Content](#)

1987, Rothamsted Research
Experimental Station, Harpenden,
Herts.
AL5 2JQ
UK
This report is available in electronic form on the Rothamsted Research website
at <https://www.rothamsted.ac.uk/>. For more information on the
Rothamsted Research website, please visit <https://www.rothamsted.ac.uk/>.
For more information on the Rothamsted Research website, please visit
<https://www.rothamsted.ac.uk/>.
Printed: Rothamsted Research, Rothamsted 2008

87/R/SU/7 Sowing Dates - Sunflowers

Rothamsted Research

Rothamsted Research (1988) *87/R/SU/7 Sowing Dates - Sunflowers ; Yields Of The Field Experiments 1987*, pp 247 - 248 - DOI: <https://doi.org/10.23637/ERADOC-1-37>

87/R/SU/7

SUNFLOWERS

SOWING DATES

Object: To study the effects of sowing dates on the rates of vegetative and floral development, seed growth, dates of maturity and yield of sunflowers - Garden Plot X.

Sponsor: G.F.J. Milford.

Design: 2 randomised blocks of 6 plots.

Whole plot dimensions: 2.5 x 3.0.

Treatments:

SOWDATE	Sowing dates:
18 MAR	18 March, 1987
2 APR	2 April
15 APR	15 April
6 MAY	6 May
19 MAY	19 May
3 JUNE	3 June

NOTE: Yields were not taken for SOWDATE 3 JUNE.

Basal applications: Manures: 'Nitro-Chalk' at 255 kg. Weedkillers: Trifluralin at 1.1 kg in 220 l. Linuron at 0.50 kg in 220 l.

Seed: Asmer 3 sown at 260,000 seeds per hectare and thinned to 86,000 plants per hectare.

Cultivations, etc.: - Ploughed: 16 Dec, 1986. N and trifluralin applied, rotary cultivated: 16 Mar, 1987. Linuron applied to each successive sowing date: 19 Mar, 6 Apr, 15 Apr, 6 May, 19 May, 3 June. First two sowings harvested by hand: 7 Oct. Remaining sowings harvested by hand: 13 Oct. Previous crops: Lupins 1985, s. barley 1986.

NOTES: (1) Phenological development was monitored during the season.
(2) Dry matters of stems and heads, heights, head diameter and oil content were measured at harvest.

87/R/SU/7

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

***** Tables of means *****

SOWDATE	18 MAR	2 APR	15 APR	6 MAY	19 MAY	Mean
	1.45	1.70	1.26	2.39	2.26	1.81

*** Standard errors of differences of means ***

Table	SOWDATE
s.e.d.	0.277

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
BLOCK.WP	4	0.277	15.2

GRAIN MEAN DM% NOT RECORDED

PLOT AREA HARVESTED 0.00030