


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1992

[Full Table of Content](#)



92/R/CS/10 and 92/W/CS/10 Long-term Liming - W. Oilseed Rape

Rothamsted Research

Rothamsted Research (1993) *92/R/CS/10 and 92/W/CS/10 Long-term Liming - W. Oilseed Rape* ; Yields Of The Field Experiments 1992, pp 50 - 51 - DOI: <https://doi.org/10.23637/ERADOC-1-47>

92/R/CS/10 and 92/W/CS/10

LONG TERM LIMING

Object: To study the effects of different amounts of lime, phosphate and sulphur on the yields and compositions of a sequence of crops - Rothamsted (R) Sawyers I and Woburn (W) Stackyard C.

Sponsors: S.P. McGrath, P.B. Barraclough, G.F.J. Milford.

The 31st year, w. oilseed rape.

For previous years see 'Details' 1967, 1973 and 74-91/R&W/CS/10.

Design: 2 randomised blocks of 16 plots split into 2.

Whole plot dimensions: 5.8 x 16.1 (R), 5.6 x 16.1 (W).

Treatments: All combinations of:-

Whole plots

1. CHALK Residual effects of ground chalk (tonnes CaCO₃) (total applied 1962-87):

R	W	Rothamsted total		Woburn total	
		1962-78	1982-87	1962-78	1982-87
0	0	0	0	0	0
15	9	7	8	6	3
24.5	25.5	15	9.5	14	11.5
52.5	45.5	30	22.5	23	22.5

2. P Residual effects of P fertilizer applied:

	Until 1978		1981	1982	1983		1988	
	R & W		R & W	R & W	R	W	R	W
0	0		0	0	0	0	0	0
P1	0		P1	P1	0	P2	P1	P1
P2	P		P1	0	P2	P2	P1	P1
P3	P		P3	P1	P2	P4	P3	P3

Rates 1981-83 and 1988 P1, P2, P3, P4 = 25, 50, 75, 100 kg P as superphosphate

Sub plots

3. SULPHUR Sulphur (kg S, as calcium sulphate):

0
30

- NOTES:** (1) Until 1978 test P was applied cumulatively, rates varied with crop, none in 1979 and 1980. K was also applied cumulatively, to P1 and P3 plots. Since 1981 K has been applied basally (none in 1986, 1987, 1989 and 1990).
(2) Test manganese was applied cumulatively, 1987-90.

92/R/CS/10 and 92/W/CS/10

Experimental diary:

Sawyers I (R).

25-Aug-91 : B : Deep-tine cultivated with vibrating tines 60 cm apart,
45 cm deep.

26-Aug-91 : B : Ploughed, rolled.

04-Sep-91 : B : Rotary harrowed.

05-Sep-91 : B : Rotary harrowed, Libravo, dressed Hydraguard and
Rovral WP, drilled at 6.1 kg, rolled.

06-Sep-91 : B : Butisan S at 2.5 l in 200 l.

24-Oct-91 : B : NK as (25:0:16) at 200 kg.

02-Dec-91 : B : Vytel Liquid Chelated Magnesium at 2.0 l in 200 l.

05-Mar-92 : T : **SULPHUR** 30: 30 kg S as gypsum.

05-Mar-92 : B : 34.5% N at 220 kg.

13-Apr-92 : B : Ploughed (crop failed).

Stackyard C (W).

03-Sep-91 : B : Ploughed.

06-Sep-91 : B : Rotary cultivated, Libravo, dressed Hydraguard and
Rovral WP, drilled at 6.0 kg, rolled.

29-Oct-91 : B : NK as (25:0:16) at 200 kg.

15-Jan-92 : B : Benazalox at 1.25 kg in 200 l.

05-Mar-92 : T : **SULPHUR** 30: 30 kg S as gypsum.

06-Mar-92 : B : 34.5% N at 220 kg.

13-May-92 : B : Ploughed (crop failed).

NOTE: Owing to crop failure no yields were taken.