


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1993

[Full Table of Content](#)



93/R/CS/10 Cover Crops and 15n - W. Barley

Rothamsted Research

Rothamsted Research (1994) *93/R/CS/10 Cover Crops and 15n - W. Barley* ; Yields Of The Field Experiments 1993, pp 94 - 95 - DOI: <https://doi.org/10.23637/ERADOC-1-48>

93/R/CS/380

COVER CROPS AND 15N

Object: To assess how effectively cover crops take up nitrogen and to assess how much of that nitrogen is subsequently available to the following crop - Webbs.

Sponsors: P.R. Poulton, D.G. Christian, A.J. Macdonald.

The second year, w. barley.

Design: 3 blocks of 5 plots split into 2 sub plots.

Whole plot dimensions: 6.0 x 12.0.

Treatments: All combinations of:-

Whole plots

1. **LAND TRT[92]** Cover crops, tumbledown and fallow ploughed and sown to s. barley in 1992; w. barley in 1993:

FO RA SB	Forage rape
RYE SB	Rye
TUMDN SB	Tumbledown
FALLOWSB	Fallow

Sub plots

2. **N RES[92]** Nitrogen fertilizer (kg N) to s. barley in 1992:

(0)
(75)

plus one extra treatment

Whole plot

1. **EXTRA[92]**

W BARLEY	W. barley taken to maturity in 1992
----------	-------------------------------------

Sub plot

2. **N EXTRA[92]** Nitrogen fertilizer (kg N) to w. barley in 1992:

(0)
(150)

18-Aug-92 : B : Straw baled.
16-Sep-92 : B : Ploughed, furrow pressed.
 : B : Scythe at 2.0 l with Farmon Blue at 0.20 l in 200 l.
17-Sep-92 : B : Rotary harrowed, Puffin, dressed Cerevax, drilled at
 380 seeds per square metre.
15-Apr-93 : B : 34.5% N at 370 kg.
10-May-93 : B : Ally at 30 g and Starane 2 at 1.0 l in 200 l.
20-Jul-93 : B : Harvested by hand.

NOTES: (1) Plots were labelled with ^{15}N in autumn 1991. Samples of soil, soil water and w. barley were taken to measure residual ^{15}N .

(2) Yields were taken on **N RES[92]** (75) and **N EXTRA[92]** (150) plots only.

***** Tables of means *****

LAND TRT[92]	FO RA SB	RYE SB	TUMDN SB	FALLOWSB	Mean
	4.20	4.13	3.36	3.64	3.83

EXTRA[92] 5.05

GRAND MEAN 4.08

*** Standard errors of differences of means ***

LAND TRT[92]
& EXTRA[92]

0.718

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
BLOCK.WP	8	0.879	21.6

GRAIN MEAN DM% 87.6

SUB PLOT AREA HARVESTED 0.00015