


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1995

[Full Table of Content](#)



### 95/R/RAW/2 High Erucic Acid Rape - W. Oilseed Rape

#### Rothamsted Research

Rothamsted Research (1996) *95/R/RAW/2 High Erucic Acid Rape - W. Oilseed Rape* ; Yields Of The Field Experiments 1995, pp 110 - 111 - DOI: <https://doi.org/10.23637/ERADOC-1-50>

95/R/RAW/2

**WINTER OILSEED RAPE**

**HIGH ERUCIC ACID RAPE**

**Object:** To study the effects of disease on the yield and seed quality of high erucic acid rape - Delafield

**Sponsors:** K.J. Doughty, H.A. McCartney, P.J.W. Lutman.

**Design:** 4 blocks of 2 plots.

**Whole plot dimensions:** 3.0 x 17.0.

**Treatments:**

|                 |                                               |
|-----------------|-----------------------------------------------|
| <b>FUNGINOC</b> | Inoculum or fungicide applied:                |
| I               | Inoculated with contaminated straw            |
| F               | Fungicide applied in November, April and June |

**Experimental diary:**

07-Sep-94 : B : Heavy spring-tine cultivated, cultivated by rotary grubber, rotary harrowed, Askari, dressed Lindex-Plus FS, drilled at 120 seeds per m<sup>2</sup>.

17-Oct-94 : B : Draza at 5.5 kg.

25-Oct-94 : T : **INOCFUNG** I: Straw inoculum applied at one bale per 51 m<sup>2</sup>.

26-Oct-94 : B : Butisan S at 2.5 l and Laser at 1.0 l with Ashlade Adjuvant Oil at 2.4 l in 260 l.

02-Nov-94 : T : **FUNGINOC** F: Sportak 45 at 1.1 l in 200 l.

22-Feb-95 : B : 34.5% N at 174 kg.

11-Apr-95 : T : **FUNGINOC** F: Barclay Eyetak at 1.1 l in 200 l.

03-May-95 : B : Fastac at 200 ml in 200 l.

19-Jun-95 : T : **FUNGINOC** F: Rovral Flo at 3.0 l in 400 l.

24-Jul-95 : B : Stefes Diquat at 3.0 l with Vassgro Spreader at 0.30 l in 300 l.

28-Jul-95 : B : Combine harvested.

Previous crops: Linseed 1993 and 1994.

**NOTES:** (1) The crop failed on 2 plots, one of each treatment. The means presented are the means of the other 3 replicates.  
(2) Seed was analysed for quality and ease of processing.

95/R/RAW/2

GRAIN (AT 90% DRY MATTER) TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

**FUNGINOC**

|      |      |
|------|------|
| I    | 2.14 |
| F    | 2.79 |
| Mean | 2.47 |

GRAIN MEAN DM% 83.1

PLOT AREA HARVESTED 0.00391