

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1995

[Full Table of Content](#)



95/R/CS/411 Panicum Spp Study - Grass

Rothamsted Research

Rothamsted Research (1996) *95/R/CS/411 Panicum Spp Study - Grass* ; Yields Of The Field Experiments 1995, pp 84 - 85 - DOI: <https://doi.org/10.23637/ERADOC-1-50>

95/R/CS/411

PANICUM STUDY

Object: To quantify the biomass yield potential of varieties of *Panicum* species - Road Piece West.

Sponsor: D.G. Christian.

The third year, grass.

For previous year see 94/R/CS/411

Design: 3 blocks of 7 x 2 plots.

Whole plot dimensions: 5.0 x 2.0.

Treatments:

1. VARIETY

CAVIN R	Cave in Rock
KANLOW	Kanlow
PATHFIND	Pathfinder
SUNBURST	Sunburst
FOREST B	Forest Burg
NEBR 28	NEBR 28
DAKOTAH	Dakotah

2. N Nitrogen fertilizer, kg N:

-	None
N1	60

Experimental diary:

02-May-95 : B : Duplosan New System CMPP at 2.5 l with Oxytril CM at 1.4 l in 200 l.
15-May-95 : T : N N1: 34.5% N at 174 kg.
22-Jun-95 : B : Duplosan New System CMPP at 2.5 l with Oxytril CM at 1.4 l in 200 l.
23-Oct-95 : T : VARIETY DAKOTAH: Cut.
14-Dec-95 : T : VARIETY FOREST B, SUNBURST: Cut.
04-Jan-96 : T : VARIETY NEBR 28, PATHFIND: Cut.
06-Feb-96 : T : VARIETY KANLOW: Cut.
08-Feb-96 : T : VARIETY CAVIN R: Cut.

NOTE: Soil nitrogen was measured in April. Height was measured and samples taken for biomass in September. Harvest samples were analysed for N,P and K.

95/R/CS/411

DRY MATTER TONNES/HECTARE

***** Tables of means *****

NITROGEN VARIETY	-	N1	Mean
CAVIN R	8.11	8.03	8.07
KANLOW	7.10	5.34	6.22
PATHFIND	8.48	8.22	8.35
SUNBURST	6.98	8.05	7.51
FOREST B	7.35	8.72	8.04
NEBR 28	8.59	7.30	7.95
DAKOTAH	5.28	5.70	5.49
Mean	7.41	7.34	7.37

*** Standard errors of differences of means ***

VARIETY	NITROGEN	VARIETY NITROGEN
0.374	0.200	0.529

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
BLOCK.WP	26	0.647	8.8
MEAN DM%	57.3		
PLOT AREA HARVESTED	0.00011		