


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1997

[Full Table of Content](#)



97/R/WF/3 Wheat and Fallow - W. Wheat

Rothamsted Research

Rothamsted Research (1998) *97/R/WF/3 Wheat and Fallow - W. Wheat* ; Yields Of The Field Experiments 1997, pp 23 - 23 - DOI: <https://doi.org/10.23637/ERADOC-1-53>

97/R/WF/3

WHEAT AND FALLOW

Object: To study the effects of fallowing on unmanured w. wheat -
Hoosfield.

The 142nd year, w. wheat.

For previous years see 'Details' 1967, 1973 and 74-96/R/WF/3.

Whole plot dimensions: 9.0 x 211.

Treatments:

Each year there are two plots, one is sown to w. wheat, one is fallow; they alternate in successive years.

Experimental diary:

Wheat plot:

05-Oct-96 : T : Ploughed.

16-Oct-96 : T : Heavy spring-tine cultivated, spring-tine cultivated,
Hereward, dressed Beret Gold and Fonofos Seed
Treatment, drilled at 380 seeds per m².

17-Mar-97 : T : Topik at 1.25 l with Sprayprover at 1.0 l in 200 l.

10-Jun-97 : T : Folicur at 0.5 l with Mallard 750 EC at 0.3 l and
Pointer at 0.5 l in 300 l.

14-Aug-97 : T : Combine harvested.

Fallow plot:

05-Oct-96 : T : Ploughed.

15-Apr-97 : T : Heavy spring-tine cultivated.

08-Jul-97 : T : Thistle barred.

14-Aug-97 : T : Thistle barred.

NOTE: A sample of unground grain and straw was archived.

GRAIN AND STRAW TONNES/HECTARE

	GRAIN	STRAW
YIELD	2.01	1.16

MEAN DM%	85.7	92.4
----------	------	------

PLOT AREA HARVESTED	0.023232
---------------------	----------