

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1999

[Full Table of Content](#)



99/R/BN/7 Barnfield - Grass/CLOVER

Rothamsted Research

Rothamsted Research (2000) *99/R/BN/7 Barnfield - Grass/CLOVER* ; Yields Of The Field Experiments 1999, pp 30 - 33 - DOI: <https://doi.org/10.23637/ERADOC-1-34>

99/R/PG/5

1ST CUT (6/7/99) DRY MATTER TONNES/HECTARE

***** Tables of means *****

	LIME MANURE	A	B	C	D	MEAN
N1	1	3.69	3.48	2.43	1.38	2.74
K	2/1	3.45	4.04	1.86	2.06	2.85
O(D)	2/2	3.13	3.47	1.60	1.57	2.44
O	3	3.00	3.16	1.75	1.94	2.46
P	4/1	3.22	3.74	3.11	3.12	3.30
N2P	4/2	2.33	2.82	2.83	2.52	2.62
N1MN	6	6.09	5.97			6.03
MN	7	5.93	5.59	6.37	4.26	5.54
PNAMG	8	2.87	3.60	2.94	3.25	3.16
MN(N2)	9/1	4.94	5.78	4.96	3.27	4.74
N2MN	9/2	6.14	5.39	6.42	5.41	5.84
N2PNAMG	10	3.57	3.75	4.36	3.85	3.88
N3MN	11/1	5.62	6.00	5.37	5.01	5.50
N3MNSI	11/2	5.63	5.61	4.56	5.67	5.37
O	12	2.70	2.44	2.50	2.39	2.51
(D/F)	13/1	3.05	4.30	4.24	4.58	4.04
D/F	13/2	4.46	5.29	5.09	5.07	4.98
MN(N2*)	14/1	4.96	4.64	5.04	4.84	4.87
N2*MN	14/2	5.56	4.56	4.03	3.63	4.44
MN(N2*)	15	5.84	5.52	5.19	3.29	4.96
N1*MN	16	5.97	5.13	4.85	4.30	5.06
N1*	17	3.71	3.78	2.92	3.18	3.40
N2KNAMG0	18/1			5.44	1.33	3.39
N2KNAMG2	18/2					4.50
N2KNAMG1	18/3	3.33	4.36			3.84
D0	19/1					5.44
D2	19/2					5.29
D1	19/3					5.04
D/N*PK0	20/1					5.39
D/N*PK2	20/2					5.59
D/N*PK1	20/3					5.68

1ST CUT MEAN DM% 29.6

99/R/BN/7

BARNFIELD

Object: The experiment was designed to study the effects of organic and inorganic manures on continuous root crops. It was progressively modified to study effects on other crops.

Sections 1 and 2, 5th year of clover. Sections 3-6, 5th year of grass/clover.

For previous years see 'Details' 1967 and 1973 and 74-98/R/BN/7.

Plot dimensions: 10.7 x 55.9.

Treatments:

Treatments to grass/clover, Sections 3-6: All combinations of:-

Whole plots

1. MANURE Fertilizers and organic manures:

(D)	(D)
(D) PK	(D) P K
PKMG	P K (Na) Mg
P	P
PK	P K
PMG	P (Na) Mg
0	0

P: 35 kg P as triple superphosphate in 1974 and since 1987, single superphosphate in other years

K: 225 kg K as sulphate of potash

(Na): 90 kg Na as sodium chloride until 1973, none since

Mg: 90 kg Mg as kieserite every fourth year since 1974 (sulphate of magnesia until 1973)

(D): Farmyard manure at 35 t until 1975, none since

Sub-plots

2. N PERCUT Nitrogen fertilizer in 1998 (kg N per cut) as 34.5% N, cumulative to previous dressings and residues of forms of N previously each supplying 96 kg N per annum:

75	75, previously nitrate of soda, section 3
100	100, previously sulphate of ammonia, section 4
125	125, previously sulphate of ammonia + castor meal, section 5
150	150, previously castor meal, section 6

No nitrogen fertilizer applied in 1995. Castor meal last applied 1971, nitrate of soda and sulphate of ammonia until 1959.

Plus one plot **MANURE** KMG 100

99/R/BN/7

Treatments to clover, sections 1 and 2 (not given nitrogen fertilizer):

MANURE Fertilizers and organic manures as for grass/clover above, excluding KMG.

NOTES: (1) P, K and D treatments were applied to Sections 1 and 2 until 1980. None were applied subsequently until the resumption of P and K treatments only, from 1985.
(2) Yields were not taken from section 2.

Experimental diary:

18-Mar-99 : T : P applied.
22-Mar-99 : T : K applied.
24-Mar-99 : T : N applied.
11-May-99 : T : Topped sections 1 and 2.
08-Jun-99 : B : Cut, herbage removed.
12-Jul-99 : T : N applied.
29-Jul-99 : B : Garlon 2 at 6.0 l in 200 l, spot treated docks.
 : T : Topped sections 1 and 2.
20-Oct-99 : B : Cut, herbage removed.

GRASS

1ST CUT (8/6/99) DRY MATTER TONNES/HECTARE

***** Tables of means *****

N PERCUT MANURE	75	100	125	150	Mean
(D)	4.75	5.08	4.65	4.66	4.79
(D) PK	6.96	6.47	5.30	5.97	6.17
PKMG	6.32	5.86	5.86	6.13	6.04
P	4.85	2.89	1.21	4.92	3.47
PK	6.27	6.50	5.86	6.54	6.29
PMG	4.90	3.45	2.62	4.08	3.76
0	4.19	3.49	3.18	3.37	3.56
Mean	5.46	4.82	4.10	5.09	4.87

MANURE KMG 100 5.47

Grand mean 4.89

1ST CUT MEAN DM% 25.4

99/R/BN/7

GRASS

2ND CUT (20/10/99) DRY MATTER TONNES/HECTARE

***** Tables of means *****

N PERCUT MANURE	75	100	125	150	Mean
(D)	1.68	1.98	2.56	3.07	2.32
(D) PK	2.64	3.87	3.44	3.52	3.37
PKMG	2.71	2.50	3.12	2.92	2.82
P	0.77	1.96	1.99	1.38	1.52
PK	2.46	2.84	3.92	4.03	3.31
PMG	0.82	2.05	1.96	1.37	1.55
0	0.86	1.85	2.04	1.17	1.48
Mean	1.71	2.44	2.72	2.49	2.34

MANURE KMG 100 2.76

Grand mean 2.35

2ND CUT MEAN DM% 31.3

TOTAL OF 2 CUTS DRY MATTER TONNES/HECTARE

***** Tables of means *****

N PERCUT MANURE	75	100	125	150	Mean
(D)	6.44	7.06	7.21	7.72	7.11
(D) PK	9.60	10.35	8.74	9.48	9.54
PKMG	9.03	8.36	8.99	9.05	8.86
P	5.62	4.85	3.20	6.30	4.99
PK	8.74	9.34	9.79	10.57	9.61
PMG	5.72	5.51	4.58	5.45	5.31
0	5.05	5.34	5.22	4.54	5.04
Mean	7.17	7.26	6.82	7.59	7.21

MANURE KMG 100 8.23

Grand mean 7.24

TOTAL OF 2 CUTS MEAN DM% 28.3