


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 2000

[Full Table of Content](#)



00/R/LP/5 Pests and Diseases - Lupins

Rothamsted Research

Rothamsted Research (2001) *00/R/LP/5 Pests and Diseases - Lupins ; Yields Of The Field Experiments 2000*, pp 173 - 174 - DOI: <https://doi.org/10.23637/ERADOC-1-55>

00/R/LP/5

LUPINS

PESTS AND DISEASES

Object: To test methods of bean seed fly control and to identify possible causes of blindness - Highfield IV/Road Piece East.

Sponsors: I.F. Shield, G. Bateman, H.J. Stevenson and J.V. Ethridge.

Design: 3 blocks of 10 plots.

Whole plot dimensions: 2.0 x 9.0.

Treatments:

PESTCONT	Pest Control:
-	None
SS	Stale seedbed
C	Chlorpyrifos
CI	Chlorpyrifos incorporated
G1	Imidacloprid low rate seed dressing
G2	Imidacloprid high rate seed dressing
DC	Deltamethrin 2-4 leaf stage
DM	Dimethoate 2-4 leaf stage

Experimental diary:

13-Aug-99 : B : : Ploughing started.
14-Aug-99 : B : : Ploughing completed.
26-Aug-99 : T : SS : Rotary harrowed.
13-Sep-99 : T : CI : Dursban 4 at 1.5 l in 220 l. Rotary harrowed.
14-Sep-99 : T : C : Dursban 4 at 1.5 l in 220 l.
 : B : : Drilled, DTN 20, dressed as treatment at 40 seeds/m²
 with the Oyjord drill. Rolled.
15-Sep-99 : B : : Draza at 5.0 kg.
21-Sep-99 : B : : Stomp 400 SC at 5.0 l in 200 l.
12-Oct-99 : T : DC : Decis at 350 ml in 220 l.
 : T : DM : BASF Dimethoate 40 at 850 ml in 220 l.
12-Nov-99 : B : : tm)Alpha Simazine 50 SC at 2.3 l in 200 l.
 : B : : tm)Carbetamex at 3.0 kg in 200 l.
28-Apr-00 : B : : tm)Bravo 500 at 1.5 l in 200 l.
 : B : : tm)Folicur at 0.5 l in 200 l.
04-Jul-00 : B : : tm)Folicur at 0.5 l in 200 l.
 : B : : tm)Aphox at 280 g in 200 l.
 : B : : tm)Enhance Low Foam at 50 ml in 200 l.
14-Sep-00 : B : : Combine harvested.

Previous crops: W. wheat 1998, w. barley 1999.

NOTE: Plant counts were done monthly from emergence to mid-winter and in April.
Pest damage was assessed regularly including root damage in November.

00/R/LP/5

GRAIN TONNES/HECTARE

***** Tables of means *****

PESTCONT

-	3.79
SS	4.09
C	4.14
CI	4.16
G1	3.70
G2	3.70
DC	4.08
DM	4.17

Mean 3.94

*** Standard errors of differences of means ***

PESTCONT

0.339 min.rep
0.277 max-min

PESTCONT

min.rep Any of the remainder
max-min - v any of the remainder

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
BLOCK.WP	20	0.415	10.5

GRAIN MEAN DM% 53.0

PLOT AREA HARVESTED 0.00216