

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 2003

[Full Table of Content](#)

Results of the
Classical
and other
Long-term Experiments
2003

Rothamsted Research

03/R/CS/326 and 03/W/CS/326 - Amount of Straw

Rothamsted Research

Rothamsted Research (2004) *03/R/CS/326 and 03/W/CS/326 - Amount of Straw* ; Yields Of The Field Experiments 2003, pp 26 - 29 - DOI: <https://doi.org/10.23637/ERADOC-1-260>

03/R/CS/326 and 03/W/CS/326

AMOUNTS OF STRAW

Object: To study the effects of different amounts of straw, incorporated into the soil, on w. wheat - Rothamsted (R) Great Knott III, Woburn (W) Far Field I.

Sponsors: M.J. Glendining, P.C. Brookes.

The 16th year, w. wheat.

For previous years see 87-02/R & W/CS/326.

Design: 4 randomised blocks of 4 plots (R).
3 randomised blocks of 4 plots (W).

Whole plot dimensions: 3.0 x 13.5 (R). 0.004 ha
3.0 x 14.5 (W).

Treatments:

STRAW Amounts of straw incorporated into the seedbed, cumulative to previous annual dressings:

		R	W
NONE	None	-	-
NORMAL	Normal	3.60	3.11
2 NORMAL	Twice normal	7.21	6.22
4 NORMAL	Four times normal	14.42	12.45

Experimental diary:

Great Knott III (R):

14-Aug-02 : T : : Straw treatments applied.
18-Aug-02 : T : : Chopped straw.
17-Sep-02 : B : : Ploughed 25 cm furrows.
18-Sep-02 : B : : Combination drilled, Hereward, tr. Sibutol Secur, at
200 seeds/m² with the Accord 2 drill.
24-Sep-02 : B : : Crystal at 4.0 l in 200 l.
10-Mar-03 : B : : Sulphur Gold at 167 kg.
10-Mar-03 : B : : Sulphur Gold at 167 kg.
29-Apr-03 : B : : 33.5% N at 448 kg.
07-May-03 : B : : tm)Ally at 30 g in 200 l.
: B : : tm)Starane 2 at 0.75 l in 200 l.
10-May-03 : B : : tm)Opus at 0.5 l in 200 l.
: B : : tm)Amistar at 0.6 l in 200 l.
28-May-03 : B : : tm)Opus at 0.5 l in 200 l.
: B : : tm)Twist at 1.0 l in 200 l.
04-Aug-03 : B : : Combine harvested discards.
06-Aug-03 : B : : Combine harvested plots for yield.
07-Aug-03 : T : : Straw weighed.
: B : : Combine harvested discards.

pp 3

03/R/CS/326

GRAIN TONNES/HECTARE

***** Tables of means *****

STRAW	
NONE	7.24
NORMAL	7.26
2 NORMAL	7.11
4 NORMAL	7.14
Mean	7.19

*** Standard errors of differences of means ***

STRAW
0.152

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
Blocks.Plots	9	0.215	3.0
GRAIN MEAN DM%	90.9		

STRAW TONNES/HECTARE

***** Tables of means *****

STRAW	
NONE	1.95
NORMAL	2.21
2 NORMAL	2.13
4 NORMAL	2.61
Mean	2.22

STRAW MEAN DM% 92.0

PLOT AREA HARVESTED 0.00284

03/W/CS/326

GRAIN TONNES/HECTARE

***** Tables of means *****

STRAW	
NONE	6.29
NORMAL	6.25
2 NORMAL	6.22
4 NORMAL	6.23
Mean	6.25

*** Standard errors of differences of means ***

STRAW
0.079

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
Blocks.Plots	6	0.096	1.5
GRAIN MEAN DM%	91.2		

STRAW TONNES/HECTARE

***** Tables of means *****

STRAW	
NONE	2.27
NORMAL	2.00
2 NORMAL	2.48
4 NORMAL	2.14
Mean	2.22

STRAW MEAN DM% 93.9

PLOT AREA HARVESTED 0.00294